

SAFETY DATA S GHS: According to 2015/830/		Printed on 29 Jul 202.
Code Number Version 3 Revised 29/C	FM75033 07/2022 11:55:30 AM	
Section 1. Identificatio	n of the substance/mixture	e and of the company/undertaking
1.1 Product I dentifier		
Product Name	SWEET CUCUMBER & MELON	J
Code Number	FM75033	
Alternative Name	INCI Name: Parfum	
REACH Reg No	Not registered	
1.2 Relevant identified	l uses of the substance or i	mixture and uses advised against
For fragrance use.		
1.3 Details of the supp	lier of the safety data shee	et
	Australian Botanical Products	
	39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529	
Telephone Number	Tel No. +613 97094800	
Email Address	info@abp.com.au	
1.4 Emergency Tel No	Emergency No. +61 438196	124
Section 2. Hazard Iden	tification	
2.1 Classification of th	e substance or mixture	
ATO 5	Acute toxicity, oral, category	7 5
SCI 2	Skin corrosion/irritation, cate	egory 2
SS 1B	Skin sensitisation, category	1B
EH A2	Aquatic hazard, acute, categ	ory 2
EH C2	Aquatic hazard, chronic, cate	egory 2
2.2 Label elements		

According to 2015/	550, E0	
nde Number	FM75033 29/07/2022 11:55:30 AM	
	according to Regulation (EC) No 1272/2008	
Hazard Pictogra		
•		
Signal Word	Warning	
Hazard Statemer	nts	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H411	Toxic to aquatic life with long lasting effects	
Precautionary St	atements	
P261	Avoid breathing fumes.	
P264	Wash hands thoroughly after handling	
P272	Contaminated work clothing should not be allow workplace.	ed out of the
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye protection	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P312	Call a POISON CENTRE if you feel unwell.	
P333+P313	If skin irritation or rash occurs: Get medical adv	ice.
P362+P364	Take off contaminated clothing and wash it befo	re reuse.
P391	Collect spillage.	
P501	Dispose of contents and container in accordance regulations.	to local

No further information available at this time

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 29 Jul 2022

GHS: According to 2015/830/EU

Code Number FM75033

Version 3 Revised 29/07/2022 11:55:30 AM

Section 3. Composition / information on ingredients Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 120-51-4 EINECS 204-402-9 REACH	benzyl benzoate	10% - 30%
	ATO 4(1500); ATD 5(4000); EH C2 H302,H313,H411	
CAS 1222-05-5 EINECS 214-946-9	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	10% - 30%
REACH	EH A1,C1 H400,H410	
CAS 122-40-7 EINECS 204-541-5	2-benzylideneheptanal	10% - 30%
REACH	ATO 5;SS 1B;EH A1,C2 H303,H317,H400,H411	
CAS 103694-68-4 EINECS 403-140-4	3-(2,2-dimethyl-3-hydroxypropyl)toluene	<10%
REACH	FL 4;ATO 5(3000);SCI 3;EH C3 H227,H303,H316,H412	
CAS 140-11-4 EINECS 205-399-7	benzyl acetate	<10%
REACH	FL 4;ATO 5;ATI 5;EH A2,C3 H227,H303,H333,H401,H412	
CAS 122-63-4 EINECS 204-559-3	benzyl propionate	<10%
REACH	ATO 5(3300) H303	
CAS 103-95-7 EINECS 203-161-7	3-p-cumenyl-2-methylpropionaldehyde	<10%
REACH	ATO 5(3810); SCI 2; SS 1B; EH C2 H303, H315, H317, H411	
CAS 5413-60-5 EINECS 226-501-6	Dihydro-dicyclopentadienyl acetate	<10%
REACH	ATO 5(3000); SCI 3; EH A3, C3 H303, H316, H402, H412	
CAS 98-55-5 EINECS 202-680-6	Terpineol (alpha-Terpineol)	<10%
REACH	FL 4; ATO 5(4300); SCI 2; EDI 2A; EH A2 H227, H303, H315, H319, H401	
CAS 88-41-5 EINECS 201-828-7	2-tert-butylcyclohexyl acetate	<10%
REACH	FL 4;ATO 5;SCI 3;EH A2,C2 H227,H303,H316,H401,H411	
CAS 14901-07-6 EINECS 238-969-9	4-(2,6,6-trimethylcyclohex-1-ene-1-yl)-but-3-ene-2-one	<10%
REACH	ATO 5;SCI 3;EH A2,C2 H303,H316,H401,H411	

Printed on 29 Jul 2022

GHS: According to 2015/830/EU

Code Number FM75033

Version 3 Revised 29/07/2022 11:55:30 AM

CAS 24851-98-7 EINECS 246-495-9 REACH	methyl 3-oxo-2-pentylcyclopentaneacetate EH A2 H401	<10%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3; SCI 2; SS 1B;AH 1; EH A1,C1 H226,H304,H315,H317,H400,H410	<10%
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4;SS 1B H227,H317	<10%
CAS 115-95-7 EINECS 204-116-4 REACH	Linalyl acetate FL 4; SCI 2; EDI 2A; EH A3 H227, H315, H319, H402	<10%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

- 4.1 Description of first aid measures
 - After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

May be harmful if swallowed. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY	DATA	SHEFT

GHS: According to 2015/830/EU

Printed on 29 Jul 2022

Code Number FM75033 Version 3 Revised 29/07/2022 11:55:30 AM

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Z

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 29 Jul 2022

GHS: According to 2015/830/EU

Code Number FM75033

Version 3 Revised 29/07/2022 11:55:30 AM

7.3 Specific end use(s) No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 29 Jul 2022

GHS: According to 2015/830/EU

 Code Number
 FM75033

 Version 3 Revised 29/07/2022 11:55:30 AM

Section 9. Physical and chemical properties

9.1 Information on basic physical FLASH POINT (°C)	and chemical properties 100°
APPEARANCE	Mobile liquid
COLOUR	Colourless to pale yellow
ODOUR	Sweet cucumber, melon
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	0.955 to 0.985
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	

Page 7 of 13

Printed on 29 Jul 2022

GHS: According to 2015/830/EU

Code Number FM75033 Version 3 Revised 29/07/2022 11:55:30 AM

Section 10. Stability and reactivity
10.1 Reactivity No data.
10.2 Chemical Stability Stable under the recommended storage conditions (see section 7).
10.3 Possibility of hazardous reactions No hazardous reactions if stored under suitable storage conditions.
10.4 Conditions to avoid Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents and from highly alkaline or acidic material.
10.6 Hazardous decomposition products During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.
Section 11. Toxicological information
11.1 Information on toxicological effects
Acute toxicity May be harmful if swallowed.
Skin corrosion / irritation Causes skin irritation.
Serious eye damage / irritation No known adverse effects.
Respiratory or skin sensitisation May cause an allergic skin reaction.
Germ cell mutagenicity No data
Carcinogenicity No data
Reproductive toxicity No data

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 29 Jul 2022

GHS: According to 2015/830/EU

Code Number FM75033

Version 3 Revised 29/07/2022 11:55:30 AM

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

No data

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (HHCB) CAS: 1222-05-5: LC50 (96 h) - Medaka larvae – 0.95 mg/L EC50 (48 h) - Daphnia magna – 0.194 mg/L EC50 (72 h) - Pseudokirchneriella subcapitata – 0.72 mg/L NOEC (36 days) - Pimephales promelas (fathead minnow) - 0.068 mg/L NOEC (21 days) - Daphnia magna 0.11 mg/L NOEC (72 h) - Pseudokirchneriella subcapitata – 0.2 mg/L 12.2 Persistence and degradability

No test data available for this substance.

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 29 Jul 2022

GHS: According to 2015/830/EU

Code Number FM75033

Version 3 Revised 29/07/2022 11:55:30 AM

12.5 Results of PBT and vPvB assessment No data

12.6 Other adverse effects

See sections 6, 7, 13 and 15.

Section 13. Disposal considerations Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

Jection 14. II	
14.1 UN num	ber
ADR	3082
ΙΑΤΑ	3082
IMDG	3082
14.2 UN prop	er shipping name
ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS HHCB)
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS HHCB)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS HHCB)
14.3 Transpo	rt hazard class(es)
ADR	9
ΙΑΤΑ	9
IMDG	9
14.4 Packing	group
ADR	111
ΙΑΤΑ	111
IMDG	III
Tunnel Code	(E)
14.5 Environi	mental Hazards
Dangerous f	or the environment. Marine pollutant.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DAT GHS: According to 2015		Printed on 29 Jul 2022
<i>Code Number Version 3 Revisea</i>	FM75033 29/07/2022 11:55:30 Al	И
14.6 Special prec Maritime Transpo EmS: F-A, S-F Marine Pollutant:	ort (International Maritime D	angerous Goods Code (IMDG Code)):
Road and Rail Tra	ansport (Australian Dangero	us Goods Code (ADG Code)):
HazChem Code	• 3Z	
14.7 Transport in Not applicable	bulk according to Annex	II of MARPOL73/78 and the IBC Code
Section 15. Regula	atory information	
substance or mix		ulations/legislation specific for the HS Tariff Code: 3302.90.00
15.2 Chemical sa		
	y assessment has not been o	arried out
Section 16. Other	information	
	autionary phrases	
P261	Avoid breathing fume	
P264	Wash hands thorough	ıly after handling
P272	Contaminated work cl workplace.	othing should not be allowed out of the
P273	Avoid release to the e	
		environment.
P280	Wear protective glove	
P280 P302+P352	Wear protective glove IF ON SKIN: Wash wi	es and eye protection
		es and eye protection th plenty of water.
P302+P352	IF ON SKIN: Wash wi Call a POISON CENTR	es and eye protection th plenty of water.
P302+P352 P312	IF ON SKIN: Wash wi Call a POISON CENTR If skin irritation or ras	es and eye protection th plenty of water. E if you feel unwell.
P302+P352 P312 P333+P313	IF ON SKIN: Wash wi Call a POISON CENTR If skin irritation or ras	es and eye protection th plenty of water. E if you feel unwell. sh occurs: Get medical advice.
P302+P352 P312 P333+P313 P362+P364	IF ON SKIN: Wash wi Call a POISON CENTR If skin irritation or ras Take off contaminated Collect spillage.	es and eye protection th plenty of water. E if you feel unwell. sh occurs: Get medical advice.
P302+P352 P312 P333+P313 P362+P364 P391 P501	IF ON SKIN: Wash wi Call a POISON CENTR If skin irritation or ras Take off contaminated Collect spillage. Dispose of contents a	es and eye protection th plenty of water. E if you feel unwell. Sh occurs: Get medical advice. d clothing and wash it before reuse. nd container in accordance to local
P302+P352 P312 P333+P313 P362+P364 P391 P501	IF ON SKIN: Wash wi Call a POISON CENTR If skin irritation or ras Take off contaminated Collect spillage. Dispose of contents a regulations.	es and eye protection th plenty of water. E if you feel unwell. Sh occurs: Get medical advice. d clothing and wash it before reuse. nd container in accordance to local

GHS: According to 2015/830/EU

Printed on 29 Jul 2022

SION 3 REVISED	1 29/07/2022 11:55:30 AM
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
ATI 5	Acute toxicity, inhalation, category 5
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3
Wording of any	hazard statements listed in section 3
+226	Flammable liquid and vapour
	Combustible liquid
-1302	Harmful if swallowed
-1303	May be harmful if swallowed
	May be fatal if swallowed and enters airways
+313	May be harmful in contact with skin
+315	Causes skin irritation
	Causes mild skin irritation
+317	May cause an allergic skin reaction
H319	Causes serious eye irritation
-1333	May be harmful if inhaled
4400	Very toxic to aquatic life
401	Toxic to aquatic life
-1402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
4411	Toxic to aquatic life with long lasting effects

Printed on 29 Jul 2022

GHS: According to 2015/830/EU

Code Number FM75033 Version 3 Revised 29/07/2022 11:55:30 AM

References and further information Key: N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons

Version 1: GHS format, BV 29/08/2017 Version 2: Minor changes, BV 25/09/2017 Version 3: Mandatory revision, RB 29/07/2022

Page 13 of 13