

1

| SAFETY DATA SHEET Printed on 19 Aug GHS: According to 2015/830/EU Printed on 19 Aug | | | 19 Aug 202 |
|---------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|----------------|-------------|
| <i>Code Number Version 3 Revised 19/L</i> | FM75226 08/2021 4:54:29 PM | | |
| Section 1. I dentificatio | n of the substance/mixture and of | the company/ | undertaking |
| 1.1 Product I dentifier Product Name Code Number Alternative Name REACH Reg No | TARABYA FM75226 | | |
| 1.2 Relevant identified | d uses of the substance or mixture a | and uses advis | sed against |
| Fragrance use. | | | - |
| 1.3 Details of the supp | plier of the safety data sheet | | |
| | Australian Botanical Products Ltd | | |
| | 39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529 | | |
| Telephone Number | Tel No. +613 97094800 | | |
| Email Address | info@abp.com.au | | |
| 1.4 Emergency Tel No | Emergency No. +61 438196124 | | |
| Section 2. Hazard I den | tification | | |
| 2.1 Classification of th | e substance or mixture | | |
| FL 3 | Flammable liquid, category 3 | | |
| ATO 5 | Acute toxicity, oral, category 5 | | |
| AH 1 | Aspiration hazard, category 1 | | |
| SCI 2 | Skin corrosion/irritation, category 2 | | |
| SS 1B | Skin sensitisation, category 1B | | |
| EDI 1 | Eye damage/irritation, category 1 | | |
| CAR 2 | Carcinogenicity, category 2 | | |
| REP 2 | Reproductive toxicity, category 2 | | |
| EH A1 | Aquatic hazard, acute, category 1 | | |
| EH C1 | Aquatic hazard, chronic, category 1 | | |
| 2.2 Label elements | | | |

| AFETY DATA HS: According to 2015/8 | - | Printed on 19 Aug 20 |
|---------------------------------------|----------------------------------------------------------------------------------------------------------------------|-----------------------------|
| Code Number | FM75226 9/08/2021 4:54:29 PM | |
| GHS classification a | according to Regulation (EC) No 1272 | 2/2008 |
| Hazard Pictogram | | |
| | $ \land \land$ | |
| | | メふメジン |
| | $\forall \vee \vee$ | |
| Signal Word | Danger | • • |
| Hazard Statemen | ts | |
| H226 | Flammable liquid and vapour | |
| H304 | May be fatal if swallowed and er | nters airways |
| H315 | Causes skin irritation | |
| H317 | May cause an allergic skin reacti | ion |
| H318 | Causes serious eye damage | |
| H410 | Very toxic to aquatic life with lor | ng lasting effects |
| Precautionary Sta | atements | |
| P210 | Keep away from heat, hot surfac other ignition sources. No smoki | |
| P261 | Avoid breathing fumes. | |
| P273 | Avoid release to the environmer | nt. |
| P280 | Wear protective gloves and eye | protection |
| P301+P310 | IF SWALLOWED: Immediately ca | all a POISON CENTRE. |
| P303+P361+P353 | IF ON SKIN (or hair): Take off ir clothing. Rinse skin with water. | nmediately all contaminated |
| P305+P351+P338 | IF IN EYES: Rinse cautiously wit Remove contact lenses, if preser rinsing. | |
| P310 | Immediately call a POISON CEN | TRE. |
| P331 | Do NOT induce vomiting. | |
| P333+P313 | If skin irritation or rash occurs: | Get medical advice. |
| P391 | Collect spillage. | |

| HS: According to 20 | nted on | 19 Aug 20 | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----------------------|
| Code Number | FM75226 ed 19/08/2021 4:54:29 PM | | |
| P403+P235 | Store in a well-ventilated place. Keep cool. | | |
| P501 | Dispose of contents and container to local. | | |
| Cinnamal, Cinr | rds a-iso-Methylionone, Benzyl Alcohol, Benzyl Benzoate, namyl Alcohol, Citral, Citronellol, Eugenol, Geraniol, L oduce an allergic reaction | | |
| | position / information on ingredients is listed here for hazardous components are for illustrative purposes only | | |
| 3.2 Mixtures Complex mixtu Hazardous com | ure of ingredients | | |
| ID Numbers | Chemical Name, Classification and Hazards | | Conc (%) |
| CAS 5989-27-5 EINECS 227-813-5 REACH | d-Limonene (p-Mentha-1,8-diene) FL 3; SCI 2; SS 1B; AH 1; EH A1, C1 H226, H304, H315, H317, H400, H410 | | 10% - 30% |
| CAS 2867-05-2 EINECS 220-686-7 | alpha-thujene (5-isopropyl-2-methylbicyclo[3.1.0]hex-2-ene) | | 10% - 30% |
| | FL 3;ATO 4;AH 1;SCI 2;SS 1;EH C2 H226,H302,H304,H315,H317,H411 | | 1070 0070 |
| REACH CAS 127-91-3 EINECS 204-872-5 | | | <10% |
| REACH CAS 127-91-3 EINECS 204-872-5 REACH CAS 120-51-4 EINECS 204-402-9 | H226,H302,H304,H315,H317,H411 beta-Pinene FL 3;ATO 5(3700);AH 1;SCI 2;SS 1B;EH A1,C1 | | |
| REACH CAS 127-91-3 EINECS 204-872-5 REACH | H226,H302,H304,H315,H317,H411 beta-Pinene FL 3;ATO 5(3700);AH 1;SCI 2;SS 1B;EH A1,C1 H226,H303,H304,H315,H317,H400,H410 benzyl benzoate ATO 4(1500);ATD 5(4000);EH C2 | | <10% |
| REACH CAS 127-91-3 EINECS 204-872-5 REACH CAS 120-51-4 EINECS 204-402-9 REACH CAS 105-85-1 EINECS 203-338-9 | H226,H302,H304,H315,H317,H411 beta-Pinene FL 3;ATO 5(3700);AH 1;SCI 2;SS 1B;EH A1,C1 H226,H303,H304,H315,H317,H400,H410 benzyl benzoate ATO 4(1500);ATD 5(4000);EH C2 H302,H313,H411 citronellyl formate FL 4;SCI 2;SS 1 | | <10% |
| REACH CAS 127-91-3 EINECS 204-872-5 REACH CAS 120-51-4 EINECS 204-402-9 REACH CAS 105-85-1 EINECS 203-338-9 REACH CAS 23787-90-8 EINECS 245-890-3 | H226,H302,H304,H315,H317,H411 beta-Pinene FL 3;ATO 5(3700);AH 1;SCI 2;SS 1B;EH A1,C1 H226,H303,H304,H315,H317,H400,H410 benzyl benzoate ATO 4(1500);ATD 5(4000);EH C2 H302,H313,H411 citronellyl formate FL 4;SCI 2;SS 1 H227,H315,H317 1,3,4,6,7,8a-hexahydro-1,1,5,5-tetramethyl-2H-2,4a-methanona SCI 2;SS 1;EH C2 | | <10% <10% <10% |

ſ

Printed on 19 Aug 2021

GHS: According to 2015/830/EU

Code Number FM75226

Version 3 Revised 19/08/2021 4:54:29 PM

| CAS 81-14-1 | 4'-tert-butyl-2',6'-dimethyl-3',5'-dinitroacetophenone | |
|---------------------------------------------|---------------------------------------------------------------------------|--------|
| EINECS 201-328-9 REACH | CAR 2;EH A1,C1 H351,H400,H410 | <10% |
| CAS 68526-86-3 EINECS 271-235-6 REACH | Alcohols, C11-14-iso-, C13-rich | <10% |
| | SCI 2;EH A1,C1 H315,H400,H410 | < 10 % |
| CAS 80-56-8 EINECS 201-291-9 | Pinenes | <10% |
| REACH | FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410 | < 10 % |
| CAS 5392-40-5 EINECS 226-394-6 | Citral | <10% |
| REACH | SCI 2;SS 1 H315,H317 | 1070 |
| CAS 106-22-9 EINECS 203-375-0 | Citronellol (d,I-Citronellol) | <10% |
| REACH | SCI 2; SS 1B; EDI 2A H315, H317, H319 | 1070 |
| CAS 140-67-0 EINECS 205-427-8 | Estragole (Methyl chavicol) | <10% |
| REACH | FL 4;ATO 4(1230):SCI 3;SS 1B:CAR 2;MUT 2 H227,H302,H316,H317,H341,H351 | 1070 |
| CAS 106-24-1 EINECS 203-377-1 | Geraniol | <10% |
| REACH | SCI 2; SS 1; EDI 1 H315, H317, H318 | 1070 |
| CAS 105-87-3 EINECS 203-341-5 | Geranyl acetate | <10% |
| REACH | SCI 2; SS 1; EH C3 H315,H317,H412 | |
| CAS 78-70-6 EINECS 201-134-4 | Linalool | <10% |
| REACH | FL 4;SS 1B H227,H317 | 1070 |
| CAS 115-95-7 EINECS 204-116-4 REACH | Linalyl acetate | <10% |
| | FL 4; SCI 2; EDI 2A; EH A3 H227,H315,H319,H402 | |
| CAS 60-12-8 EINECS 200-456-2 | Phenyl ethyl alcohol | <10% |
| REACH | ATD 5(2500); ATO 4(1610); EDI 2A; SCI 3 H302, H313, H316, H319 | |

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

Remove from the exposure area to fresh air, lay patient on back until breathing returns to normal.

Printed on 19 Aug 2021

GHS: According to 2015/830/EU

Code Number FM75226

Version 3 Revised 19/08/2021 4:54:29 PM

After skin contact

Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Flush eyes with plenty of water for 15 minutes including under eyelid and seek medical advice if necessary. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Y

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible contain the spill.

6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 19 Aug 2021

GHS: According to 2015/830/EU

 Code Number
 FM75226

 Version 3 Revised 19/08/2021 4:54:29 PM

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbant material such as earth or vemiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatiable material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 19 Aug 2021

GHS: According to 2015/830/EU

Code Number FM75226

Version 3 Revised 19/08/2021 4:54:29 PM

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Use inhalation protection in poorly ventilated areas

Thermal hazards

No information

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

| 9.1 Information on basic physical | and chemical properties |
|------------------------------------|-----------------------------------|
| FLASH POINT (°C) | 47 |
| APPEARANCE | Mobile liquid |
| COLOUR | Yellow to golden yellow |
| ODOUR | Fresh, frankinsence, citrus, rose |
| ODOUR THRESHOLD | Not available |
| pH @20 DEG C | Not available |
| MELTING/FREEZING POINT | Not available |
| INITIAL BOILING POINT AND RANGE | Not available |
| EVAPORATION RATE | Not available |
| FLAMMABILITY (SOLID/GAS) | Not available |
| UPPER/LOWER FLAMMABILITY LIMITS | Not available |
| VAPOUR PRESSURE | Not available |

| SAFETY DATA SHEET GHS: According to 2015/830/EU | PI | rinted on | 19 Aug 202 |
|--------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|-------------|------------|
| Code Number FM75226 Version 3 Revised 19/08/2021 4:: | 54:29 PM | | |
| VAPOUR DENSITY | Not available | | |
| SPECIFIC GRAVITY @ 20°C | 0.875 to 0.905 | | |
| SOLUBILITIES | Insoluble in water | | |
| PARTITION COEFF N-OCTANAL/WATER | Not available | | |
| AUTO-IGNITION TEMPERATURE | Not available | | |
| DECOMPOSITION TEMPERATURE | Not available | | |
| VISCOSITY @ 20 DEG C | Not available | | |
| EXPLOSIVE PROPERTIES | Not available | | |
| OXIDISING PROPERTIES | Not available | | |
| No further information available Section 10. Stability and reactivity 10.1 Reactivity Risk of ignition if heated. No furthe | | | |
| 10.2 Chemical Stability Stable under the recommended st | prage conditions (see section 7) | | |
| 10.3 Possibility of hazardous rea No hazardous reactions if stored u | | | |
| 10.4 Conditions to avoid | | | |
| Avoid exposure to heat, sources of exposure to air. Storing the produ peroxides and derogate the quality | ct in open containers will benefit | | |
| 10.5 Incompatible materials | | | |
| Keep away from oxidising agents a | nd from highly alkaline or acidio | c material. | |
| 10.6 Hazardous decomposition p | | | |
| During combustion may form carb compounds. | During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds. | | |
| Section 11. Toxicological informat | ion | | |
| 11.1 Information on toxicologica | effects | | |
| Acute toxicity | | | |

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 19 Aug 2021

GHS: According to 2015/830/EU

 Code Number
 FM75226

 Version 3 Revised 19/08/2021 4:54:29 PM

| Version 3 Revisea 19/08/2021 4:54:29 PM |
|------------------------------------------------------------------------------|
| May be hamrful if swallowed. |
| Skin corrosion / irritation |
| Causes skin irritation. |
| Serious eye damage / irritation |
| Causes serious eye damage. |
| Respiratory or skin sensitisation |
| May cause an allergic skin reaction. |
| Germ cell mutagenicity |
| No data |
| Carcinogenicity |
| Suspected of causing cancer. |
| Reproductive toxicity |
| Suspected of damaging fertility or the unborn child. |
| STO-single exposure |
| No data |
| STO-repeated exposure |
| No data |
| Aspiration hazard |
| May be fatal if swallowed and enters airways. |
| Information on likely routes of exposure |
| No data |
| Symptoms related to the physical, chemical and toxicological characteristics |
| No data |
| Delayed and immediate effects as well as chronic effects from short and |
| long-term exposure No data |
| Interactive effects |
| No data |
| Other information |
| No data |
| |
| Section 12. Ecological information |

| SAFETY DATA SHEET GHS: According to 2015/830/EU | | Printed on 19 Aug 20 |
|----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|
| Code Numb Version 3 R | per FM75226 Pevised 19/08/2021 4:54:29 PM | |
| 12.1 Toxici | | |
| Very toxic | to aquatic life with long lasting effect | ts. Avoid contaminating waterways. |
| LC50 fish EC50 (GLI | ne (5989-27-5) 1(Lethal) - Pimephales promelas (fat P) - Daphinia magna – 0.36mg/L – 48 limit 1 (GLP) - Desmodesmus subsp | |
| 12.2 Persis | tence and degradability | |
| No data | | |
| 12.3 Bioaco | cumulative potential | |
| No data | | |
| 12.4 Mobili | ty in soil | |
| | ontamination of soil, ground and surf | ace water. |
| 12.5 Resul | ts of PBT and vPvB assessment | |
| No data | | |
| | adverse effects ons 6, 7, 13 and 15. | |
| | | |
| | Disposal considerations | |
| | | osure controls and personal protection) |
| | e treatment methods | |
| Dispose in | n accordance with the law and local re | egulations. Treat as trade effluent. |
| Section 14. | Transport information | |
| 14.1 UN nu | mber | |
| ADR | 1993 | |
| ΙΑΤΑ | 1993 | |
| IMDG | 1993 | |
| 14.2 UN pr | oper shipping name | |
| ADR | FLAMMABLE LIQUID, N.O.S. (D-I | _IMONENE) |
| IATA | FLAMMABLE LIQUID, N.O.S. (D-I | _IMONENE) |
| IMDG | FLAMMABLE LIQUID, N.O.S. (D-I | _IMONENE) |
| | | |

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 19 Aug 2021

GHS: According to 2015/830/EU

 Code Number
 FM75226

 Version 3 Revised 19/08/2021 4:54:29 PM

| 14.3 Transpo | ort hazard class(es) |
|-----------------------------|------------------------------------------------------------------------------------------------|
| ADR | 3 |
| ΙΑΤΑ | 3 |
| IMDG | 3 |
| 14.4 Packing |) group |
| ADR | III |
| ΙΑΤΑ | III |
| IMDG | III |
| Tunnel Code | (D/E) |
| 14.5 Environ | nmental Hazards |
| Dangerous | to aquatic life. Marine pollutant. |
| 14.6 Special | precautions for user |
| | al Maritime Dangerous Goods Code (IMDG): |
| EmS: F-E, S Marine Pollu | |
| | |
| Australian (| Code for the Transport of Dangerous Goods by Road & Rail (ADG): |
| HazChem | Code • 3Y |
| 14.7 Transpo | ort in bulk according to Annex II of MARPOL73/78 and the IBC Code |
| Not applica | - |
| Section 15 P | egulatory information |
| | |
| substance or | health and environmental regulations/legislation specific for the r mixture |
| | edule: S6 POISON HS Tariff Code: 3302.90.00 |
| 15.2 Chemic | al safety assessment |
| | safety assessment has not been carried out |
| | |
| Section 16. O | other information |
| Full list of | precautionary phrases |
| P201 | |
| P201 | Obtain special instructions before use. |
| | Do not handle until all safety precautions have been read and understood. |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| | |

Printed on 19 Aug 2021

GHS: According to 2015/830/EU

 Code Number
 FM75226

 Version 3 Revised 19/08/2021 4:54:29 PM

| P241 | Use explosion-proof equipment. |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P261 | Avoid breathing fumes. |
| P264 | Wash hands thoroughly after handling |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves and eye protection |
| P301+P310 | IF SWALLOWED: Immediately call a POISON CENTRE. |
| P301+P312 | IF SWALLOWED: Call a POISON CENTRE if you feel unwell. |
| P302+P352 | IF ON SKIN: Wash with plenty of water. |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P308+P313 | IF exposed or concerned: Get medical advice. |
| P310 | Immediately call a POISON CENTRE. |
| P331 | Do NOT induce vomiting. |
| P333+P313 | If skin irritation or rash occurs: Get medical advice. |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |
| P370+P378 | In case of fire: Use alcohol resistant foam, standard foam, or dry agent to extinguish. |
| P391 | Collect spillage. |
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P403+P235 | Store in a well-ventilated place. Keep cool. |
| P405 | Store locked up. |
| P501 | Dispose of contents and container to local. |
| Wording of any haza | ard classes listed in section 3 |
| FL 3 | Flammable liquid, category 3 |
| FL 4 | Flammable liquid, category 4 |
| ATO 4 | Acute toxicity, oral, category 4 |
| ATO 5 | Acute toxicity, oral, category 5 |
| AH 1 | Aspiration hazard, category 1 |
| ATD 5 | Acute toxicity, dermal, category 5 |

Printed on 19 Aug 2021

GHS: According to 2015/830/EU

 Code Number
 FM75226

 Version 3 Revised 19/08/2021 4:54:29 PM

| SCI 2 | Skin corrosion/irritation, category 2 |
|---------------------|------------------------------------------------------|
| SCI 3 | Skin corrosion/irritation, category 3 |
| SS 1 | Skin sensitisation, category 1 |
| SS 1B | Skin sensitisation, category 1B |
| EDI 1 | Eye damage/irritation, category 1 |
| EDI 2A | Eye damage/irritation, category 2A |
| MUT 2 | Germ cell mutagenicity, category 2 |
| CAR 2 | Carcinogenicity, category 2 |
| REP 2 | Reproductive toxicity, category 2 |
| EH A1 | Aquatic hazard, acute, category 1 |
| EH A3 | Aquatic hazard, acute, category 3 |
| EH C1 | Aquatic hazard, chronic, category 1 |
| EH C2 | Aquatic hazard, chronic, category 2 |
| EH C3 | Aquatic hazard, chronic, category 3 |
| Wording of any haza | rd statements listed in section 3 |
| H226 | Flammable liquid and vapour |
| H227 | Combustible liquid |
| H302 | Harmful if swallowed |
| H303 | May be harmful if swallowed |
| H304 | May be fatal if swallowed and enters airways |
| H313 | May be harmful in contact with skin |
| H315 | Causes skin irritation |
| H316 | Causes mild skin irritation |
| H317 | May cause an allergic skin reaction |
| H318 | Causes serious eye damage |
| H319 | Causes serious eye irritation |
| H341 | Suspected of causing genetic defects |
| H351 | Suspected of causing cancer |
| H361 | Suspected of damaging fertility or the unborn child |
| H400 | Very toxic to aquatic life |
| H402 | Harmful to aquatic life |
| H410 | Very toxic to aquatic life with long lasting effects |
| H411 | Toxic to aquatic life with long lasting effects |
| H412 | Harmful to aquatic life with long lasting effects |
| | |

Printed on 19 Aug 2021

GHS: According to 2015/830/EU

Code Number FM75226 Version 3 Revised 19/08/2021 4:54:29 PM

References and further information Version 3: Amend CLP classification, minor changes - JJ 19/08/2021

Key literature references and sources for data: European Chemicals Agency (ECHA) European Commission Database for Information on Cosmetic Substances and Ingredients (CosIng) Standard for the Uniform Scheduling of Medicines and Poisons Australia (SUSMP) The Globally Harmonised System of Classification and Labelling of Chemicals (GHS)

Key:

EC50 = Half maximal effective concentration. INCI = International Nomenclature of Cosmetic Ingredients LC50 = Lethal concentration, 50% N/A = Not applicable

Page 14 of 14