

Printed on 29 Feb 2024

GHS: According to 2015/830/EU

Code Number FM75249

Version 2 Revised 29/02/2024 11:18:17 AM

Section 1. I dentification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Product Name PINA COLADA SW

Code Number FM75249

Alternative Name

REACH Reg No Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against For fragrance use.

1.3 Details of the supplier of the safety data sheet

Australian Botanical Products Ltd

39 Melverton Drive, Hallam

Victoria, 3803

Australia

ABN: 45006782529

Telephone Number Tel No. +613 97094800 Email Address abpsales@ixom.com

1.4 Emergency Tel No Emergency No. +61 1 800 033 111

#### Section 2. Hazard Identification

2.1 Classification of the substance or mixture

FL 4 Flammable liquid, category 4
ATO 5 Acute toxicity, oral, category 5
SS 1B Skin sensitisation, category 1B
EH A2 Aquatic hazard, acute, category 2
EH C3 Aquatic hazard, chronic, category 3

2.2 Label elements

Printed on 29 Feb 2024

GHS: According to 2015/830/EU

Code Number FM75249

Version 2 Revised 29/02/2024 11:18:17 AM

GHS classification according to Regulation (EC) No 1272/2008

Hazard Pictograms



Signal Word Warning

**Hazard Statements** 

H227 Combustible liquid

H317 May cause an allergic skin reaction

H412 Harmful to aquatic life with long lasting effects

**Precautionary Statements** 

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P261 Avoid breathing fumes.

P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection

P333+P313 If skin irritation or rash occurs: Get medical advice.

P362+P364 Take off contaminated clothing and wash it before reuse.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents and container in accordance to local

regulations.

### 2.3 Other Hazards

Contains alpha-iso-Methylionone, Amyl Cinnamal, Benzyl Alcohol, Benzyl Benzoate, Benzyl Salicylate and Coumarin which may produce an allergic reaction

No further information available at this time

## Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

### 3.2 Mixtures

Complex mixture of fragrance ingredients

Printed on 29 Feb 2024

GHS: According to 2015/830/EU

Code Number FM75249

Version 2 Revised 29/02/2024 11:18:17 AM

#### Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 118-58-1 EINECS 204-262-9 REACH	benzyl salicylate	1% - 10%
	ATO 5; SS 1B; EDI 2A; EH C3 H303, H317, H319, H412	
CAS 2705-87-5 EINECS 220-292-5 REACH	allyl 3-cyclohexylpropionate	1% - 10%
	ATO 4(585);ATD 4(1600);SS 1B;EH A1,C2 H302,H312,H317,H400,H411	
CAS 123-68-2 EINECS 204-642-4 REACH	allyl hexanoate	1% - 10%
	FL 4;ATO 3(218);ATD 3(820);ATI 3;EH A1,C3 H227,H301,H311,H331,H400,H412	170 1070
CAS 123-92-2 EINECS 204-662-3 REACH	isopentyl acetate	1% - 10%
	FL 3;EH A3 H226,H402	170 1070
CAS 140-11-4 EINECS 205-399-7 REACH	benzyl acetate	1% - 10%
	FL 4;ATO 5;ATI 5;EH A2,C3 H227,H303,H333,H401,H412	170 - 1070
CAS 1506-02-1 EINECS 244-240-6	1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)etha	1% - 10%
REACH	ATO 4(1000):EH A1,C1 H302,H400,H410	170 1070
CAS 91-64-5 EINECS 202-086-7 REACH	Coumarin	1% - 10%
	ATO 3;SS 1B;EH A2,C3 H301,H317,H401,H412	170 - 1070
CAS 123-66-0 EINECS 204-640-3 REACH	ethyl hexanoate	1% - 10%
	FL 3;SCI 2;EH A2 H226,H315,H401	170 - 1070
CAS 60-12-8 EINECS 200-456-2 REACH	2-phenylethanol	1% - 10%
	ATO 4(1609): EDI 2A H302,H319	176 - 1076
CAS 77-83-8 EINECS 201-061-8 REACH	ethyl 2,3-epoxy-3-phenylbutyrate	<1%
	SS 1;EH A2,C2 H317,H401,H411	170
CAS 7212-44-4 EINECS 230-597-5 REACH	3,7,11-trimethyldodeca-1,6,10-trien-3-ol,mixed isomers	<1%
	EDI 2A; EH A1, C1 H319, H400, H410	(170
CAS 1222-05-5 EINECS 214-946-9 REACH	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	<1%
	EH A1,C1 H400,H410	170

Refer to section 16 for the wording of listed classification and hazard statement codes

Printed on 29 Feb 2024

GHS: According to 2015/830/EU

Code Number FM75249

Version 2 Revised 29/02/2024 11:18:17 AM

#### Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

#### After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

#### After skin contact

May cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

### After eye contact

Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

## After ingestion

May be harmful if swallowed. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

- 4.2 Most important symptoms and effects, both acute and delayed
  Take phrases in sections 2 and 11 into account. No further information available at this time
- 4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

## Section 5. Fire-fighting measures

#### 5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.

### 5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code N/A

Printed on 29 Feb 2024

GHS: According to 2015/830/EU

Code Number FM75249

Version 2 Revised 29/02/2024 11:18:17 AM

#### Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.

## 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

## 6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

#### Section 7. Handling and storage

### 7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

#### 7.3 Specific end use(s)

No further information available.

## Section 8. Exposure controls / personal protection

#### 8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

#### 8.2 Exposure controls

#### Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Printed on 29 Feb 2024

GHS: According to 2015/830/EU

Code Number FM75249

Version 2 Revised 29/02/2024 11:18:17 AM

#### Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

## Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

FLASH POINT (°C) 86°C

APPEARANCE Mobile liquid

COLOUR Colourless to yellow

ODOUR Pineapple, coconut, vanilla, musk

ODOUR THRESHOLD

PH @20 DEG C

MELTING/FREEZING POINT

Not available

Not available

Printed on 29 Feb 2024

GHS: According to 2015/830/EU

Code Number FM75249

Version 2 Revised 29/02/2024 11:18:17 AM

INITIAL BOILING POINT AND

**RANGE** 

Not available

EVAPORATION RATE Not available

FLAMMABILITY (SOLID/GAS) Not available

UPPER/LOWER FLAMMABILITY

LIMITS

Not available

VAPOUR PRESSURE

VAPOUR DENSITY

Not available

SPECIFIC GRAVITY @ 20°C

0.84 to 0.875

SOLUBILITIES Insoluble in water

PARTITION COEFF

N-OCTANAL/WATER

Not available

AUTO-IGNITION TEMPERATURE

DECOMPOSITION TEMPERATURE

Not available

VISCOSITY @ 20 DEG C

Not available

EXPLOSIVE PROPERTIES

Not available

OXIDISING PROPERTIES

Not available

9.2 Other information

No further information available.

## Section 10. Stability and reactivity

10.1 Reactivity

No data.

10.2 Chemical Stability

Stable under the recommended storage conditions (see section 7).

10.3 Possibility of hazardous reactions

No hazardous reactions if stored under suitable storage conditions.

10.4 Conditions to avoid

Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.

10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic material.

Printed on 29 Feb 2024

GHS: According to 2015/830/EU

Code Number FM75249

Version 2 Revised 29/02/2024 11:18:17 AM

#### 10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

### Section 11. Toxicological information

#### 11.1 Information on toxicological effects

Acute toxicity

May be harmful if swallowed.

Skin corrosion / irritation

Not classified based on available data.

Serious eye damage / irritation

Not classified based on available data.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity

No data

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

No data

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Printed on 29 Feb 2024

GHS: According to 2015/830/EU

Code Number FM75249

Version 2 Revised 29/02/2024 11:18:17 AM

Interactive effects

No data

Other information

No data

### Section 12. Ecological information

#### 12.1 Toxicity

Harmful to aquatic life with long lasting effects. Avoid contaminating waterways. Contains 1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one (Tonalid/Fixolide) - (CAS no: 21145-77-7)

NOEC (21 d) - Daphnia magna - 0.196 mg/L

EC50 (72 h) - Pseudokirchneriella subcapitata - 0.612 mg/L

NOEC (72 h) - Pseudokirchneriella subcapitata - 0.278 mg/L

### 12.2 Persistence and degradability

No test data available for this substance.

#### 12.3 Bioaccumulative potential

No data

#### 12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

#### 12.5 Results of PBT and vPvB assessment

No data

#### 12.6 Other adverse effects

See sections 6, 7, 13 and 15.

### Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

### 13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

#### Section 14. Transport information

14.1 UN number Not Regulated

14.2 UN proper shipping name NOT RESTRICTED

14.3 Transport hazard class(es)

Printed on 29 Feb 2024

GHS: According to 2015/830/EU

Code Number FM75249

Version 2 Revised 29/02/2024 11:18:17 AM

#### 14.4 Packing group

**Tunnel Code** 

14.5 Environmental Hazards

No relevant information available

14.6 Special precautions for user

Not subject to the provisions of IMDG, IATA, or ADR/RID.

HazChem Code N/A

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

## Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): Not applicable HS Tariff Code: 3302.90.00

All the constituents of this material are compliant with AICIS regulation.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

## Section 16. Other information

#### Full list of precautionary phrases

•		
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P261	Avoid breathing fumes.	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye protection	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P312	Call a POISON CENTRE if you feel unwell.	
P333+P313	If skin irritation or rash occurs: Get medical advice.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P403+P235	Store in a well-ventilated place. Keep cool.	
P501	Dispose of contents and container in accordance to local regulations.	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 29 Feb 2024

GHS: According to 2015/830/EU

Code Number FM75249

Version 2 Revised 29/02/2024 11:18:17 AM

Wording of ar	ny hazard classes listed in section 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
ATO 3	Acute toxicity, oral, category 3
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
ATD 3	Acute toxicity, dermal, category 3
ATD 4	Acute toxicity, dermal, category 4
SCI 2	Skin corrosion/irritation, category 2
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
ATI 3	Acute toxicity, inhalation, category 3
ATI 5	Acute toxicity, inhalation, category 5
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3
Wording of ar	ny hazard statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H301	Toxic if swallowed
H302	Harmful if swallowed
H303	May be harmful if swallowed
H311	Toxic in contact with skin
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H331	Toxic if inhaled
H333	May be harmful if inhaled
H400	Very toxic to aquatic life

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 29 Feb 2024

GHS: According to 2015/830/EU

H401

Code Number FM75249

Version 2 Revised 29/02/2024 11:18:17 AM

Toxic to aquatic life H402 Harmful to aquatic life H410 Very toxic to aquatic life with long lasting effects Toxic to aquatic life with long lasting effects H411

Harmful to aquatic life with long lasting effects H412

References and further information

N/A = Not applicable

SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons

AIIC = Australian Inventory of Industrial Chemicals

AICIS = Australian Industrial Chemicals Introduction Scheme

Version 1: GHS format 26/04/2017

Version 2: Mandatory revision, RB 29/02/2024