

SAFETY DATA S		Printed on	19 Jun 202
GHS: According to 2015/830/	ΈU		
<i>Code Number Version 2 Revised 19/0</i>	FM75367 96/2024 11:13:17 AM		
Section 1. Identificatio	n of the substance/mixture and of t	he company/	undertaking
1.1 Product I dentifier			
Product Name	PURE COMFORT NAT		
Code Number	FM75367		
Alternative Name			
REACH Reg No	Not registered		
1.2 Relevant identified	l uses of the substance or mixture a	nd uses advis	ed against
Concentrated material	for manufacturing purposes only.		
1.3 Details of the supp	lier of the safety data sheet		
	Australian Botanical Products Ltd		
	39 Melverton Drive, Hallam Victoria, 3803 Australia		
	ABN: 45006782529		
Telephone Number	Tel No. +613 97094800		
Email Address	abpsales@ixom.com		
1.4 Emergency Tel No	Emergency No. +61 1 800 033 111		
Section 2. Hazard I den	tification		
2.1 Classification of th	e substance or mixture		
SS 1B	Skin sensitisation, category 1B		
EDI 2A	Eye damage/irritation, category 2A		
EH A3	Aquatic hazard, acute, category 3		
EH C3	Aquatic hazard, chronic, category 3		
2.2 Label elements			

SAFETY DATA SHEET Printed on 19 Jun 2024 GHS: According to 2015/830/EU				
<i>Code Number Version 2 Revised 1</i>	FM75367 9/06/2024 11:13:17 AM			
GHS classification a Hazard Pictograr	according to Regulation (EC) No 1272/ ns	2008		
Signal Word	Warning			
Hazard Statemer	its			
H317	May cause an allergic skin reaction	n		
H319	Causes serious eye irritation			
H412	Harmful to aquatic life with long I	asting effects		
Precautionary St	atements			
P261	Avoid breathing fumes.			
P264	Wash hands thoroughly after han	dling		
P273	Avoid release to the environment			
P280	Wear protective gloves and eye p	protection		
P333+P313	If skin irritation or rash occurs: G	et medical advice.		
P337+P313	If eye irritation persists: Get mee	lical attention.		
P362+P364	Take off contaminated clothing ar	nd wash it before reuse.		
P501	Dispose of contents/container in a	accordance to local regulations		
2.3 Other Hazards Contains Benzyl Alcohol, Benzyl Benzoate, Benzyl Salicylate, Cinnamal, Citronellol, Coumarin, Eugenol, Farnesol, Geraniol, Hydroxycitronellal, Limonene and Linalool which may produce an allergic reaction				
No further informa	tion available at this time			
	ion / information on ingredients d here for hazardous components are for illustrative purp	oses only		
3.2 Mixtures Complex mixture c	f ingredients			

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 19 Jun 2024

GHS: According to 2015/830/EU

Code Number FM75367

Version 2 Revised 19/06/2024 11:13:17 AM

Hazardous components		
ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 100-51-6 EINECS 202-859-9 REACH	benzyl alcohol	1% - 10%
	ATO 4(1620);ATD 5(2500);EDI 2A;ATI 4 H302,H313,H319,H332	
CAS 115-95-7 EINECS 204-116-4	Linalyl Acetate	1% - 10%
REACH	SCI 2; SS 1B; EDI 2A; EH A3 H315, H317, H319, H402	
CAS 107-75-5 EINECS 203-518-7	7-hydroxycitronellal	1% - 10%
REACH	SCI 2; SS 1B; EDI 2A H315, H317, H319	
CAS 140-11-4 EINECS 205-399-7	Benzyl acetate	1% - 10%
REACH	FL 4;ATO 5(2490);SCI 2;EDI 2A;ATI 5;STO-SE 3(RI);EH A2,C2 H227,H303,H315,H319,H333,H335,H401,H411	
CAS 97-53-0 EINECS 202-589-1 REACH	Eugenol	<1%
	ATO 5(2000):SCI 2;SS 1;EDI 2A H303,H315,H317,H319	
CAS 104-55-2 EINECS 203-213-9 REACH	Cinnamic aldehyde	<1%
	ATO 5(2500);SCI 2;SS 1A;EDI 2A H303,H315,H317,H319	
CAS 91-64-5 EINECS 202-086-7 REACH	Coumarin	<1%
	ATO 3;SS 1;EH A2,C3 H301,H317,H401,H412	
CAS 77-54-3 EINECS 201-036-1 REACH	[3R-(3a,3aß,6a,7ß,8aa)]-octahydro-3,6,8,8-tetramethyl-1H-3a,	<1%
	SS 1B;EH A1,C1 H317,H400,H410	
CAS 106-24-1 EINECS 203-377-1	Geraniol	<1%
REACH	ATO 5(3600); SCI 2; SS 1; EDI 1; EH A3 H303, H315, H317, H318, H402	

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal. Obtain medical advice if necessary.

After skin contact

May cause an allergic skin reaction. Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of

Printed on 19 Jun 2024

GHS: According to 2015/830/EU

Code Number FM75367 Version 2 Revised 19/06/2024 11:13:17 AM

tissue damage.

After eye contact

Causes serious eye irritation. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code N/A

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 19 Jun 2024

GHS: According to 2015/830/EU

 Code Number
 FM75367

 Version 2 Revised 19/06/2024 11:13:17 AM

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 19 Jun 2024

GHS: According to 2015/830/EU

 Code Number
 FM75367

 Version 2 Revised 19/06/2024 11:13:17 AM

	should be considered. Always wash work period. Respiratory protection	itions in the workplace, additional body protection n routinely before breaks, meals and at the end of the tion protection in poorly ventilated areas.
	Thermal hazards No information.	
	compliance with environmental pro National Exposure Standards	cess equipment should be checked to ensure
S	ection 9. Physical and chemical p	properties
	P.1 Information on basic physical FLASH POINT (°C)	
	APPEARANCE	Mobile liquid
	COLOUR	Colourless to almost colourless
	ODOUR	Fresh, fruity, almond, floral, woody, powdery
	ODOUR THRESHOLD	Not available
	pH @20 DEG C	Not available
	MELTING/FREEZING POINT	Not available
	INITIAL BOILING POINT AND RANGE	Not available
	EVAPORATION RATE	Not available
	FLAMMABILITY (SOLID/GAS)	Not available
	UPPER/LOWER FLAMMABILITY LIMITS	Not available
	VAPOUR PRESSURE	Not available

GHS: According to 2015/830/EU	
Code Number FM75367	
Version 2 Revised 19/06/2024 11.	: 13: 17 AM
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	1.115 - 1.145
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivity	y
10.1 Reactivity No data.	
10.2 Chemical Stability Stable under the recommended sto	orage conditions (see section 7).
10.3 Possibility of hazardous read No hazardous reactions if stored u	
10.4 Conditions to avoid Avoid exposure to heat, sources of	f ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents a	and from highly alkaline or acidic material.
10.6 Hazardous decomposition pr During combustion may form carbo compounds.	roducts on monoxide, carbon dioxide and unidentified organic
Section 11. Toxicological informat	ion
11.1 Information on toxicological	leffects
Acute toxicity	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

GHS: According to 2015/830/EU

Printed on 19 Jun 2024

Code Number FM75367 Version 2 Revised 19/06/2024 11:13:17 AM

Skin corrosion / irritation Not classified based on available data. Serious eye damage / irritation Causes serious eye irritation. Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity No data Carcinogenicity No data Reproductive toxicity No data STO-single exposure No data STO-repeated exposure No data Aspiration hazard No data Information on likely routes of exposure No data Symptoms related to the physical, chemical and toxicological characteristics No data Delayed and immediate effects as well as chronic effects from short and long-term exposure No data Interactive effects No data Other information No data Section 12. Ecological information

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

GHS: According to 2015/830/EU Code Number FM75367 Version 2 Revised 19/06/2024 11:13:17 AM 12.1 Toxicity Harmful to aquatic life with long lasting effects. Avoid contaminating waterways. 12.2 Persistence and degradability No test data available for this substance. 12.3 Bioaccumulative potential No data. 12.4 Mobility in soil Avoid soil, surface water and water-bearing stratum contamination. 12.5 Results of PBT and vPvB assessment No data. 12.6 Other adverse effects See sections 6, 7, 13 and 15. Section 13. Disposal considerations Please refer to the information in section 8 (Exposure controls and personal protection) 13.1 Waste treatment methods Dispose in accordance with the law and local regulations. Treat as trade effluent. Section 14. Transport information 14.1 UN number Not Regulated 14.2 UN proper shipping name Not Restricted 14.3 Transport hazard class(es) 14.4 Packing group **Tunnel Code** 14.5 Environmental Hazards No relevant information available. 14.6 Special precautions for user Not subject to the provisions of IMDG, IATA, or ADR/RID. HazChem Code N/A 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Printed on 19 Jun 2024

SAFETY DATA SHEET

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 19 Jun 2024

GHS: According to 2015/830/EU

 Code Number
 FM75367

 Version 2 Revised 19/06/2024 11:13:17 AM

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): Not Applicable

HS Tariff Code: 3302.90.00

All the constituents of this material are compliant with AICIS regulation.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

Section 16. Other information

Full list of precautionary phrases

P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container in accordance to local regulations
Wording of any haza	rd classes listed in section 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
FS 2	Flammable solid, category 2
ATO 3	Acute toxicity, oral, category 3
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
AH 2	Aspiration hazard, category 2
ATD 5	Acute toxicity, dermal, category 5

Printed on 19 Jun 2024

GHS: According to 2015/830/EU

 Code Number
 FM75367

 Version 2 Revised 19/06/2024
 11:13:17 AM

SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1A	Skin sensitisation, category 1A
SS 1B	Skin sensitisation, category 1B
EDI 1	Eye damage/irritation, category 1
EDI 2A	Eye damage/irritation, category 2A
ATI 4	Acute toxicity, inhalation, category 4
ATI 5	Acute toxicity, inhalation, category 5
STO-SE 3(RI)	Specific target organ, single exposure, respiratory irritation
MUT 2	Germ cell mutagenicity, category 2
CAR 1B	Carcinogenicity, category 1B
REP 2	Reproductive toxicity, category 2
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3
Wording of any haza	rd statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H228	Flammable solid
H301	Toxic if swallowed
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H305	May be harmful if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled

Printed on 19 Jun 2024

GHS: According to 2015/830/EU

 Code Number
 FM75367

 Version 2 Revised 19/06/2024 11:13:17 AM

H333May be harmful if inhaledH335May cause respiratory irritationH341Suspected of causing genetic defectsH350May cause cancerH361Suspected of damaging fertility or the unborn childH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH400Very toxic to aquatic lifeH410Toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, BV 05/08/2019Authorised by: JJ 03/09/2019Version 2: Mandatory revision, RB 19/06/2024Version 2: Mandatory revision, RB 19/06/2024			
H341Suspected of causing genetic defectsH350May cause cancerH361Suspected of damaging fertility or the unborn childH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, BV 05/08/2019Authorised by: JJ 03/09/2019		H333	May be harmful if inhaled
H350May cause cancerH361Suspected of damaging fertility or the unborn childH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, BV 05/08/2019 Authorised by: JJ 03/09/2019		H335	May cause respiratory irritation
H361Suspected of damaging fertility or the unborn childH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, BV 05/08/2019Authorised by: JJ 03/09/2019		H341	Suspected of causing genetic defects
H400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH400Very toxic to aquatic life with long lasting effectsH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, BV 05/08/2019Authorised by: JJ 03/09/2019		H350	May cause cancer
H401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, BV 05/08/2019Authorised by: JJ 03/09/2019		H361	Suspected of damaging fertility or the unborn child
H402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, BV 05/08/2019Authorised by: JJ 03/09/2019		H400	Very toxic to aquatic life
H410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, BV 05/08/2019Authorised by: JJ 03/09/2019		H401	Toxic to aquatic life
H411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, BV 05/08/2019Authorised by: JJ 03/09/2019		H402	Harmful to aquatic life
 H412 Harmful to aquatic life with long lasting effects References and further information N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemical AICIS = Australian Industrial Chemicals Introduction Scheme Version 1: GHS format, BV 05/08/2019 Authorised by: JJ 03/09/2019 		H410	Very toxic to aquatic life with long lasting effects
References and further information N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemical AICIS = Australian Industrial Chemicals Introduction Scheme Version 1: GHS format, BV 05/08/2019 Authorised by: JJ 03/09/2019		H411	Toxic to aquatic life with long lasting effects
N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemical AICIS = Australian Industrial Chemicals Introduction Scheme Version 1: GHS format, BV 05/08/2019 Authorised by: JJ 03/09/2019		H412	Harmful to aquatic life with long lasting effects
SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemical AICIS = Australian Industrial Chemicals Introduction Scheme Version 1: GHS format, BV 05/08/2019 Authorised by: JJ 03/09/2019		References and furth	ner information
Authorised by: JJ 03/09/2019		SUSMP = Standard for AIIC = Australian Inve	ntory of Industrial Chemical
	AICIS = Australian Industrial Chemicals Introduction Scheme Version 1: GHS format, BV 05/08/2019 Authorised by: JJ 03/09/2019		

Page 12 of 12