

SAFETY DATA S GHS: According to 2015/830/		Printed on 28 Sep 202
<i>Code Number Version 2 Revised 28/0</i>	FM75923 9/2023 11:15:42 AM	
Section 1. Identification	n of the substance/mixture and of t	he company/undertaking
Product Name Code Number Alternative Name	NECTARINE & MINT FM75923	
REACH Reg No	Not registered	
1.2 Relevant identified For fragrance use.	uses of the substance or mixture a	nd uses advised against
1.3 Details of the supp	lier of the safety data sheet Australian Botanical Products Ltd 39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529	
Telephone Number	Tel No. +613 97094800	
Email Address	abpsales@ixom.com	
1.4 Emergency Tel No	Emergency No. +61 1 800 033 111	
Section 2. Hazard I dentification		
2.1 Classification of th	e substance or mixture	
FL 3 ATO 5 AH 1 SCI 2 SS 1B EDI 2A EH A2 EH C2	Flammable liquid, category 3 Acute toxicity, oral, category 5 Aspiration hazard, category 1 Skin corrosion/irritation, category 2 Skin sensitisation, category 1B Eye damage/irritation, category 2A Aquatic hazard, acute, category 2 Aquatic hazard, chronic, category 2	
2.2 Label elements		

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

AFETY DATA	-	ed on 28 Sep 2
nde Number	FM75923 ?8/09/2023 11:15:42 AM	
GHS classification Hazard Pictogram	according to Regulation (EC) No 1272/2008	
•		
Signal Word	Danger	
Hazard Statemer	nts	
H226	Flammable liquid and vapour	
H304	May be fatal if swallowed and enters airways	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H411	Toxic to aquatic life with long lasting effects	
Precautionary St	atements	
P210	Keep away from heat, hot surfaces, sparks, op other ignition sources. No smoking.	pen flames and
P261	Avoid breathing fumes.	
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye protection	
P301+P310	IF SWALLOWED: Immediately call a POISON C	ENTRE.
P331	Do NOT induce vomiting.	
P333+P313	If skin irritation or rash occurs: Get medical ad	dvice.
P337+P313	If eye irritation persists: Get medical attention	۱.
P362+P364	Take off contaminated clothing and wash it be	fore reuse.
P391	Collect spillage.	
P403+P235	Store in a well-ventilated place. Keep cool.	
P405	Store locked up.	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 28 Sep 2023

GHS: According to 2015/830/EU

Code Number FM75923

Version 2 Revised 28/09/2023 11:15:42 AM

P501

Dispose of contents and container in accordance to local regulations.

2.3 Other Hazards

Contains Benzyl Alcohol, Benzyl Benzoate, Citral, Hexyl Cinnamal and Limonene which may produce an allergic reaction

No further information available at this time

Section 3. Composition / information on ingredients Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 120-51-4 EINECS 204-402-9 REACH	benzyl benzoate ATO 4(1500);ATD 5(4000);EH C2 H302,H313,H411	30% - 60%
CAS 5989-27-5 EINECS 227-813-5 REACH	(R)-p-mentha-1,8-diene FL 3; AH 1; SCI 2; SS 1B; EH C1 H226,H304,H315,H317,H410	10% - 30%
CAS 5182-36-5 EINECS 225-963-6 REACH	2,4,6-trimethyl-4-phenyl-1,3-dioxane ATO 4(1200);EH A3,C3 H302,H402,H412	1% - 10%
CAS 104-67-6 EINECS 203-225-4 REACH	undecan-4-olide EH C3 H412	1% - 10%
CAS 103-95-7 EINECS 203-161-7 REACH	3-p-cumenyl-2-methylpropionaldehyde FL 4; ATO 5(3810); SCI 2; SS 1B; EH A2,C3 H227,H303,H315,H317,H401,H412	1% - 10%
CAS 18479-58-8 EINECS 242-362-4 REACH	2,6-dimethyloct-7-en-2-ol FL 4;ATO 5(3600);SCI 2;EDI 2A;EH A3 H227,H303,H315,H319,H402	1% - 10%
CAS 68039-49-6 EINECS 268-264-1 REACH	2,4-dimethylcyclohex-3-ene-1-carbaldehyde FL 4;ATO 5(3900);SCI 2;SS 1B;EDI 2A;EH A2,C2 H227,H303,H315,H317,H319,H401,H411	1% - 10%
CAS 1222-05-5 EINECS 214-946-9 REACH	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran EH A1,C1 H400,H410	1% - 10%

Printed on 28 Sep 2023

GHS: According to 2015/830/EU

Code Number FM75923

Version 2 Revised 28/09/2023 11:15:42 AM

CAS 5413-60-5 EINECS 226-501-6 REACH	Dihydro-dicyclopentadienyl acetate SCI 3;EH A3,C3 H316,H402,H412	1% - 10%
CAS 115-95-7 EINECS 204-116-4 REACH	Linalyl Acetate FL 4; SCI 2; SS 1B; EDI 2A; EH A3 H227, H315, H317, H319, H402	1% - 10%
CAS 121-33-5 EINECS 204-465-2 REACH	Vanillin ATO 5; EDI 2A; EH A3 H303, H319, H402	1% - 10%
CAS 106-26-3 EINECS 203-379-2 REACH	Neral SCI 2;SS 1;EDI 2A H315,H317,H319	1% - 10%
CAS 141-27-5 EINECS 205-476-5 REACH	Geranial (3,7-Dimethyl-2,6-octadienal) SCI 2;SS 1B;EDI 2A H315,H317,H319	1% - 10%
CAS 77-83-8 EINECS 201-061-8 REACH	ethyl 2,3-epoxy-3-phenylbutyrate SS 1;EH A2,C2 H317,H401,H411	<1%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

May be harmful if swallowed and may be fatal if enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 28 Sep 2023

GHS: According to 2015/830/EU

 Code Number
 FM75923

 Version 2 Revised 28/09/2023 11: 15: 42 AM

- 4.2 Most important symptoms and effects, both acute and delayed Take phrases in sections 2 and 11 into account. No further information available at this time.
- 4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Y

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 28 Sep 2023

GHS: According to 2015/830/EU

 Code Number
 FM75923

 Version 2 Revised 28/09/2023 11:15:42 AM

an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 28 Sep 2023

GHS: According to 2015/830/EU

 Code Number
 FM75923

 Version 2 Revised 28/09/2023 11:15:42 AM

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

1 5	
FLASH POINT (°C)	57°C
APPEARANCE	Mobile liquid
COLOUR	Colourless to very pale yellow
ODOUR	Fresh, green, grapefruit, sweet, vanilla, musk
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	0.955 to 0.985
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available

Page 7 of 13

SAFETY DATA SHEET GHS: According to 2015/830/EU	Printed on 28 Sep 2023
Code Number FM75923 Version 2 Revised 28/09/2023 11:	15:42 AM
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivity	
10.1 Reactivity No data.	
10.2 Chemical Stability Stable under the recommended sto	rage conditions (see section 7).
10.3 Possibility of hazardous read No hazardous reactions if stored ur	
10.4 Conditions to avoid	
Avoid exposure to heat, sources of	ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents a	nd from highly alkaline or acidic material.
10.6 Hazardous decomposition pr	oducts
During combustion may form carbo compounds.	on monoxide, carbon dioxide and unidentified organic
Section 11. Toxicological informat	on
11.1 Information on toxicological	effects
Acute toxicity May be harmful if swallowed.	
Skin corrosion / irritation Causes skin irritation.	
Serious eye damage / irritation Causes serious eye irritation.	
Respiratory or skin sensitisatio May cause an allergic skin reaction	
Germ cell mutagenicity No data	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 28 Sep 2023

GHS: According to 2015/830/EU

Code Number FM75923 Version 2 Revised 28/09/2023 11:15:42 AM

Carcinogenicity No data Reproductive toxicity No data STO-single exposure No data STO-repeated exposure No data Aspiration hazard May be fatal if swallowed and enters airways. Information on likely routes of exposure No data Symptoms related to the physical, chemical and toxicological characteristics No data Delayed and immediate effects as well as chronic effects from short and long-term exposure No data Interactive effects No data Other information No data Section 12. Ecological information 12.1 Toxicity Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains D-Limonene (5989-27-5): LC50 (96 h) - Pimephales promelas (fathead minnow) - 0.72 mg/L EC50 (48 h) - Daphnia magna - 0.36 mg/L EC50 (72 h) - Raphidocelis subcapitata - 0.32 mg/L 12.2 Persistence and degradability No test data available for this substance. 12.3 Bioaccumulative potential No data

HS: According to		
Code Number		
Version 2 Rev	/ised 28/09/2023 11:15:42 AM	
12.4 Mobility	in soil	
Avoid soil, s	surface water and water-bearing stratum of	contamination.
12.5 Results	of PBT and vPvB assessment	
No data		
12.6 Other ad	dverse effects	
See sections	s 6, 7, 13 and 15.	
Section 13 Di	isposal considerations	
	the information in section 8 (Exposure co	ontrols and personal protection)
	reatment methods	
	accordance with the law and local regulation	ons. Treat as trade effluent
Section 14. Tr	ransport information	
Section 14. Tr 14.1 UN num		
14.1 UN num	ber	
14.1 UN num ADR	nber 1993	
14.1 UN num ADR IATA IMDG	nber 1993 1993	
14.1 UN num ADR IATA IMDG	nber 1993 1993 1993	S D-LIMONENE)
14.1 UN num ADR IATA IMDG 14.2 UN prop	hber 1993 1993 1993 Der shipping name	
14.1 UN num ADR IATA IMDG 14.2 UN prop ADR	ber 1993 1993 1993 Der shipping name FLAMMABLE LIQUID, N.O.S. (CONTAIN	S D-LIMONENE)
14.1 UN num ADR IATA IMDG 14.2 UN prop ADR IATA IMDG	ber 1993 1993 2993 ber shipping name FLAMMABLE LIQUID, N.O.S. (CONTAIN FLAMMABLE LIQUID, N.O.S. (CONTAIN FLAMMABLE LIQUID, N.O.S. (CONTAIN	S D-LIMONENE)
14.1 UN num ADR IATA IMDG 14.2 UN prop ADR IATA IMDG	ber 1993 1993 1993 ber shipping name FLAMMABLE LIQUID, N.O.S. (CONTAIN: FLAMMABLE LIQUID, N.O.S. (CONTAIN:	S D-LIMONENE)
14.1 UN num ADR IATA IMDG 14.2 UN prop ADR IATA IMDG 14.3 Transpo	nber 1993 1993 1993 Der shipping name FLAMMABLE LIQUID, N.O.S. (CONTAINS FLAMMABLE LIQUID, N.O.S. (CONTAINS FLAMMABLE LIQUID, N.O.S. (CONTAINS ort hazard class(es)	S D-LIMONENE)
14.1 UN num ADR IATA IMDG 14.2 UN prop ADR IATA IMDG 14.3 Transpor ADR	hber 1993 1993 Der shipping name FLAMMABLE LIQUID, N.O.S. (CONTAIN: FLAMMABLE LIQUID, N.O.S. (CONTAIN: FLAMMABLE LIQUID, N.O.S. (CONTAIN: prt hazard class(es) 3	S D-LIMONENE)
14.1 UN num ADR IATA IMDG 14.2 UN prop ADR IATA IMDG 14.3 Transpo ADR IATA	nber 1993 1993 ber shipping name FLAMMABLE LIQUID, N.O.S. (CONTAIN: FLAMMABLE LIQUID, N.O.S. (CONTAIN: FLAMMABLE LIQUID, N.O.S. (CONTAIN: prt hazard class(es) 3 3 3	S D-LIMONENE)
14.1 UN num ADR IATA IMDG 14.2 UN prop ADR IATA IMDG 14.3 Transpo ADR IATA IMDG	nber 1993 1993 ber shipping name FLAMMABLE LIQUID, N.O.S. (CONTAIN: FLAMMABLE LIQUID, N.O.S. (CONTAIN: FLAMMABLE LIQUID, N.O.S. (CONTAIN: prt hazard class(es) 3 3 3	S D-LIMONENE)
14.1 UN num ADR IATA IMDG 14.2 UN prop ADR IATA IMDG 14.3 Transpo ADR IATA IMDG 14.4 Packing	nber 1993 1993 1993 Der shipping name FLAMMABLE LIQUID, N.O.S. (CONTAINS FLAMMABLE LIQUID, N.O.S. (CONTAINS FLAMMABLE LIQUID, N.O.S. (CONTAINS ort hazard class(es) 3 3 3 1 group	S D-LIMONENE)
14.1 UN num ADR IATA IMDG 14.2 UN prop ADR IATA IMDG 14.3 Transpor ADR IATA IMDG 14.4 Packing ADR	nber 1993 1993 1993 ber shipping name FLAMMABLE LIQUID, N.O.S. (CONTAINS FLAMMABLE LIQUID, N.O.S. (CONTAINS FLAMMABLE LIQUID, N.O.S. (CONTAINS ort hazard class(es) 3 3 1 group III	S D-LIMONENE)

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 28 Sep 2023

GHS: According to 2015/830/EU

 Code Number
 FM75923

 Version 2 Revised 28/09/2023 11:15:42 AM

14.6 Special precautions for user Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-E, S-E Marine Pollutant: Yes

Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

HazChem Code • 3Y

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): S5 CAUTION

HS Tariff Code: 3302.90.00

All the constituents of this material are compliant with AICIS regulation.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

Section 16. Other information

Full list of precautionary phrases

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241	Use explosion-proof equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P302+P352	IF ON SKIN: Wash with plenty of water.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

Printed on 28 Sep 2023

GHS: According to 2015/830/EU

 Code Number
 FM75923

 Version 2 Revised 28/09/2023 11:15:42 AM

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents and container in accordance to local regulations.
Wording of any haza	rd classes listed in section 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3
Wording of any haza	rd statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed

Printed on 28 Sep 2023

GHS: According to 2015/830/EU

 Code Number
 FM75923

 Version 2 Revised 28/09/2023 11:15:42 AM

H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
References and furth	ner information
AIIC = Australian Inve	