

Printed on 06 Mar 2023

GHS: According to 2015/830/EU

Code Number FM76786

Version 2 Revised 6/03/2023 4:30:41 PM

Section 1. I dentification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Product Name CHILLED COCO LP

Code Number FM76786

Alternative Name

REACH Reg No Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against For fragrance use.

1.3 Details of the supplier of the safety data sheet

Australian Botanical Products Ltd

39 Melverton Drive, Hallam

Victoria, 3803

Australia

ABN: 45006782529

Telephone Number Tel No. +613 97094800

Email Address info@abp.com.au

1.4 Emergency Tel No Emergency No. +61 438196124

Section 2. Hazard Identification

2.1 Classification of the substance or mixture

EDI 2A Eye damage/irritation, category 2A EH C3 Aquatic hazard, chronic, category 3

2.2 Label elements

GHS classification according to Regulation (EC) No 1272/2008

Hazard Pictograms



Signal Word

Warning

Printed on 06 Mar 2023

GHS: According to 2015/830/EU

Code Number FM76786

Version 2 Revised 6/03/2023 4:30:41 PM

Hazard Statements

H319 Causes serious eye irritation

H412 Harmful to aquatic life with long lasting effects

Precautionary Statements

P264 Wash hands thoroughly after handling

P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection

P337+P313 If eye irritation persists: Get medical attention.

P501 Dispose of contents and container in accordance to local

regulations.

2.3 Other Hazards

Contains nothing known from the allergens list which may produce an allergic reaction

No further information available at this time

Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 121-33-5 EINECS 204-465-2 REACH	Vanillin ATO 5;EDI 2A;EH A3 H303,H319,H402	<10%
CAS 104-50-7 EINECS 203-208-1 REACH	octan-4-olide SCI 2;EH C3 H315,H412	<10%
CAS 706-14-9 EINECS 211-892-8 REACH	decan-4-olide EH C3 H412	<10%

Refer to section 16 for the wording of listed classification and hazard statement codes

Printed on 06 Mar 2023

GHS: According to 2015/830/EU

Code Number FM76786

Version 2 Revised 6/03/2023 4:30:41 PM

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

- 4.2 Most important symptoms and effects, both acute and delayed
 Take phrases in sections 2 and 11 into account. No further information available at this time
- 4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code N/A

Printed on 06 Mar 2023

GHS: According to 2015/830/EU

Code Number FM76786

Version 2 Revised 6/03/2023 4:30:41 PM

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Printed on 06 Mar 2023

GHS: According to 2015/830/EU

Code Number FM76786

Version 2 Revised 6/03/2023 4:30:41 PM

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

FLASH POINT (°C) >100°C

APPEARANCE Mobile liquid

COLOUR Almost colourless to pale yellow
ODOUR Fresh, coconut, creamy, vanilla

ODOUR THRESHOLD

PH @20 DEG C

MELTING/FREEZING POINT

Not available

Not available

Printed on 06 Mar 2023

GHS: According to 2015/830/EU

FM76786 Code Number

Version 2 Revised 6/03/2023 4:30:41 PM

INITIAL BOILING POINT AND Not available

RANGE

EVAPORATION RATE Not available FLAMMABILITY (SOLID/GAS) Not available UPPER/LOWER FLAMMABILITY Not available

LIMITS

VAPOUR PRESSURE Not available **VAPOUR DENSITY** Not available SPECIFIC GRAVITY @ 20°C 1.015 to 1.045

PARTITION COEFF

N-OCTANAL/WATER

SOLUBILITIES

Not available

Insoluble in water

AUTO-IGNITION TEMPERATURE Not available **DECOMPOSITION TEMPERATURE** Not available VISCOSITY @ 20 DEG C Not available **EXPLOSIVE PROPERTIES** Not available OXIDISING PROPERTIES Not available

9.2 Other information

No further information available.

Section 10. Stability and reactivity

10.1 Reactivity

No data.

10.2 Chemical Stability

Stable under the recommended storage conditions (see section 7).

10.3 Possibility of hazardous reactions

No hazardous reactions if stored under suitable storage conditions.

10.4 Conditions to avoid

Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.

10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic material.

Printed on 06 Mar 2023

GHS: According to 2015/830/EU

Code Number FM76786

Version 2 Revised 6/03/2023 4:30:41 PM

10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available data.

Skin corrosion / irritation

Not classified based on available data.

Serious eye damage / irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Not classified based on available data.

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity

No data

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

No data

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Printed on 06 Mar 2023

GHS: According to 2015/830/EU

Code Number FM76786

Version 2 Revised 6/03/2023 4:30:41 PM

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects. Avoid contaminating waterways.

12.2 Persistence and degradability

No test data available for this substance.

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment

No data

12.6 Other adverse effects

See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

14.1 UN number Not Regulated

14.2 UN proper shipping name NOT RESTRICTED

14.3 Transport hazard class(es)

Printed on 06 Mar 2023

GHS: According to 2015/830/EU

Code Number FM76786

Version 2 Revised 6/03/2023 4:30:41 PM

14.4 Packing group

Tunnel Code

14.5 Environmental Hazards

No relevant information available

14.6 Special precautions for user

Not subject to the provisions of IMDG, IATA, or ADR/RID.

HazChem Code N/A

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): Not applicable HS Tariff Code: 3302.90.00

All the constituents of this material are compliant with AICIS regulation.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

Section 16. Other information

Full list of precautionary phrases

P264 Wash hands thoroughly after handling P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P337+P313 If eye irritation persists: Get medical attention.

P501 Dispose of contents and container in accordance to local

regulations.

Wording of any hazard classes listed in section 3

ATO 5 Acute toxicity, oral, category 5
SCI 2 Skin corrosion/irritation, category 2
EDI 2A Eye damage/irritation, category 2A

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 06 Mar 2023

GHS: According to 2015/830/EU

Code Number FM76786

Version 2 Revised 6/03/2023 4:30:41 PM

EH A3 Aquatic hazard, acute, category 3
EH C3 Aquatic hazard, chronic, category 3

Wording of any hazard statements listed in section 3

H303 May be harmful if swallowed

H315 Causes skin irritation

H319 Causes serious eye irritation

H402 Harmful to aquatic life

H412 Harmful to aquatic life with long lasting effects

References and further information

Key:

N/A = Not applicable

SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons

AIIC = Australian Inventory of Industrial Chemicals

AICIS = Australian Industrial Chemicals Introduction Scheme

Version 1: GHS format, BV 24/09/2020 Version 2: Minor changes, RB 6/03/2023