

Printed on Friday, 7 August 2020

GHS: According to 2015/830/EU

FM76433 Code Number

Version 2 Revised 7/08/2020 4:59:08 PM

Section 1. I dentification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Product Name **BASIL MANDARIN & KALE**

FM76433 Code Number Alternative Name INCI: Parfum **REACH Reg No** Not registered

- 1.2 Relevant identified uses of the substance or mixture and uses advised against Concentrated material for manufacturing purposes only
- 1.3 Details of the supplier of the safety data sheet

Australian Botanical Products Ltd

39 Melverton Drive, Hallam

Victoria, 3803

Australia

ABN: 45006782529

Telephone Number Tel No. +613 97094800

Email Address info@abp.com.au

1.4 Emergency Tel No Emergency No. +61 438196124

Section 2. Hazard Identification

2.1 Classification of the substance or mixture

FL 3	Flammable liquid, category 3
AH 1	Aspiration hazard, category 1
SCI 2	Skin corrosion/irritation, category 2
SS 1B	Skin sensitisation, category 1B
MUT 2	Germ cell mutagenicity, category 2

CAR 2 Carcinogenicity, category 2

Aquatic hazard, chronic, category 1 EH C1

Printed on Friday, 7 August 2020

GHS: According to 2015/830/EU

Code Number FM76433

Version 2 Revised 7/08/2020 4:59:08 PM

2.2 Label elements

GHS classification according to Regulation (EC) No 1272/2008

Hazard Pictograms



Signal Word Danger

Hazard Statements

H226 Flammable liquid and vapour

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H317 May cause an allergic skin reactionH341 Suspected of causing genetic defects

H351 Suspected of causing cancer

H410 Very toxic to aquatic life with long lasting effects

Precautionary Statements

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P261 Avoid breathing fumes.

P264 Wash hands thoroughly after handling

P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection

P301+P310 IF SWALLOWED: Immediately call a POISON CENTRE.

P302+P352 IF ON SKIN: Wash with plenty of water.

P308+P313 IF exposed or concerned: Get medical advice.

P331 Do NOT induce vomiting.

P333+P313 If skin irritation or rash occurs: Get medical advice.

Printed on Friday, 7 August 2020

GHS: According to 2015/830/EU

Code Number FM76433

Version 2 Revised 7/08/2020 4:59:08 PM

P370+P378 In case of fire: Use alcohol resistant foam, standard foam or dry

agent to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents and container in accordance with local

regulation.

2.3 Other Hazards

Contains Citral, Citronellol, Eugenol, Geraniol, Hexyl Cinnamal, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	30% - 60%
CAS 14901-07-6 EINECS 238-969-9 REACH	4-(2,6,6-trimethylcyclohex-1-ene-1-yl)-but-3-ene-2-one SCI 3;EH A2,C2 H316,H401,H411	<10%
CAS 21145-77-7 EINECS 244-240-6 REACH	1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)etha ATO 4(1000);EH A1,C1 H302,H400,H410	<10%
CAS 93-92-5 EINECS 202-288-5 REACH	1-phenylethyl acetate FL 4;EH A2 H227,H401	<10%
CAS 1335-46-2 EINECS 215-635-0 REACH	Ionone, methyl- SCI 2;EDI 2A;EH A2,C2 H315,H319,H401,H411	<10%
CAS 111-80-8 EINECS 203-909-2 REACH	methyl non-2-ynoate ATO 4(1600); ATD 5(4500); SCI 3; SS 1 H302, H313, H316, H317	<10%
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3; ATO 4; AH 1; SCI 2; EH A1, C1 H226, H302, H304, H315, H400, H410	<10%

Printed on Friday, 7 August 2020

GHS: According to 2015/830/EU

Code Number FM76433

Version 2 Revised 7/08/2020 4:59:08 PM

CAS 32210-23-4 EINECS 250-954-9 REACH	4-tert-butylcyclohexyl acetate SS 1B;EH A2,C2 H317,H401,H411	<10%
CAS 1222-05-5 EINECS 214-946-9 REACH	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran EH A1,C1 H400,H410	<10%
CAS 140-67-0 EINECS 205-427-8 REACH	Estragole (Methyl chavicol) FL 4;ATO 4(1230);SCI 3;SS 1B;CAR 2;MUT 2 H227,H302,H316,H317,H341,H351	<10%
CAS 99-85-4 EINECS 202-794-6 REACH	gamma-Terpinene (p-Mentha-1,4-diene) FL 3;ATO 5(3850);SCI 3;AH 1 H226,H303,H304,H316	<10%
CAS 93-15-2 EINECS 202-223-0 REACH	Methyl eugenol (Eugenyl methyl ether) ATO 5;SS 1;MUT 2;CAR 2;EH A2 H303,H317,H341,H351,H401	<10%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in sections 2 into account

4.1 Description of first aid measures

After inhalation

No known adverse effects. If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating, may cause an allergic skin reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

No known adverse effects from temporary eye contact. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

May be fatal if enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

Printed on Friday, 7 August 2020

GHS: According to 2015/830/EU

Code Number FM76433

Version 2 Revised 7/08/2020 4:59:08 PM

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Y

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbant material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

Printed on Friday, 7 August 2020

GHS: According to 2015/830/EU

Code Number FM76433

Version 2 Revised 7/08/2020 4:59:08 PM

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course, avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas

Thermal hazards

No information

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

Printed on Friday, 7 August 2020

GHS: According to 2015/830/EU

Code Number FM76433

Version 2 Revised 7/08/2020 4:59:08 PM

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

FLASH POINT (°C) 60

APPEARANCE Mobile liquid

COLOUR Yellow to golden yellow

ODOUR Fresh, zesty, basil, mandarin, violet, musk

ODOUR THRESHOLD Not available
pH @20 DEG C Not available
MELTING/FREEZING POINT Not available

INITIAL BOILING POINT AND

RANGE

Not available

EVAPORATION RATE

FLAMMABILITY (SOLID/GAS)

Not available

UPPER/LOWER FLAMMABILITY

Not available

LIMITS

VAPOUR PRESSURE Not available

VAPOUR DENSITY Not available

SPECIFIC GRAVITY @ 20 deg C 0.915 to 0.945

SOLUBILITIES Insoluble in water

PARTITION COEFF Not available

N-OCTANAL/WATER

AUTO-IGNITION TEMPERATURE Not available

DECOMPOSITION TEMPERATURE Not available

VISCOSITY @ 20 DEG C Not available

EXPLOSIVE PROPERTIES Not available

Printed on Friday, 7 August 2020

GHS: According to 2015/830/EU

Code Number FM76433

Version 2 Revised 7/08/2020 4:59:08 PM

OXIDISING PROPERTIES

Not available

9.2 Other information

No further information available

Section 10. Stability and reactivity

10.1 Reactivity

Not determined

10.2 Chemical Stability

Stable under the recommended storage conditions (see section 7).

10.3 Possibility of hazardous reactions

No hazardous reactions if stored under suitable storage conditions.

10.4 Conditions to avoid

Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.

10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic material.

10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

No data

Skin corrosion / irritation

Causes skin irritation.

Serious eye damage / irritation

No data

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

Suspected of causing cancer.

Printed on Friday, 7 August 2020

GHS: According to 2015/830/EU

Code Number FM76433

Version 2 Revised 7/08/2020 4:59:08 PM

Reproductive toxicity

No data

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

May be fatal if swallowed and enters airways.

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

d-Limonene (5989-27-5)

LC50 fish 1(Lethal) - Pimephales promelas (fathead minnow) – $720\mu g/L$ – 96~h EC50 (GLP) - Daphinia magna – 0.36mg/L – 48~h

Threshold limit 1 (GLP) - Desmodesmus subspicatus (green algae) - 150mg/L - 72 h

12.2 Persistence and degradability

No data

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Prevent contamination of soil, ground and surface water.

Printed on Friday, 7 August 2020

GHS: According to 2015/830/EU

Code Number FM76433

Version 2 Revised 7/08/2020 4:59:08 PM

12.5 Results of PBT and vPvB assessment

No data

12.6 Other adverse effects

See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

14. Transport information

14.1 UN number

ADR 1993 IATA 1993 IMDG 1993

14.2 UN proper shipping name

ADR FLAMMABLE LIQUID, N.O.S. (CONTAINS ORANGE OIL)

IATA FLAMMABLE LIQUID, N.O.S. (CONTAINS ORANGE OIL)

IMDG FLAMMABLE LIQUID, N.O.S. (CONTAINS ORANGE OIL)

14.3 Transport hazard class(es)

ADR 3 IATA 3 IMDG 3

14.4 Packing group

ADR III
IATA III
IMDG III
Tunnel Code (D/E)

14.5 Environmental Hazards

Dangerous for the environment. Marine pollutant.

Printed on Friday, 7 August 2020

GHS: According to 2015/830/EU

Code Number FM76433

Version 2 Revised 7/08/2020 4:59:08 PM

14.6 Special precautions for user

Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)):

EmS: F-E, S-E Marine Pollutant: Yes

Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

HazChem Code • 3Y

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule: Not applicable HS Tariff Code: 3302.90.00

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

Section 16. Other information

Full list of precautionary phrases

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241	Use explosion-proof equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P302+P352	IF ON SKIN: Wash with plenty of water.

Printed on Friday, 7 August 2020

GHS: According to 2015/830/EU

Code Number FM76433

Version 2 Revised 7/08/2020 4:59:08 PM

P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P308+P313	IF exposed or concerned: Get medical advice.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P362+P364	Take off all contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use alcohol resistant foam, standard foam or dry agent to extinguish.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents and container in accordance with local regulation.
Wording of any ha	zard classes listed in section 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
MUT 2	Germ cell mutagenicity, category 2
CAR 2	Carcinogenicity, category 2
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
Wording of any ha	zard statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid

Printed on Friday, 7 August 2020

GHS: According to 2015/830/EU

Code Number FM76433

Version 2 Revised 7/08/2020 4:59:08 PM

H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H341	Suspected of causing genetic defects
H351	Suspected of causing cancer
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

References and further information

KEY:

N/A = Not applicable

Version 1: GHS format, BV 06/08/2020 Version 2: Minor changes, BV 07/08/2020

Authorised by: JJ 07/08/2020