

SAFETY DATA SHEETPrinted on 18 Jan 2023GHS: According to 2015/830/EU				
Code Number Version 1 Revised 18/0	FM77567 D1/2023 4:47:30 PM			
Section 1. Identificatio	n of the substance/mixture and of	the company.	/undertaking	
1.1 Product I dentifier				
Product Name Code Number Alternative Name	WARM AMBER SW FM77567			
REACH Reg No	Not registered			
1.2 Relevant identified	d uses of the substance or mixture	and uses advi	sed against	
For fragrance use.				
1.3 Details of the supr	plier of the safety data sheet			
	Australian Botanical Products Ltd			
	39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529			
Telephone Number	Tel No. +613 97094800			
Email Address	info@abp.com.au			
1.4 Emergency Tel No	Emergency No. +61 438196124			
Section 2. Hazard I den	tification			
2.1 Classification of th	e substance or mixture			
ATO 5	Acute toxicity, oral, category 5			
SS 1B	Skin sensitisation, category 1B			
EDI 2A	Eye damage/irritation, category 2A			
EH A2	Aquatic hazard, acute, category 2			
EH C2	Aquatic hazard, chronic, category 2			
2.2 Label elements				

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA GHS: According to 2015/83	
Code Number	FM77567
Version 1 Revised 18	2/01/2023 4:47:30 PM
	cording to Regulation (EC) No 1272/2008
Hazard Pictograms	
	$\mathbf{v}$ $\mathbf{v}$
Signal Word	Warning
Hazard Statements	S
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H411	Toxic to aquatic life with long lasting effects
Precautionary Stat	rements
P261	Avoid breathing fumes.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTRE if you feel unwell.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P501	Dispose of contents and container in accordance to local regulations.
2.3 Other Hazards	
	hol, Benzyl Benzoate, Benzyl Cinnamate, Cinnamyl Alcohol, Limonene and Linalool which may produce an allergic reaction
No further information	on available at this time

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

#### Printed on 18 Jan 2023

GHS: According to 2015/830/EU

Code Number FM77567

Version 1 Revised 18/01/2023 4:47:30 PM

Section 3. Composition / information on ingredients Any percentage values listed here for hazardous components are for illustrative purposes only

#### 3.2 Mixtures

Complex mixture of ingredients

#### Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 54464-57-2 EINECS 259-174-3 REACH	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl) SCI 2:SS 1B;EH C1 H315,H317,H410	<10%
CAS 21145-77-7 EINECS 244-240-6 REACH	1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)etha ATO 4(1000);EH A1,C1 H302,H400,H410	<10%
CAS 104-54-1 EINECS 203-212-3 REACH	cinnamyl alcohol ATO 4; SS 1; EH C2 H302, H317, H411	<10%
CAS 91-64-5 EINECS 202-086-7 REACH	Coumarin ATO 3;SS 1B;EH A2,C3 H301,H317,H401,H412	<10%
CAS 105-95-3 EINECS 203-347-8 REACH	1,4-dioxacycloheptadecane-5,17-dione EH A1,C3 H400,H412	<10%
CAS 121-32-4 EINECS 204-464-7 REACH	3-ethoxy-4-hydroxybenzaldehyde EDI 2A H319	<10%
CAS 121-33-5 EINECS 204-465-2 REACH	Vanillin ATO 5(3500); EDI 2A; EH A3 H303, H319, H402	<10%
CAS 65113-99-7 EINECS 265-453-0 REACH	a, B, 2, 2, 3-pentamethylcyclopent-3-ene-1-butanol SCI 3; EDI 2A; EH A2, C2 H316, H319, H401, H411	<10%
CAS 70788-30-6 EINECS 274-892-7 REACH	2,2,6-trimethyl-a-propylcyclohexanepropanol SS 1;EH A1,C1 H317,H400,H410	<10%
CAS 1222-05-5 EINECS 214-946-9 REACH	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran EH A1,C1 H400,H410	<10%
CAS 120-51-4 EINECS 204-402-9 REACH	Benzyl benzoate ATO 4(1500); EH C2 H302, H411	<10%

Printed on 18 Jan 2023

GHS: According to 2015/830/EU

Code Number FM77567

Version 1 Revised 18/01/2023 4:47:30 PM

CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3; ATO 4; AH 1; SCI 2; SS 1; EH A1, C1 H226, H302, H304, H315, H317, H400, H410	<10%
Refer to section 16 for the wording of listed classification and hazard statement codes		

#### Section 4. First Aid measures

Take phrases in section 2 into account

- 4.1 Description of first aid measures
  - After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

May cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

#### After ingestion

May be harmful if swallowed. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

#### 4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with

Printed on 18 Jan 2023

GHS: According to 2015/830/EU

Code Number FM77567 Version 1 Revised 18/01/2023 4:47:30 PM

water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Z

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 18 Jan 2023

GHS: According to 2015/830/EU

Code Number FM77567 Version 1 Revised 18/01/2023 4:47:30 PM

#### 8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

FLASH POINT (°C)	>100°C
APPEARANCE	Mobile liquid
COLOUR	Yellow to amber
ODOUR	Characteristic

SAFETY DATA SHEET GHS: According to 2015/830/EU		Printed on	18 Jan 202
Code Number FM77567 Version 1 Revised 18/01/2023 4:-			
ODOUR THRESHOLD	Not available		
pH @20 DEG C	Not available		
MELTING/FREEZING POINT	Not available		
INITIAL BOILING POINT AND RANGE	Not available		
EVAPORATION RATE	Not available		
FLAMMABILITY (SOLID/GAS)	Not available		
UPPER/LOWER FLAMMABILITY LIMITS	Not available		
VAPOUR PRESSURE	Not available		
VAPOUR DENSITY	Not available		
SPECIFIC GRAVITY @ 20°C	0.875 to 0.905		
SOLUBILITIES	Insoluble in water		
PARTITION COEFF N-OCTANAL/WATER	Not available		
AUTO-IGNITION TEMPERATURE	Not available		
DECOMPOSITION TEMPERATURE	Not available		
VISCOSITY @ 20 DEG C	Not available		
EXPLOSIVE PROPERTIES	Not available		
OXIDISING PROPERTIES	Not available		
9.2 Other information No further information available.			
Section 10. Stability and reactivity	y		
10.1 Reactivity No data.			
10.2 Chemical Stability Stable under the recommended st	orage conditions (see section	7).	
10.3 Possibility of hazardous rea No hazardous reactions if stored u		ons.	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 18 Jan 2023

GHS: According to 2015/830/EU

Code Number FM77567 Version 1 Revised 18/01/2023 4:47:30 PM

10.4 Conditions to avoid

Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.

10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic material.

10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity May be harmful if swallowed.

Skin corrosion / irritation

Not classified based on available data.

Serious eye damage / irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity No data

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

No data

Information on likely routes of exposure

No data

Printed on 18 Jan 2023

GHS: According to 2015/830/EU

Code Number FM77567

Version 1 Revised 18/01/2023 4:47:30 PM

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information No data

Section 12. Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (HHCB) CAS:1222-05-5: LC50 (96 h) - Medaka larvae – 0.95 mg/L EC50 (48 h) - Daphnia magna – 0.194 mg/L EC50 (72 h) - Pseudokirchneriella subcapitata – 0.72 mg/L NOEC (36 days) - Pimephales promelas (fathead minnow) - 0.068 mg/L NOEC (21 days) - Daphnia magna 0.11 mg/L NOEC (72 h) - Pseudokirchneriella subcapitata – 0.2 mg/L

12.2 Persistence and degradability

No test data available for this substance.

12.3 Bioaccumulative potential

No data


12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment No data

12.6 Other adverse effects See sections 6, 7, 13 and 15.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.



Printed on 18 Jan 2023

GHS: According to 2015/830/EU

Code Number FM77567 Version 1 Revised 18/01/2023 4:47:30 PM

Section 13. Disposal considerations Please refer to the information in section 8 (Exposure controls and personal protection) 13.1 Waste treatment methods Dispose in accordance with the law and local regulations. Treat as trade effluent. Section 14. Transport information 14.1 UN number ADR 3082 IATA 3082 3082 IMDG 14.2 UN proper shipping name ADR ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS HHCB) ΙΑΤΑ ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS HHCB) IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS HHCB) 14.3 Transport hazard class(es) 9 ADR IATA 9 9 IMDG 14.4 Packing group ADR Ш IATA Ш IMDG 111 Tunnel Code (E) 14.5 Environmental Hazards Dangerous for the environment. Marine pollutant. 14.6 Special precautions for user Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A, S-F Marine Pollutant: Yes Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEETPrinted on 18 Jan 20.GHS: According to 2015/830/EU			18 Jan 2023		
Code Number Version 1 Revised 18,	FM77567 /01/2023 4:47:30 PM				
HazChem Code •	HazChem Code • 3Z				
14.7 Transport in bul Not applicable	k according to Annex I	I of MARPOL73/78 and the	e I BC Code		
Section 15. Regulator	y information				
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Poison Schedule (SUSMP): Not applicable HS Tariff Code: 3302.90.00					
All the constituents o	f this material are complia	ant with AICIS regulation.			
15.2 Chemical safety	assessment				
A chemical safety as:	sessment has not been ca	rried out			
Section 16. Other info	ormation				
Full list of precauti	Full list of precautionary phrases				
P261	Avoid breathing fumes.				
P264	Wash hands thoroughly	/ after handling			
P272	Contaminated work clo workplace.	thing should not be allowed o	out of the		
P273	Avoid release to the en	vironment.			
P280	Wear protective gloves	and eye protection			
P302+P352	IF ON SKIN: Wash with	plenty of water.			
P305+P351+P338		ously with water for several r , if present and easy to do. C			
P312	Call a POISON CENTRE	if you feel unwell.			
P333+P313	If skin irritation or rash	occurs: Get medical advice.			
P337+P313	If eye irritation persists	: Get medical attention.			
P362+P364	Take off contaminated	clothing and wash it before re	euse.		
P391	Collect spillage.				
P501	Dispose of contents and regulations.	d container in accordance to I	ocal		
Wording of any ha	zard classes listed in se	ection 3			
FL 3	Flammable liquid, cate	gory 3			
ATO 3	Acute toxicity, oral, cat	egory 3			

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 18 Jan 2023

GHS: According to 2015/830/EU

 Code Number
 FM77567

 Version 1 Revised 18/01/2023 4:47:30 PM

ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3
Wording of any haza	rd statements listed in section 3
H226	Flammable liquid and vapour
H301	Toxic if swallowed
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
References and furth	ner information
	the Uniform Scheduling of Medicines and Poisons ntory of Industrial Chemicals

Printed on 18 Jan 2023

GHS: According to 2015/830/EU

 Code Number
 FM77567

 Version 1 Revised 18/01/2023 4:47:30 PM

AICIS = Australian Industrial Chemicals Introduction Scheme

Version 1: GHS format, RB 18/01/2023

Page 13 of 13