SAFETY DATA SHEET

Revision date: 20-May-2024



Revision Number 1

Section 1: Identification	
Product identifier	
Product Name	FVC P50
Product Code(s)	00000027394
Other means of identification	
Recommended use of the chemical	and restrictions on use
Recommended use	Cosmetics applications.
Uses advised against	No information available.
Details of manufacturer or importer	
<u>Supplier</u> Ixom Operations Pty Ltd (Bronson & Ja ABN:51 600 546 512 70 Marple Avenue Villawood NSW 2163 Australia	acobs division) - incorporated in Australia
Telephone Number: +61 2 8717 2929 Facsimile: +61 2 9755 9611	
Emergency telephone number	
Emergency telephone number	1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

Section 2: Hazard identification

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

GHS Classification_	
Aspiration hazard	Category 1
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

Label elements

Health hazard Corrosion



Signal word DANGER

Hazard statements

H304 - May be fatal if swallowed and enters airways H315 - Causes skin irritation H318 - Causes serious eye damage

Precautionary Statements - Prevention

Wash hands thoroughly after handling.
Wear protective gloves/eye protection/face protection.
Precautionary Statements - Response
Specific treatment (see First aid on this SDS).
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER or doctor/physician.
IF ON SKIN: Wash with plenty of soap and water.
If skin irritation occurs: Get medical advice/attention.
Take off contaminated clothing and wash before reuse.
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
Do NOT induce vomiting.
Precautionary Statements - Storage
Store locked up.
Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other hazards which do not result in classification

Repeated exposure may cause skin dryness or cracking.

Section 3: Composition and information on ingredients

Chemical name	CAS No.	Weight-%
1-Propanesulfonic acid,	38193-60-1	35-45
2-methyl-2-[(1-oxo-2-propenyl)amino]-, monosodium		
salt, polymer with 2-propenamide		
Distillates, petroleum, hydrotreated light	64742-47-8	15-25
3,6,9,12,15,18,21-Heptaoxatritriacontan-1-ol	3055-97-8	3-8
(Laureth-7)		

Section 4: First aid measures

Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.
Inhalation	Remove to fresh air. (Call a physician if symptoms occur).
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

	and easy to do. Continue rinsing. Get immediate medical attention.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. Call a physician immediately.

Most important symptoms and effects, both acute and delayed

Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes. Aspiration risk: may cause lung damage if swallowed.
Effects of Exposure	No information available.
Indication of any immediate medical attention and special treatment needed	
Note to physicians	Can cause corneal burns. Delayed pulmonary edema may occur. Treat symptomatically.

Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media	Fine water spray. Dry chemical. Carbon dioxide (CO2). Foam.
------------------------------	---

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the chemical	Combustible liquid. On burning will emit toxic fumes, including those of oxides of carbon, oxides of sulfur and oxides of nitrogen. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Hazardous combustion products Oxides of carbon. Nitrogen oxides. Oxides of sulfur. Metal oxides.

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Do not touch or walk through spilled material. Keep people away from and upwind of spill/leak. Wash thoroughly after handling. Use personal protective equipment as required.
Other information	Ventilate the area.
For emergency responders	Shut off ignition sources. Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions	Prevent further leakage or spillage if safe to do so. See Section 12 for additional Ecological
	Information.

Methods and material for containment and cleaning up

Methods for containment	Stop leak if you can do it without risk. Remove ignition sources. Provide adequate ventilation. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Provide adequate ventilation.
Methods for cleaning up	Slippery when spilt. Avoid accidents, clean up immediately. Dam up. Soak up with inert absorbent material. Use personal protective equipment as required. Pick up and transfer to properly labeled containers.

Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling	Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use personal protection equipment. Stir well before use. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice.
General hygiene considerations	Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.
Conditions for safe storage, includi	ng any incompatibilities
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place. Protect from sunlight. Store away from incompatible materials described in Section 10. Store away from sources of heat or ignition. Store below 35°C. Keep container closed when not in use.
	Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements. Store away from incompatible materials (refer to SDS).
Incompatible materials	Oxidizing agent.

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits

No value assigned for this specific material by Safe Work Australia.

Chemical name	European Union	United Kingdom	Germany DFG
Distillates, petroleum, hydrotreated	-	-	TWA: 5 mg/m ³
light			TWA: 50 ppm
64742-47-8			TWA: 350 mg/m ³
			Peak: 20 mg/m ³
			Peak: 100 ppm
			Peak: 700 mg/m ³

Appropriate engineering controls

Engineering controls

Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.

Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Wear suitable protective clothing. Overalls. Boots.
Hand protection	Impervious gloves.
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear an organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.
Thermal hazards	No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	No information available
Color	White
Odor	Characteristic
Odor threshold	No information available

Property_	Values_	Remarks • Method
pH	5.0-7.0 (2% solution in water)	None known
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash point	>102 °C	Open Cup
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	1.1 g/cm3	None known
Water solubility	No data available	None known
Solubility(ies)	Miscible in cold water.	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known

Kinematic viscosity Dynamic viscosity No data available 1500- 4500 mPa.s None known None known

Other information

Section 10: Stability and re	eactivity
Reactivity	
Reactivity	No information available.
Chemical stability	
Stability	Stable under normal conditions.
Explosion data Sensitivity to mechanical impac Sensitivity to static discharge	t None. None.
Possibility of hazardous reactions	-
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	
Conditions to avoid	Heat, flames and sparks. static discharge (electrostatic discharge). Direct sunlight.
Incompatible materials	
Incompatible materials	Oxidizing agent.
Hazardous decomposition products	<u>.</u>
Hazardous decomposition products	s Oxides of carbon. Nitrogen oxides. Oxides of sulfur. Metal oxides.

Section 11: Toxicological information

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation.
Eye contact	Causes serious eye damage. Corrosive to the eyes and may cause severe damage including blindness.
Skin contact	Causes skin irritation. Repeated exposure may cause skin dryness or cracking.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May be fatal if swallowed and enters airways. Aspiration may cause pulmonary edema and pneumonitis.
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes. Aspiration risk: may cause lung damage if swallowed.
Acute toxicity	

Numerical measures of toxicity - Product Information

No information available

Component Information

Chemical name	Oral LD50 Dermal LD50 Inhalation LC50					
Distillates, petroleum, hydrotreated light	> 5000 mg/kg (Rat) > 2000 mg/kg (Rabbit) > 5.2 mg/L (Rat) 4 h					
See section 16 for terms and abbreviations						
Delayed and immediate effects as w	Delayed and immediate effects as well as chronic effects from short and long-term exposure					
Skin corrosion/irritation	Causes skin irritation. Classification is based on mixture calculation methods based on component data.					
Serious eye damage/eye irritation	Causes serious eye damage. Classification is based on mixture calculation methods based on component data.					
Respiratory or skin sensitization	No information available.					
Germ cell mutagenicity	No information available.					
Carcinogenicity	No information available.					
Reproductive toxicity	No information available.					
STOT - single exposure	No information available.					
STOT - repeated exposure	No information available.					
Aspiration hazard	May be fatal if swallowed and enters airways. Risk of serious damage to the lungs (by aspiration).					

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity

Avoid contaminating waterways.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Distillates, petroleum,	-	LC50: =45mg/L (96h,	-	-
hydrotreated light		Pimephales promelas)		
		LC50: =2.2mg/L (96h,		
		Lepomis macrochirus)		
		LC50: =2.4mg/L (96h,		
		Oncorhynchus mykiss)		

Method	Species	Endpoint type	Effective dose	Exposure time	Results
OECD Test No. 209: Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)	Micro-organism	EC50		30 minutes	>100 mg/L
OECD Test No. 209: Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)	Micro-organism	EC50		3 hours	>100 mg/L
Terrestrial ecotoxicity	There is	no data for this prod	uct.		
Persistence and degradab	<u>ility</u>				
Persistence and degradab	ility No inform	nation available.			
Bioaccumulative potential	_				
Bioaccumulation	There is	There is no data for this product.			
Mobility					
Mobility	No inform	nation available.			
Other adverse effects					
Other adverse effects	No inform	nation available.			
Section 13: Disposal considerations					
Waste treatment methods	_				
Waste from residues/unus products		Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.			
Contaminated packaging	containe	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.			
See section 8 for more info	ormation				
Section 14: Transpo	ort information				
ADG_				of the Australian Dan I-DANGEROUS GOC	
IATA		Not classified as Dangerous Goods by the criteria of the International Air Transport			

 GOODS.

 IMDG

 Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous

Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS

Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

<u>Australia</u>

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

Australian Industrial Chemicals Introduction Scheme (AICIS) Present

Chemical name	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
1-Propanesulfonic acid, 2-methyl-2-[(1-oxo-2-propenyl)amino]-, monosodium salt, polymer with 2-propenamide - 38193-60-1	Present	-
Distillates, petroleum, hydrotreated light - 64742-47-8	Present	-
3,6,9,12,15,18,21-Heptaoxatritriaconta n-1-ol (Laureth-7) - 3055-97-8	Present	-

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

International Inventories AIIC	All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.
NZIoC	Contact supplier for inventory compliance status.
TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.

Legend:

AllC- Australian Inventory of Industrial Chemicals NZIOC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Section 16: Other information	

Supplier Safety Data Sheet 02/ 2022

Reason(s) For Issue:	First Issue Primary SDS
Prepared By	This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).
Revision date:	20-May-2024

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances
STOT: Specific Target Organ Toxicity
ATE: Acute Toxicity Estimate
LC50: 50% Lethal Concentration
LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA Ceiling C	TWA (time-weighted average) Maximum limit value Carcinogen	STEL *	STEL (Short Term Exposure Limit) Skin designation		
Key literature references and sources for data used to compile the SDS					

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) Environmental Protection Agency Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

End of Safety Data Sheet