

SAFETY DATA S GHS: According to 2015/830/		Printed on 23 Nov 202
<i>Code Number Version 2 Revised 23/1</i>	FM71455 1/2023 2:41:15 PM	
Section 1. Identification	n of the substance/mixture and of th	ne company/undertaking
1.1 Product I dentifier		
Product Name	LIBERTINE	
Code Number	FM71455	
Alternative Name		
REACH Reg No	Not registered	
1.2 Relevant identified	l uses of the substance or mixture a	nd uses advised against
For fragrance use.		
1.3 Details of the supp	lier of the safety data sheet Australian Botanical Products Ltd	
	39 Melverton Drive, Hallam	
	Victoria, 3803	
	Australia ABN: 45006782529	
	ABN: 45000782329	
Telephone Number	Tel No. +613 97094800	
Email Address	abpsales@ixom.com	
1.4 Emergency Tel No	Emergency No. +61 1 800 033 111	
Section 2. Hazard I den	tification	
2.1 Classification of th	e substance or mixture	
FL 4	Flammable liquid, category 4	
AH 1	Aspiration hazard, category 1	
SCI 2	Skin corrosion/irritation, category 2	
SS 1B	Skin sensitisation, category 1B	
EDI 1	Eye damage/irritation, category 1	
CAR 2	Carcinogenicity, category 2	
REP 2	Reproductive toxicity, category 2	
EH A2	Aquatic hazard, acute, category 2	
EH C2	Aquatic hazard, chronic, category 2	
2.2 Label elements		

AFETY DATA S: According to 2015/8	
ode Number	FM71455 23/11/2023 2:41:15 PM
GHS classification a Hazard Pictogram	according to Regulation (EC) No 1272/2008 ns
Signal Word	Danger
Hazard Statemen	its
H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H351	Suspected of causing cancer
H411	Toxic to aquatic life with long lasting effects
Precautionary Sta	atements
P201	Obtain special instructions before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing fumes.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P391	Collect spillage.

Printed on 23 Nov 2023

GHS: According to 2015/830/EU

 Code Number
 FM71455

 Version 2 Revised 23/11/2023 2:41:15 PM

P405	Store locked up.
P501	Dispose of contents and container in accordance to local regulations.

2.3 Other Hazards

Contains nothing known from the allergens list which may produce an allergic reaction

No further information available at this time

Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 60-12-8 EINECS 200-456-2 REACH	Phenyl ethyl alcohol ATD 5(2500);ATO 4(1610);EDI 2A;SCI 3 H302,H313,H316,H319	10% - 30%
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4;SS 1B H227,H317	10% - 30%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	10% - 30%
CAS 106-24-1 EINECS 203-377-1 REACH	Geraniol SCI 2; SS 1; EDI 1 H315, H317, H318	1% - 10%
CAS 134-20-3 EINECS 205-132-4 REACH	Methyl anthranilate EDI 2A H319	1% - 10%
CAS 93-18-5 EINECS 202-226-7 REACH	ethyl 2-naphthyl ether ATO 5;EDI 2A;EH A2,C2 H303,H319,H401,H411	1% - 10%
CAS 107-75-5 EINECS 203-518-7 REACH	7-hydroxycitronellal SCI 2;SS 1B;EDI 2A;EH A3 H315,H317,H319,H402	1% - 10%
CAS 105-86-2 EINECS 203-339-4 REACH	Geranyl formate FL 4;SS 1B;EH A1,C2 H227,H317,H400,H411	1% - 10%

Printed on 23 Nov 2023

GHS: According to 2015/830/EU

Code Number FM71455

Version 2 Revised 23/11/2023 2:41:15 PM

CAS 120-51-4 EINECS 204-402-9	Benzyl benzoate	1% - 10%
REACH	ATO 4(1500);EH C2 H302,H411	176 - 1076
CAS 115-95-7 EINECS 204-116-4	Linalyl acetate	1% - 10%
REACH	FL 4; SCI 2; EDI 2A; EH A3 H227,H315,H319,H402	176 - 1076
CAS 7757-82-6 EINECS 231-820-9	sodium sulphate	<1%
REACH	SS 1 H317	< 170
CAS 65405-77-8 EINECS 265-745-8	(Z)-3-hexenyl salicylate	<1%
REACH	ATO 5;EH A1,C1 H303,H400,H410	< 1 70
CAS 1506-02-1 EINECS 244-240-6	1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)etha	<1%
REACH	ATO 4(1000);EH A1,C1 H302,H400,H410	< 1 70
CAS 80-56-8 EINECS 201-291-9	Pinenes	<1%
REACH	FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410	
CAS 127-91-3 EINECS 204-872-5	beta-Pinene	<1%
REACH	FL 3;ATO 5(3700);AH 1;SCI 2;SS 1B;EH A1,C1 H226,H303,H304,H315,H317,H400,H410	
CAS 140-67-0 EINECS 205-427-8	Estragole (Methyl chavicol)	<1%
REACH	FL 4;ATO 4(1230);SCI 3;SS 1B;CAR 2;MUT 2 H227,H302,H316,H317,H341,H351	
CAS 99-85-4 EINECS 202-794-6	gamma-Terpinene (p-Mentha-1,4-diene)	<1%
REACH	FL 3;ATO 5(3850);AH 1;REP 2;EH A2,C2 H226,H303,H304,H361,H401,H411	
CAS 105-87-3 EINECS 203-341-5	Geranyl acetate	<1%
REACH	SCI 2;SS 1;EH C3 H315,H317,H412	< 1 20
CAS 141-12-8	Neryl acetate	- 19/
EINECS 205-459-2 REACH	SCI 2;SS 1;EH C3 H315,H317,H412	<1%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 23 Nov 2023

GHS: According to 2015/830/EU

Code Number FM71455 Version 2 Revised 23/11/2023 2:41:15 PM

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Causes serious damage to eyes. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice immediately. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

May be fatal if enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Z

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.

6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 23 Nov 2023

GHS: According to 2015/830/EU

Code Number FM71455 Version 2 Revised 23/11/2023 2:41:15 PM

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 23 Nov 2023

GHS: According to 2015/830/EU

Code Number FM71455

Version 2 Revised 23/11/2023 2:41:15 PM

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical	and chemical properties
FLASH POINT (°C)	63°C
APPEARANCE	Mobile liquid
COLOUR	Yellow to orange
ODOUR	Sweet, orange, flower
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available

SAFETY DATA SHEET GHS: According to 2015/830/EU		Printed on 23 Nov 20.
Code Number FM71455 Version 2 Revised 23/11/2023 2:4	11:15 PM	
VAPOUR DENSITY	Not available	
SPECIFIC GRAVITY @ 20°C	0.925 to 0.955	
SOLUBILITIES	Insoluble in water	
PARTITION COEFF N-OCTANAL/WATER	Not available	
AUTO-IGNITION TEMPERATURE	Not available	
DECOMPOSITION TEMPERATURE	Not available	
VISCOSITY @ 20 DEG C	Not available	
EXPLOSIVE PROPERTIES	Not available	
OXIDISING PROPERTIES	Not available	
9.2 Other information No further information available.		
Section 10. Stability and reactivity	/	
10.1 Reactivity No data.		
10.2 Chemical Stability Stable under the recommended sto	orage conditions (see sect	ion 7).
10.3 Possibility of hazardous read No hazardous reactions if stored u		ditions.
10.4 Conditions to avoid Avoid exposure to heat, sources of	ignition, and open flame.	Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents a	ind from highly alkaline or	acidic material.
10.6 Hazardous decomposition pr During combustion may form carbo compounds.	roducts	
Section 11. Toxicological informat	ion	
11.1 Information on toxicological	effects	
Acute toxicity Not classified based on available d	ata.	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 23 Nov 2023

GHS: According to 2015/830/EU

Code Number FM71455 Version 2 Revised 23/11/2023 2:41:15 PM

Skin corrosion / irritation Causes skin irritation. Serious eye damage / irritation Causes serious eye damage. Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity No data Carcinogenicity Suspected of causing cancer. Reproductive toxicity Suspected of damaging fertility or the unborn child. STO-single exposure No data STO-repeated exposure No data Aspiration hazard May be fatal if swallowed and enters airways. Information on likely routes of exposure No data Symptoms related to the physical, chemical and toxicological characteristics No data Delayed and immediate effects as well as chronic effects from short and long-term exposure No data Interactive effects No data Other information No data Section 12. Ecological information

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 23 Nov 2023

GHS: According to 2015/830/EU

 Code Number
 FM71455

 Version 2 Revised 23/11/2023 2:41:15 PM

12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains D-Limonene (5989-27-5): LC50 (96 h) - Pimephales promelas (fathead minnow) – 0.72 mg/L EC50 (48 h) - Daphnia magna – 0.36 mg/L EC50 (72 h) - Raphidocelis subcapitata – 0.32 mg/L

12.2 Persistence and degradability

No test data available for this substance.

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment

No data

12.6 Other adverse effects

See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

14.1 UN number

ADR	3082
IATA	3082
IMDG	3082

14.2 UN proper shipping name

ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)

- IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)
- IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 23 Nov 2023

GHS: According to 2015/830/EU

Code Number FM71455 Version 2 Revised 23/11/2023 2:41:15 PM

14.3 Transport h	azard class (ps)	
i no nanoporti	14241 4 61433 (63)	
ADR 9		
IATA 9		
IMDG 9		
14.4 Packing gro	bup	
ADR II	1	
IATA II	I	
IMDG II	I	
Tunnel Code (-	-)	
14.5 Environmer	ntal Hazards	
Dangerous for t	he environment. Marine poll	utant.
14.6 Special pre	cautions for user	
Maritime Transp EmS: F-A, S-F Marine Pollutant		Dangerous Goods Code (IMDG Code)):
Road and Rail T	ransport (Australian Dangero	ous Goods Code (ADG Code)):
HazChem Code	e • 3Z	
14.7 Transport i Not applicable	n bulk according to Annex	II of MARPOL73/78 and the IBC Code
Section 15. Regu	latory information	
15.1 Safety, hea substance or miz		gulations/legislation specific for the
Poison Schedule	e (SUSMP): S5 CAUTION	HS Tariff Code: 3302.90.00
All the constitue	ents of this material are com	pliant with AICIS regulation.
15.2 Chemical sa	afety assessment	
	ty assessment has not been	carried out
Section 16. Other	-	
Full list of pre	cautionary phrases	
P201	Obtain special instru	ctions before use.
P202	•	all safety precautions have been read and

Printed on 23 Nov 2023

GHS: According to 2015/830/EU

Code Number FM71455 Version 2 Revised 23/11/2023 2:41:15 PM

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents and container in accordance to local regulations.
Wording of any haz	ard classes listed in section 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 1	Eye damage/irritation, category 1
EDI 2A	Eye damage/irritation, category 2A
MUT 2	Germ cell mutagenicity, category 2

Printed on 23 Nov 2023

GHS: According to 2015/830/EU

 Code Number
 FM71455

 Version 2 Revised 23/11/2023 2:41:15 PM

CAR 2Carcinogenicity, category 2REP 2Reproductive toxicity, category 2EH A1Aquatic hazard, acute, category 1EH A2Aquatic hazard, acute, category 2EH A3Aquatic hazard, acute, category 3EH C1Aquatic hazard, chronic, category 1EH C2Aquatic hazard, chronic, category 2EH C3Aquatic hazard, chronic, category 3Wording of any haz=d statements listed in section 3H226Flammable liquid and vapourH227Combustible liquidH303May be harmful if swallowedH313May be harmful if swallowedH316Causes skin irritationH317May cause an allergic skin reactionH318Causes serious eye damageH314Suspected of causing genetic defects
EH A1Aquatic hazard, acute, category 1EH A2Aquatic hazard, acute, category 2EH A3Aquatic hazard, acute, category 3EH C1Aquatic hazard, chronic, category 1EH C2Aquatic hazard, chronic, category 2EH C3Aquatic hazard, chronic, category 3Wording of any hazard statements listed in section 3H226Flammable liquid and vapourH227Combustible liquidH302Harmful if swallowedH303May be harmful if swallowed and enters airwaysH313May be fatal if swallowed and enters airwaysH316Causes skin irritationH317May cause an allergic skin reactionH318Causes serious eye irritationH319Causes serious eye irritation
EH A2Aquatic hazard, acute, category 2EH A3Aquatic hazard, acute, category 3EH C1Aquatic hazard, chronic, category 1EH C2Aquatic hazard, chronic, category 2EH C3Aquatic hazard, chronic, category 3Wording of any hazard statements listed in section 3H226Flammable liquid and vapourH227Combustible liquidH302Harmful if swallowedH303May be harmful if swallowedH304May be fatal if swallowed and enters airwaysH315Causes skin irritationH316Causes mild skin irritationH318Causes serious eye damageH319Causes serious eye irritation
EH A3Aquatic hazard, acute, category 3EH C1Aquatic hazard, chronic, category 1EH C2Aquatic hazard, chronic, category 2EH C3Aquatic hazard, chronic, category 3Wording of any hazard, chronic, category 3H226Flammable liquid and vapourH227Combustible liquidH302Harmful if swallowedH303May be harmful if swallowedH313May be fatal if swallowed and enters airwaysH315Causes skin irritationH316Causes mild skin irritationH318Causes serious eye damageH319Causes serious eye irritation
EH C1Aquatic hazard, chronic, category 1EH C2Aquatic hazard, chronic, category 2EH C3Aquatic hazard, chronic, category 3Wording of any hazard statements listed in section 3H226Flammable liquid and vapourH227Combustible liquidH302Harmful if swallowedH303May be harmful if swallowedH313May be fatal if swallowed and enters airwaysH315Causes skin irritationH316Causes mild skin irritationH317May cause an allergic skin reactionH318Causes serious eye damageH319Causes serious eye irritation
EH C2Aquatic hazard, chronic, category 2EH C3Aquatic hazard, chronic, category 3Wording of any hazard statements listed in section 3H226Flammable liquid and vapourH227Combustible liquidH302Harmful if swallowedH303May be harmful if swallowedH313May be fatal if swallowed and enters airwaysH315Causes skin irritationH316Causes mild skin irritationH317May cause an allergic skin reactionH318Causes serious eye damageH319Causes serious eye irritation
EH C3Aquatic hazard, chronic, category 3Wording of any hazard statements listed in section 3H226Flammable liquid and vapourH227Combustible liquidH302Harmful if swallowedH303May be harmful if swallowedH304May be fatal if swallowed and enters airwaysH315Causes skin irritationH316Causes mild skin irritationH317May cause an allergic skin reactionH318Causes serious eye damageH319Causes serious eye irritation
Wording of any hazard statements listed in section 3H226Flammable liquid and vapourH227Combustible liquidH302Harmful if swallowedH303May be harmful if swallowedH304May be fatal if swallowed and enters airwaysH315Causes skin irritationH316Causes mild skin irritationH317May cause an allergic skin reactionH318Causes serious eye damageH319Causes serious eye irritation
H226Flammable liquid and vapourH227Combustible liquidH302Harmful if swallowedH303May be harmful if swallowedH304May be fatal if swallowed and enters airwaysH313May be harmful in contact with skinH315Causes skin irritationH316Causes mild skin irritationH317May cause an allergic skin reactionH318Causes serious eye damageH319Causes serious eye irritation
H227Combustible liquidH302Harmful if swallowedH303May be harmful if swallowedH304May be fatal if swallowed and enters airwaysH313May be harmful in contact with skinH315Causes skin irritationH316Causes mild skin irritationH317May cause an allergic skin reactionH318Causes serious eye damageH319Causes serious eye irritation
H302Harmful if swallowedH303May be harmful if swallowedH304May be fatal if swallowed and enters airwaysH313May be harmful in contact with skinH315Causes skin irritationH316Causes mild skin irritationH317May cause an allergic skin reactionH318Causes serious eye damageH319Causes serious eye irritation
H303May be harmful if swallowedH304May be fatal if swallowed and enters airwaysH313May be harmful in contact with skinH315Causes skin irritationH316Causes mild skin irritationH317May cause an allergic skin reactionH318Causes serious eye damageH319Causes serious eye irritation
H304May be fatal if swallowed and enters airwaysH313May be harmful in contact with skinH315Causes skin irritationH316Causes mild skin irritationH317May cause an allergic skin reactionH318Causes serious eye damageH319Causes serious eye irritation
H313May be harmful in contact with skinH315Causes skin irritationH316Causes mild skin irritationH317May cause an allergic skin reactionH318Causes serious eye damageH319Causes serious eye irritation
H315Causes skin irritationH316Causes mild skin irritationH317May cause an allergic skin reactionH318Causes serious eye damageH319Causes serious eye irritation
H316Causes mild skin irritationH317May cause an allergic skin reactionH318Causes serious eye damageH319Causes serious eye irritation
H317May cause an allergic skin reactionH318Causes serious eye damageH319Causes serious eye irritation
H318Causes serious eye damageH319Causes serious eye irritation
H319 Causes serious eye irritation
-
H341 Suspected of causing genetic defects
H351 Suspected of causing cancer
H361 Suspected of damaging fertility or the unborn child
H400 Very toxic to aquatic life
H401 Toxic to aquatic life
H402 Harmful to aquatic life
H410 Very toxic to aquatic life with long lasting effects
H411 Toxic to aquatic life with long lasting effects
H412 Harmful to aquatic life with long lasting effects
References and further information
N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemicals AICIS = Australian Industrial Chemicals Introduction Scheme
Version 1: GHS format 12/07/2017

Printed on 23 Nov 2023

GHS: According to 2015/830/EU

Code Number FM71455 Version 2 Revised 23/11/2023 2:41:15 PM

Version 2: Mandatory revision, RB 23/11/2023

Page 14 of 14