

| SAFETY DATA S | HEET | Printed on | 11 Feb 2022 |
|---------------------------------------|---------------------------------------|-------------------|-------------|
| GHS: According to 2015/830/ | EU | | |
| Code Number Version 1 Revised 11/0 | FM78235 2/2022 2:16:58 PM | | |
| Section 1. Identification | n of the substance/mixture and o | f the company/u | undertaking |
| 1.1 Product I dentifier | | | |
| Product Name | BAMBOO & GREEN TEA SW | | |
| Code Number | FM78235 | | |
| Alternative Name | INCI Name: Parfum | | |
| REACH Reg No | Not registered | | |
| 1.2 Relevant identified | uses of the substance or mixture | e and uses advise | ed against |
| For fragrance use. | | | |
| 1.3 Details of the supp | lier of the safety data sheet | | |
| | Australian Botanical Products Ltd | | |
| | 39 Melverton Drive, Hallam | | |
| | Victoria, 3803 | | |
| | Australia ABN: 45006782529 | | |
| | | | |
| Telephone Number | Tel No. +613 97094800 | | |
| Email Address | info@abp.com.au | | |
| 1.4 Emergency Tel No | Emergency No. +61 438196124 | | |
| Section 2. Hazard I dent | ification | | |
| 2.1 Classification of th | e substance or mixture | | |
| FL 3 | Flammable liquid, category 3 | | |
| AH 1 | Aspiration hazard, category 1 | | |
| SCI 2 | Skin corrosion/irritation, category 2 | | |
| SS 1B | Skin sensitisation, category 1B | | |
| EDI 2A | Eye damage/irritation, category 2A | | |
| EH A1 | Aquatic hazard, acute, category 1 | | |
| EH C2 | Aquatic hazard, chronic, category 2 | | |
| 2.2 Label elements | | | |
| | | | |
| | | | |
| | | | |

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

| S: According to 2015/ | | <i>b.</i> |
|--|---|-----------|
| nde Number Prsion 1 Revised 7 | FM78235 11/02/2022 2:16:58 PM | |
| GHS classification Hazard Pictogram | according to Regulation (EC) No 1272/2008 ms | |
| Signal Word | Danger | |
| Hazard Statemer | nts | |
| H226 | Flammable liquid and vapour | |
| H304 | May be fatal if swallowed and enters airways | |
| H315 | Causes skin irritation | |
| H317 | May cause an allergic skin reaction | |
| H319 | Causes serious eye irritation | |
| H400 | Very toxic to aquatic life | |
| H411 | Toxic to aquatic life with long lasting effects | |
| Precautionary St | atements | |
| P210 | Keep away from heat, hot surfaces, sparks, open flames an other ignition sources. No smoking. | d |
| P261 | Avoid breathing fumes. | |
| P273 | Avoid release to the environment. | |
| P280 | Wear protective gloves and eye protection | |
| P301+P310 | IF SWALLOWED: Immediately call a POISON CENTRE. | |
| P331 | Do NOT induce vomiting. | |
| P333+P313 | If skin irritation or rash occurs: Get medical advice. | |
| P337+P313 | If eye irritation persists: Get medical attention. | |
| P362+P364 | Take off contaminated clothing and wash it before reuse. | |
| P391 | Collect spillage. | |
| P403+P235 | Store in a well-ventilated place. Keep cool. | |
| P405 | Store locked up. | |

Printed on 11 Feb 2022

GHS: According to 2015/830/EU

Code Number FM78235

Version 1 Revised 11/02/2022 2:16:58 PM

P501

Dispose of contents and container in accordance to local regulations.

2.3 Other Hazards

Contains alpha-iso-Methylionone, Benzyl Alcohol, Citral, Citronellol, Geraniol, Hexyl Cinnamal, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

Section 3. Composition / information on ingredients Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

| D Numbers | Chemical Name, Classification and Hazards | Conc (%) |
|--|--|-----------|
| CAS 78-70-6 INECS 201-134-4 REACH | Linalool FL 4;SS 1B H227,H317 | 10% - 30% |
| CAS 5989-27-5 INECS 227-813-5 REACH | d-Limonene (p-Mentha-1,8-diene) FL 3; SCI 2; SS 1B; AH 1; EH A1,C1 H226,H304,H315,H317,H400,H410 | 10% - 30% |
| CAS 14901-07-6 INECS 238-969-9 REACH | 4-(2,6,6-trimethylcyclohex-1-ene-1-yl)-but-3-ene-2-one ATO 5;SCI 3;EH A2,C2 H303,H316,H401,H411 | < 10% |
| CAS 101-86-0 INECS 202-983-3 REACH | a-hexylcinnamaldehyde SS 1B; EH A1,C2 H317,H400,H411 | < 10% |
| CAS 103-05-9 INECS 203-074-4 REACH | 2-methyl-4-phenylbutan-2-ol ATO 5(2500);ATD 5(3260);SCI 3 H303,H313,H316 | < 10% |
| CAS 141-12-8 INECS 205-459-2 REACH | neryl acetate SCI 2; SS 1; EH C3 H315, H317, H412 | < 10% |
| CAS 60-12-8 INECS 200-456-2 REACH | 2-phenylethanol ATO 4(1600);EDI 2A H302,H319 | < 10% |
| AS 88-41-5 INECS 201-828-7 IEACH | 2-tert-butylcyclohexyl acetate FL 4;ATO 5;SCI 3;EH A2,C2 H227,H303,H316,H401,H411 | < 10% |

Printed on 11 Feb 2022

GHS: According to 2015/830/EU

Code Number FM78235

Version 1 Revised 11/02/2022 2:16:58 PM

| CAS 80-56-8 | Pinenes | 100/ |
|---|---|------|
| EINECS 201-291-9 REACH | FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410 | <10% |
| CAS 57378-68-4 EINECS 260-709-8 REACH | 1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one | <10% |
| | ATO 4; SCI 2; SS 1; EH A1, C1 H302, H315, H317, H400, H410 | |
| CAS 24851-98-7 EINECS 246-495-9 REACH | methyl 3-oxo-2-pentylcyclopentaneacetate | <10% |
| | EH A2 H401 | |
| CAS 127-51-5 EINECS 204-846-3 REACH | alpha-iso-Methylionone | <10% |
| | SCI 2; EDI 2A; EH C2 H315, H319, H411 | |
| CAS 106-22-9 EINECS 203-375-0 REACH | Citronellol (d,I-Citronellol) | <10% |
| | SCI 2;SS 1B;EDI 2A H315,H317,H319 | |
| CAS 106-24-1 EINECS 203-377-1 REACH | Geraniol | <10% |
| | SCI 2;SS 1;EDI 1 H315,H317,H318 | |
| CAS 105-87-3 EINECS 203-341-5 REACH | Geranyl acetate | <10% |
| | SCI 2;SS 1;EH C3 H315,H317,H412 | |

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

No known adverse effects. If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

May be fatal if enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice

Printed on 11 Feb 2022

GHS: According to 2015/830/EU

Version 1 Revised 11/02/2022 2:16:58 PM

immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

- 5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.
- 5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Y

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 11 Feb 2022

GHS: According to 2015/830/EU

 Code Number
 FM78235

 Version 1 Revised 11/02/2022 2:16:58 PM

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET Printed on 11 Feb 2022 GHS: According to 2015/830/EU Code Number FM78235 Version 1 Revised 11/02/2022 2:16:58 PM Thermal hazards Not applicable. Environmental exposure controls Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation. National Exposure Standards No exposure standards have been established for this material by Worksafe Australia. **Biological Limit Values** No biological limit allocated. Section 9. Physical and chemical properties 9.1 Information on basic physical and chemical properties FLASH POINT (°C) 60 **APPEARANCE** Mobile liquid COLOUR Pale yellow to golden yellow ODOUR Fresh, zesty, green tea **ODOUR THRESHOLD** Not available Not available pH @20 DEG C MELTING/FREEZING POINT Not available INITIAL BOILING POINT AND Not available RANGE EVAPORATION RATE Not available FLAMMABILITY (SOLID/GAS) Not available UPPER/LOWER FLAMMABILITY Not available LIMITS VAPOUR PRESSURE Not available VAPOUR DENSITY Not available SPECIFIC GRAVITY @ 20°C 0.865 to 0.895 SOLUBILITIES Insoluble in water PARTITION COEFF Not available N-OCTANAL/WATER

| SAFETY DATA SHEET HS: According to 2015/830/EU | Printed on 11 Feb 20. |
|---|---|
| Code Number FM78235 Version 1 Revised 11/02/2022 2: | |
| AUTO-IGNITION TEMPERATURE | Not available |
| DECOMPOSITION TEMPERATURE | Not available |
| VISCOSITY @ 20 DEG C | Not available |
| EXPLOSIVE PROPERTIES | Not available |
| OXIDISING PROPERTIES | Not available |
| 9.2 Other information No further information available. | |
| Section 10. Stability and reactivity | у |
| 10.1 Reactivity Risk of ignition if heated. No furthe | er information available. |
| 10.2 Chemical Stability Stable under the recommended st | orage conditions (see section 7). |
| 10.3 Possibility of hazardous rea No hazardous reactions if stored u | |
| 10.4 Conditions to avoid Avoid exposure to heat, sources o | f ignition, and open flame. Avoid exposure to air. |
| 10.5 Incompatible materials Keep away from oxidising agents a | and from highly alkaline or acidic material. |
| 10.6 Hazardous decomposition p During combustion may form carb compounds. | roducts on monoxide, carbon dioxide and unidentified organic |
| Section 11. Toxicological informat | tion |
| 11.1 Information on toxicologica | l effects |
| Acute toxicity No known adverse effects. | |
| Skin corrosion / irritation Causes skin irritation. | |
| Serious eye damage / irritation Causes serious eye irritation. | ٦ |

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

L

Printed on 11 Feb 2022

GHS: According to 2015/830/EU

 Code Number
 FM78235

 Version 1 Revised 11/02/2022 2:16:58 PM

| Respiratory or skin sensitisation |
|---|
| May cause an allergic skin reaction. |
| Germ cell mutagenicity |
| No data |
| Carcinogenicity |
| No data |
| Reproductive toxicity |
| No data |
| STO-single exposure |
| No data |
| STO-repeated exposure |
| No data |
| Aspiration hazard |
| May be fatal if swallowed and enters airways. |
| Information on likely routes of exposure |
| No data |
| Symptoms related to the physical, chemical and toxicological characteristics |
| No data |
| Delayed and immediate effects as well as chronic effects from short and long-term exposure |
| No data |
| Interactive effects |
| No data |
| Other information |
| No data |
| |
| Section 12. Ecological information |
| 12.1 Toxicity Very toxic to aquatic life with long lasting effects. Avoid contaminating waterways. |
| very toxic to aquatic me with long lasting enects. Avoid containinating water ways. |
| D-Limonene: LC50 (96 h) - Pimephales promelas (fathead minnow) – 0.72 mg/L |
| |

LC50 (96 h) - Pimephales promelas (fathead minnow) – 0.72 mg/L EC50 (48 h) - Daphnia magna – 0.36 mg/L EC50 (72 h) - Raphidocelis subcapitata – 0.32 mg/L

| | ng to 2015/830/EU | |
|--|--|-----------|
| Code Numb Version 1 R | ber FM78235 Revised 11/02/2022 2:16:58 PM | |
| | stence and degradability d data available on this product. | |
| 12.3 Bioac No data | ccumulative potential | |
| 12.4 Mobil | lity in soil | |
| Avoid soil | il, surface water and water-bearing stratum contamination. | |
| 12.5 Resul No data | Its of PBT and vPvB assessment | |
| | r adverse effects ions 6, 7, 13 and 15. | |
| 13.1 Waste | r to the information in section 8 (Exposure controls and person re treatment methods | |
| Dispose ii | in accordance with the law and local regulations. Treat as trade | effluent. |
| | in accordance with the law and local regulations. Treat as trade . Transport information | effluent. |
| | . Transport information | effluent. |
| Section 14. | . Transport information | effluent. |
| Section 14. 14.1 UN nu ADR IATA | Transport information umber 1993 1993 | effluent. |
| Section 14. 14.1 UN nu ADR | . Transport information umber 1993 | effluent. |
| Section 14. 14.1 UN nu ADR IATA IMDG 14.2 UN pr | Transport information umber 1993 1993 1993 roper shipping name | effluent. |
| Section 14. 14.1 UN nu ADR IATA IMDG 14.2 UN pr ADR | . Transport information umber 1993 1993 1993 roper shipping name FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE) | effluent. |
| Section 14. 14.1 UN nu ADR IATA IMDG 14.2 UN pr ADR IATA | . Transport information umber 1993 1993 1993 roper shipping name FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE) FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE) | effluent. |
| Section 14. 14.1 UN nu ADR IATA IMDG 14.2 UN pr ADR | . Transport information umber 1993 1993 1993 roper shipping name FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE) | effluent. |
| Section 14. 14.1 UN nu ADR IATA IMDG 14.2 UN pr ADR IATA IMDG | . Transport information umber 1993 1993 1993 roper shipping name FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE) FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE) | effluent. |
| Section 14. 14.1 UN nu ADR IATA IMDG 14.2 UN pr ADR IATA IMDG | . Transport information umber 1993 1993 1993 roper shipping name FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE) FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE) FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE) | effluent. |
| Section 14. 14.1 UN nu ADR IATA IMDG 14.2 UN pr ADR IATA IMDG 14.3 Trans ADR IATA | . Transport information umber 1993 1993 1993 roper shipping name FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE) FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE) FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE) Sport hazard class(es) | effluent. |
| Section 14. 14.1 UN nu ADR IATA IMDG 14.2 UN pr ADR IATA IMDG 14.3 Trans ADR | . Transport information umber 1993 1993 1993 roper shipping name FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE) FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE) FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE) Sport hazard class(es) 3 | effluent. |
| Section 14. 14.1 UN nu ADR IATA IMDG 14.2 UN pr ADR IATA IMDG 14.3 Trans ADR IATA | . Transport information umber 1993 1993 roper shipping name FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE) FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE) FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE) sport hazard class(es) 3 3 | effluent. |

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 11 Feb 2022

GHS: According to 2015/830/EU

 Code Number
 FM78235

 Version 1 Revised 11/02/2022 2:16:58 PM

| 14.4 Packing group | | | | |
|--|--|--|--|--|
| ADR | 111 | | | |
| ΙΑΤΑ | 111 | | | |
| IMDG | 111 | | | |
| Tunnel Code | (D/E) | | | |
| 14.5 Environmental Hazards | | | | |
| Dangerous for the environment. Marine pollutant. | | | | |
| 14.6 Special precautions for user Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-E, S-E Marine Pollutant: Yes | | | | |
| Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)): | | | | |
| HazChem C | ode • 3Y | | | |
| 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable | | | | |
| Section 15. Re | gulatory information | | | |
| 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture | | | | |
| Poison Schedule: Not applicable HS Tariff Code: 3302.90.00 | | | | |
| 15.2 Chemical safety assessment | | | | |
| A chemical safety assessment has not been carried out | | | | |
| Section 16. Other information | | | | |
| Full list of precautionary phrases | | | | |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. | | | |
| P241 | Use explosion-proof equipment. | | | |
| P242 | Use only non-sparking tools. | | | |
| P243 | Take precautionary measures against static discharge. | | | |
| P261 | Avoid breathing fumes. | | | |
| P264 | Wash hands thoroughly after handling | | | |
| P272 | Contaminated work clothing should not be allowed out of the workplace. | | | |

Printed on 11 Feb 2022

GHS: According to 2015/830/EU

 Code Number
 FM78235

 Version 1 Revised 11/02/2022 2: 16: 58 PM

| P273 | Avoid release to the environment. |
|-------------------|--|
| P280 | Wear protective gloves and eye protection |
| P301+P310 | IF SWALLOWED: Immediately call a POISON CENTRE. |
| P302+P352 | IF ON SKIN: Wash with plenty of water. |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P331 | Do NOT induce vomiting. |
| P333+P313 | If skin irritation or rash occurs: Get medical advice. |
| P337+P313 | If eye irritation persists: Get medical attention. |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |
| P391 | Collect spillage. |
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P403+P235 | Store in a well-ventilated place. Keep cool. |
| P405 | Store locked up. |
| P501 | Dispose of contents and container in accordance to local regulations. |
| Wording of any ha | zard classes listed in section 3 |
| FL 3 | Flammable liquid, category 3 |
| FL 4 | Flammable liquid, category 4 |
| ATO 4 | Acute toxicity, oral, category 4 |
| ATO 5 | Acute toxicity, oral, category 5 |
| AH 1 | Aspiration hazard, category 1 |
| ATD 5 | Acute toxicity, dermal, category 5 |
| SCI 2 | Skin corrosion/irritation, category 2 |
| SCI 3 | Skin corrosion/irritation, category 3 |
| SS 1 | Skin sensitisation, category 1 |
| SS 1B | Skin sensitisation, category 1B |
| EDI 1 | Eye damage/irritation, category 1 |
| EDI 2A | Eye damage/irritation, category 2A |
| EH A1 | Aquatic hazard, acute, category 1 |
| EH A2 | Aquatic hazard, acute, category 2 |
| EH C1 | Aquatic hazard, chronic, category 1 |
| EH C2 | Aquatic hazard, chronic, category 2 |

GHS: According to 2015/830/EU

Printed on 11 Feb 2022

Code Number FM78235 Version 1 Revised 11/02/2022 2:16:58 PM EH C3 Aquatic hazard, chronic, category 3 Wording of any hazard statements listed in section 3 H226 Flammable liquid and vapour H227 Combustible liquid H302 Harmful if swallowed H303 May be harmful if swallowed H304 May be fatal if swallowed and enters airways H313 May be harmful in contact with skin H315 Causes skin irritation Causes mild skin irritation H316 H317 May cause an allergic skin reaction H318 Causes serious eye damage H319 Causes serious eye irritation H400 Very toxic to aquatic life H401 Toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects H411 Toxic to aquatic life with long lasting effects H412 Harmful to aquatic life with long lasting effects References and further information Key: N/A = Not applicableVersion 1: GHS format, RB 11/02/2022