

Printed on 17 Apr 2024

GHS: According to 2015/830/EU

Code Number FM80042

Version 1 Revised 17/04/2024 9:42:12 AM

### Section 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product Identifier

Product Name SINGING CAROLS

Code Number FM80042

Alternative Name

REACH Reg No Not registered

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

For fragrance use.

### 1.3 Details of the supplier of the safety data sheet

Australian Botanical Products Ltd

39 Melverton Drive, Hallam

Victoria, 3803

Australia

ABN:45006782529

Telephone Number Tel No. +613 97094800 Email Address abpsales@ixom.com

**1.4 Emergency Tel No** Emergency No. +61 1 800 033 111

### **Section 2. Hazard Identification**

### 2.1 Classification of the substance or mixture

SCI 2 Skin corrosion/irritation, category 2
SS 1A Skin sensitisation, category 1A
EH A2 Aquatic hazard, acute, category 2
EH C2 Aquatic hazard, chronic, category 2

# 2.2 Label elements

Printed on 17 Apr 2024

GHS: According to 2015/830/EU

Code Number FM80042

Version 1 Revised 17/04/2024 9:42:12 AM

GHS classification according to Regulation (EC) No 1272/2008

**Hazard Pictograms** 



Signal Word Warning

### **Hazard Statements**

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H411 Toxic to aquatic life with long lasting effects

### **Precautionary Statements**

P261 Avoid breathing fumes.

P264 Wash hands thoroughly after handling

P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection

P333+P313 If skin irritation or rash occurs: Get medical advice.

P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P501 Dispose of contents/container in accordance to local regulations

### 2.3 Other Hazards

Contains Benzyl Benzoate, Cinnamal, Citral, Citronellol, Coumarin, Eugenol, Isoeugenol, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

### Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

### 3.2 Mixtures

Complex mixture of ingredients

Printed on 17 Apr 2024

GHS: According to 2015/830/EU

Code Number FM80042

Version 1 Revised 17/04/2024 9:42:12 AM

### **Hazardous components**

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 54464-57-2 EINECS 259-174-3 REACH	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)	10% - 30%
	SCI 2;SS 1B;EH C1 H315,H317,H410	10% - 30%
CAS 24851-98-7 EINECS 246-495-9 REACH	methyl 3-oxo-2-pentylcyclopentaneacetate	100/ 200/
	EH A2 H401	10% - 30%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene)	1% - 10%
	FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	1% - 10%
CAS 32388-55-9 EINECS 251-020-3 REACH	[3R-(3a,3aß,7ß,8aa)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetra	1% - 10%
	ATO 5;SS 1B;EH A1,C1 H303,H317,H400,H410	170 - 1070
CAS 121-33-5 EINECS 204-465-2	Vanillin	1% - 10%
REACH	ATO 5;EDI 2A;EH A3 H303,H319,H402	170 - 1070
CAS 78-70-6	Linalool	1% - 10%
EINECS 201-134-4 REACH	FL 4;SS 1B H227,H317	170 - 1070
CAS 115-95-7 EINECS 204-116-4 REACH	Linalyl acetate	1% - 10%
	FL 4;SCI 2;EDI 2A;EH A3 H227,H315,H319,H402	170 - 1070
CAS 91-64-5	Coumarin	1% - 10%
EINECS 202-086-7 REACH	ATO 3;SS 1B;EH A2,C3 H301,H317,H401,H412	170 - 1070
CAS 1222-05-5 EINECS 214-946-9	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	1% - 10%
REACH	EH A1,C1 H400,H410	170 - 1070
CAS 28219-61-6 EINECS 248-908-8	2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	1% - 10%
REACH	FL 4;EDI 2A;EH A1,C1 H227,H319,H400,H410	170 - 1070
CAS 97-54-1	Isoeugenol	<1%
EINECS 202-590-7 REACH	ATO 4(1500);ATD 4(1900);SCI 2;SS 1A;EDI 2A H302,H312,H315,H317,H319	170
CAS 127-91-3 EINECS 204-872-5 REACH	beta-Pinene	<1%
	FL 3;ATO 5(3700);AH 1;SCI 2;SS 1B;EH A1,C1 H226,H303,H304,H315,H317,H400,H410	170
CAS 104-55-2 EINECS 203-213-9 REACH	Cinnamic aldehyde	<1%
	ATO 5(2500);SCI 2;SS 1A;EDI 2A H303,H315,H317,H319	<1%0

Printed on 17 Apr 2024

GHS: According to 2015/830/EU

Code Number FM80042

Version 1 Revised 17/04/2024 9:42:12 AM

CAS 97-53-0 EINECS 202-589-1 REACH	Eugenol ATO 5(2000);SCI 2;SS 1;EDI 2A H303,H315,H317,H319	<1%
CAS 99-85-4 EINECS 202-794-6 REACH	gamma-Terpinene (p-Mentha-1,4-diene) FL 3;ATO 5(3850);AH 1;REP 2;EH A2,C2 H226,H303,H304,H361,H401,H411	<1%

Refer to section 16 for the wording of listed classification and hazard statement codes

#### Section 4. First Aid measures

Take phrases in section 2 into account

### 4.1 Description of first aid measures

#### After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

### After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

#### After eye contact

Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

### After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

### 4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

#### 4.3 Indication of immediate medical attention and special treatment needed

Treat symptomatically.

### Section 5. Fire-fighting measures

### 5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

### 5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

Printed on 17 Apr 2024

GHS: According to 2015/830/EU

Code Number FM80042

Version 1 Revised 17/04/2024 9:42:12 AM

#### 5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code •3Z

#### Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.

### **6.2 Environmental precautions**

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

### 6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

### 6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

### Section 7. Handling and storage

#### 7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

### 7.3 Specific end use(s)

No further information available.

### Section 8. Exposure controls / personal protection

#### **8.1 Control Parameters**

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep

Printed on 17 Apr 2024

GHS: According to 2015/830/EU

Code Number FM80042

Version 1 Revised 17/04/2024 9:42:12 AM

out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

### 8.2 Exposure controls

### **Engineering controls**

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

### **Individual protection measures**

Refer to Section 5 for specific fire/chemical personal protective equipment advice.

Always wash routinely before breaks, meals and at the end of the work period.

### Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

### **Hand protection**

Wear chemically resistant disposable gloves.

### Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

### **Respiratory protection**

Not generally required. Use inhalation protection in poorly ventilated areas.

#### Thermal hazards

No information.

### **Environmental exposure controls**

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

#### **National Exposure Standards**

No exposure standards have been established for this material by Worksafe Australia.

### **Biological Limit Values**

No biological limit allocated.

### Section 9. Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

FLASH POINT (°C) >100°C

Printed on 17 Apr 2024

GHS: According to 2015/830/EU

Code Number FM80042

Version 1 Revised 17/04/2024 9:42:12 AM

APPEARANCE Mobile liquid

COLOUR Very pale yellow to yellow

ODOUR Spicy, woody, sweet, cinnamon

ODOUR THRESHOLD

PH @20 DEG C

MELTING/FREEZING POINT

INITIAL BOILING POINT AND

Not available

Not available

**RANGE** 

EVAPORATION RATE Not available FLAMMABILITY (SOLID/GAS) Not available UPPER/LOWER FLAMMABILITY Not available

LIMITS

VAPOUR PRESSURE

VAPOUR DENSITY

Not available

SPECIFIC GRAVITY @ 20°C

0.895 - 0.915

SOLUBILITIES Insoluble in water

PARTITION COEFF

N-OCTANAL/WATER

AUTO-IGNITION TEMPERATURE Not available

DECOMPOSITION TEMPERATURE Not available

Not available

VISCOSITY @ 20 DEG C Not available
EXPLOSIVE PROPERTIES Not available
OXIDISING PROPERTIES Not available

#### 9.2 Other information

No further information available.

### Section 10. Stability and reactivity

### 10.1 Reactivity

No data.

### 10.2 Chemical Stability

Stable under the recommended storage conditions (see section 7).

Printed on 17 Apr 2024

GHS: According to 2015/830/EU

Code Number FM80042

Version 1 Revised 17/04/2024 9:42:12 AM

### 10.3 Possibility of hazardous reactions

No hazardous reactions if stored under suitable storage conditions.

### 10.4 Conditions to avoid

Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.

#### 10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic material.

### 10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

### Section 11. Toxicological information

### 11.1 Information on toxicological effects

### **Acute toxicity**

Not classified based on available data.

### Skin corrosion / irritation

Causes skin irritation.

### Serious eye damage / irritation

Not classified based on available data.

### Respiratory or skin sensitisation

May cause an allergic skin reaction.

#### Germ cell mutagenicity

No data

### Carcinogenicity

No data

### Reproductive toxicity

No data

# STO-single exposure

No data

### STO-repeated exposure

No data

### **Aspiration hazard**

No data

Printed on 17 Apr 2024

GHS: According to 2015/830/EU

Code Number FM80042

Version 1 Revised 17/04/2024 9:42:12 AM

### Information on likely routes of exposure

### Symptoms related to the physical, chemical and toxicological characteristics

No data

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

#### **Interactive effects**

No data

#### Other information

No data

### Section 12. Ecological information

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

Contains Tetramethyl acetyloctahydronaphthalenes (54464-57-2):

LC50 (96 h) - Lepomis macrochirus - 1.3 mg/L

EC50 (48 h) - Daphnia magna - 1.38 mg/L EC50 (72 h) - Scenedesmus subspicatus - 2.6 mg/L

NOEC (30 days) - Danio rerio - 0.16 mg/L

NOEC (21 days) - Daphnia magna - 0.044 mg/L

NOEC (72 h) - Scenedesmus subspicatus - 2.6 mg/L

### 12.2 Persistence and degradability

No test data available for this substance.

### 12.3 Bioaccumulative potential

No data

### 12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

#### 12.5 Results of PBT and vPvB assessment

No data

### 12.6 Other adverse effects

See sections 6, 7, 13 and 15.

Printed on 17 Apr 2024

GHS: According to 2015/830/EU

Code Number FM80042

Version 1 Revised 17/04/2024 9:42:12 AM

### Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

### 13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

### **Section 14. Transport information**

#### 14.1 UN number

ADR 3082 IATA 3082 IMDG 3082

### 14.2 UN proper shipping name

ADR ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS

TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)

IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS

TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)

IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS

TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)

# 14.3 Transport hazard class(es)

ADR 9
IATA 9
IMDG 9

# 14.4 Packing group

ADR III
IATA III
IMDG III
Tunnel Code (-)

### 14.5 Environmental Hazards

Dangerous for the environment. Marine pollutant.

### 14.6 Special precautions for user

Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)):

EmS: F-A, S-F

Marine Pollutant: Yes

Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

Printed on 17 Apr 2024

GHS: According to 2015/830/EU

Code Number FM80042

Version 1 Revised 17/04/2024 9:42:12 AM

**HazChem Code** •3Z

### 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable

### Section 15. Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): S5 CAUTION HS Tariff Code: 3302.90.00

All the constituents of this material are compliant with AICIS regulation.

### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

### **Section 16. Other information**

### Full list of precautionary phrases

Avoid breathing fumes.
Wash hands thoroughly after handling
Contaminated work clothing should not be allowed out of the workplace.
Avoid release to the environment.
Wear protective gloves and eye protection
IF ON SKIN: Wash with plenty of water.
If skin irritation or rash occurs: Get medical advice.
Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P501 Dispose of contents/container in accordance to local regulations

### Wording of any hazard classes listed in section 3

FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
FS 2	Flammable solid, category 2
ATO 3	Acute toxicity, oral, category 3
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 4	Acute toxicity, dermal, category

Printed on 17 Apr 2024

GHS: According to 2015/830/EU

Code Number FM80042

Version 1 Revised 17/04/2024 9:42:12 AM

ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1A	Skin sensitisation, category 1A
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
ATI 5	Acute toxicity, inhalation, category 5
MUT 2	Germ cell mutagenicity, category 2
CAR 1B	Carcinogenicity, category 1B
CAR 2	Carcinogenicity, category 2
REP 2	Reproductive toxicity, category 2
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3
Wording of an	y hazard statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H228	Flammable solid
H301	Toxic if swallowed
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H341	Suspected of causing genetic defects
H350	May cause cancer

Printed on 17 Apr 2024

GHS: According to 2015/830/EU

Code Number FM80042

Version 1 Revised 17/04/2024 9:42:12 AM

H351	Suspected of causing cancer
H361	Suspected of damaging fertility or the unborn child
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

### **References and further information**

N/A = Not applicable

SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons

AIIC = Australian Inventory of Industrial Chemicals

AICIS = Australian Industrial Chemicals Introduction Scheme

Version 1: GHS format, RB 17/04/2024