

	SAFETY DATA SHEET Printed on 21 Mar 2024			
	GHS: According to 2015/830/EU			
	Code Number Version 1 Revised 21/0	FM79587 93/2024 3:13:31 PM		
	Section 1. I dentification	n of the substance/mixture and of th	ne company/undertaking	
	Product Name Code Number Alternative Name	NEW JASMINE & COTTON ROSE FSIA01 FM79587	684AC	
	REACH Reg No	Not registered		
	1.2 Relevant identified	uses of the substance or mixture ar	nd uses advised against	
	For fragrance use.			
	1.3 Details of the supp	lier of the safety data sheet		
		Australian Botanical Products Ltd		
		39 Melverton Drive, Hallam Victoria, 3803		
		Australia		
		ABN: 45006782529		
	Telephone Number	Tel No. +613 97094800		
	Email Address	abpsales@ixom.com		
	1.4 Emergency Tel No	Emergency No. +61 1 800 033 111		
	Section 2. Hazard I dent	tification		
	2.1 Classification of th	e substance or mixture		
	FL 4	Flammable liquid, category 4		
	SCI 2	Skin corrosion/irritation, category 2		
	SS 1A	Skin sensitisation, category 1A		
	EDI 2A	Eye damage/irritation, category 2A		
	EH A2	Aquatic hazard, acute, category 2		
	EH C2	Aquatic hazard, chronic, category 2		
2.2 Label elements				

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

HS: According to 2015/	830/EU	
Code Number	FM79587	
	21/03/2024 3:13:31 PM	
GHS classification	according to Regulation (EC) No 1272/200	08
Hazard Pictograr	ns	
	↓ ↓	
•	立	
Signal Word	Warning	
Hazard Statemer	nts	
H227	Combustible liquid	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H411	Toxic to aquatic life with long lasting	effects
Precautionary St	atements	
P210	Keep away from heat, hot surfaces, a other ignition sources. No smoking.	sparks, open flames and
P261	Avoid breathing fumes.	
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye prot	ection
P333+P313	If skin irritation or rash occurs: Get i	medical advice.
P337+P313	If eye irritation persists: Get medica	l attention.
P362+P364	Take off contaminated clothing and v	wash it before reuse.
P391	Collect spillage.	
P403+P235	Store in a well-ventilated place. Kee	p cool.
P501	Dispose of contents and container in regulations.	accordance to local
2.3 Other Hazards		
	-Methylionone, Citral, Citronellol, Coumari lool which may produce an allergic reaction	
No further informa	tion available at this time	

Printed on 21 Mar 2024

GHS: According to 2015/830/EU

Code Number FM79587

Version 1 Revised 21/03/2024 3:13:31 PM

Section 3. Composition / information on ingredients Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 65113-99-7 EINECS 265-453-0	a,B,2,2,3-pentamethylcyclopent-3-ene-1-butanol	10% - 30%
REACH	SCI 3;EDI 2A;EH A2,C2 H316,H319,H401,H411	
CAS 101-86-0 EINECS 202-983-3	a-hexylcinnamaldehyde	10% - 30%
REACH	SS 1B; EH A1, C2 H317, H400, H411	
CAS 32210-23-4 EINECS 250-954-9 REACH	4-tert-butylcyclohexyl acetate	10% - 30%
	ATO 5; SS 1B; EH A2, C2 H303, H317, H401, H411	
CAS 140-11-4 EINECS 205-399-7	benzyl acetate	1% - 10%
REACH	FL 4; ATO 5; ATI 5; EH A2,C3 H227,H303,H333,H401,H412	
CAS 103-95-7 EINECS 203-161-7 REACH	3-p-cumenyl-2-methylpropionaldehyde	1% - 10%
	FL 4;ATO 5(3810);SCI 2;SS 1B;EH A2,C3 H227,H303,H315,H317,H401,H412	
CAS 18479-58-8 EINECS 242-362-4 REACH	2,6-dimethyloct-7-en-2-ol	1% - 10%
	FL 4; ATO 5(3600); SCI 2; EDI 2A; EH A3 H227, H303, H315, H319, H402	
CAS 121-32-4 EINECS 204-464-7 REACH	3-ethoxy-4-hydroxybenzaldehyde	1% - 10%
	EDI 2A;EH A3 H319,H402	
CAS 52474-60-9 EINECS 257-941-7 REACH	1-methyl-3-(4-methyl-3-pentenyl)cyclohex-3-ene-1-carbaldehyd	1% - 10%
	EH A1,C1 H400,H410	
CAS 67801-20-1 EINECS 267-140-4 REACH	3-methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-o	1% - 10%
	EH A2,C2 H401,H411	
CAS 54464-57-2 EINECS 259-174-3	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)	1% - 10%
REACH	SCI 2;SS 1B;EH C1 H315,H317,H410	
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool	1% - 10%
	FL 4;SS 1B H227,H317	

Printed on 21 Mar 2024

GHS: According to 2015/830/EU

Code Number FM79587

Version 1 Revised 21/03/2024 3:13:31 PM

CAS 63500-71-0 EINECS 405-040-6 REACH	A mixture of: cis-tetrahydro-2-isobutyl-4-methylpyran-4-ol; EDI 2A H319	1% - 10%
CAS 115-95-7 EINECS 204-116-4 REACH	Linalyl Acetate FL 4; SCI 2; SS 1B; EDI 2A; EH A3 H227, H315, H317, H319, H402	1% - 10%
CAS 127-51-5 EINECS 204-846-3 REACH	alpha-iso-Methylionone SCI 2; EDI 2A; EH C2 H315,H319,H411	1% - 10%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3; SCI 2; SS 1B; AH 1; EH A1,C1 H226,H304,H315,H317,H400,H410	1% - 10%
CAS 57378-68-4 EINECS 260-709-8 REACH	1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one ATO 4;SCI 2;SS 1A;EH A1,C1 H302,H315,H317,H400,H410	<1%
CAS 469-61-4 EINECS 207-418-4 REACH	alpha-Cedrene AH 1; SCI 3; EH A1, C1 H304, H316, H400, H410	<1%
CAS 97-53-0 EINECS 202-589-1 REACH	Eugenol ATO 5(2000);SCI 2;SS 1;EDI 2A H303,H315,H317,H319	<1%
CAS 99-85-4 EINECS 202-794-6 REACH	gamma-Terpinene (p-Mentha-1,4-diene) FL 3;ATO 5(3850);AH 1;REP 2;EH A2,C2 H226,H303,H304,H361,H401,H411	<1%
CAS 128-37-0 EINECS 204-881-4 REACH	2,6-di-tert-butyl-p-cresol EH A1,C1 H400,H410	<1%
CAS 127-91-3 EINECS 204-872-5 REACH	beta-Pinene FL 3;ATO 5(3700);AH 1;SCI 2;SS 1B;EH A1,C1 H226,H303,H304,H315,H317,H400,H410	<1%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are

Printed on 21 Mar 2024

GHS: According to 2015/830/EU

 Code Number
 FM79587

 Version 1 Revised 21/03/2024 3: 13: 31 PM

any signs of tissue damage.

After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Z

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 21 Mar 2024

GHS: According to 2015/830/EU

 Code Number
 FM79587

 Version 1 Revised 21/03/2024 3: 13: 31 PM

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 21 Mar 2024

GHS: According to 2015/830/EU

Code Number FM79587

Version 1 Revised 21/03/2024 3:13:31 PM

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties		
FLASH POINT (°C)	92°C	
APPEARANCE	Mobile liquid	
COLOUR	Colourless to pale yellow	
ODOUR	Jasmine, rose, vanilla, sandalwood, cedarwood	
ODOUR THRESHOLD	Not available	
pH @20 DEG C	Not available	
MELTING/FREEZING POINT	Not available	
INITIAL BOILING POINT AND RANGE	Not available	
EVAPORATION RATE	Not available	
FLAMMABILITY (SOLID/GAS)	Not available	
UPPER/LOWER FLAMMABILITY LIMITS	Not available	
VAPOUR PRESSURE	Not available	

SAFETY DATA SHEET GHS: According to 2015/830/EU	Printed on 21 Mar 20
Code Number FM79587 Version 1 Revised 21/03/2024 3: 1	
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	0.94 to 0.96
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivity	У
10.1 Reactivity No data.	
10.2 Chemical Stability Stable under the recommended sto	orage conditions (see section 7).
10.3 Possibility of hazardous read No hazardous reactions if stored u	
10.4 Conditions to avoid Avoid exposure to heat, sources of	f ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents a	and from highly alkaline or acidic material.
10.6 Hazardous decomposition pr During combustion may form carbo compounds.	roducts on monoxide, carbon dioxide and unidentified organic
Section 11. Toxicological informat	ion
11.1 Information on toxicological	l effects
Acute toxicity Not classified based on available d	ata.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 21 Mar 2024

GHS: According to 2015/830/EU

Code Number FM79587 Version 1 Revised 21/03/2024 3:13:31 PM

Skin corrosion / irritation Causes skin irritation. Serious eye damage / irritation Causes serious eye irritation. Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity No data Carcinogenicity No data Reproductive toxicity No data STO-single exposure No data STO-repeated exposure No data Aspiration hazard No data Information on likely routes of exposure No data Symptoms related to the physical, chemical and toxicological characteristics No data Delayed and immediate effects as well as chronic effects from short and long-term exposure No data Interactive effects No data Other information No data Section 12. Ecological information

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 21 Mar 2024

GHS: According to 2015/830/EU

 Code Number
 FM79587

 Version 1 Revised 21/03/2024 3:13:31 PM

12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains Tetramethyl acetyloctahydronaphthalenes (54464-57-2): LC50 (96 h) - Lepomis macrochirus - 1.3 mg/L EC50 (48 h) - Daphnia magna - 1.38 mg/L EC50 (72 h) - Scenedesmus subspicatus - 2.6 mg/L NOEC (30 days) - Danio rerio - 0.16 mg/L NOEC (21 days) - Daphnia magna – 0.044 mg/L NOEC (72 h) - Scenedesmus subspicatus - 2.6 mg/L

12.2 Persistence and degradability

No test data available for this substance.

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment

No data

12.6 Other adverse effects

See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

14.1 UN number

ADR	3082
ΙΑΤΑ	3082
IMDG	3082
14.2 UN prope	er shipping name
ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS

Printed on 21 Mar 2024

GHS: According to 2015/830/EU

 Code Number
 FM79587

 Version 1 Revised 21/03/2024 3: 13: 31 PM

TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)

14.3 Transport hazard class(es)

ADR	9
ΙΑΤΑ	9
IMDG	9

14.4 Packing group

ADR	111
ΙΑΤΑ	Ш
IMDG	111
Tunnel Code	(-)

14.5 Environmental Hazards

Dangerous for the environment. Marine pollutant.

14.6 Special precautions for user

Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A, S-F Marine Pollutant: Yes

Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

HazChem Code • 3Z

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): S5 CAUTION

HS Tariff Code: 3302.90.00

All the constituents of this material are compliant with AICIS regulation.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

Section 16. Other information

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 21 Mar 2024

GHS: According to 2015/830/EU

Code Number FM79587 Version 1 Revised 21/03/2024 3:13:31 PM

Full list of precautionary phrases		
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P261	Avoid breathing fumes.	
P264	Wash hands thoroughly after handling	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye protection	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P333+P313	If skin irritation or rash occurs: Get medical advice.	
P337+P313	If eye irritation persists: Get medical attention.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P391	Collect spillage.	
P403+P235	Store in a well-ventilated place. Keep cool.	
P501	Dispose of contents and container in accordance to local regulations.	
Wording of any ha	Wording of any hazard classes listed in section 3	
FL 3	Flammable liquid, category 3	
FL 4	Flammable liquid, category 4	
ATO 4		
	Acute toxicity, oral, category 4	
ATO 5	Acute toxicity, oral, category 4 Acute toxicity, oral, category 5	
АТО 5 АН 1		
	Acute toxicity, oral, category 5	
AH 1	Acute toxicity, oral, category 5 Aspiration hazard, category 1	
AH 1 SCI 2	Acute toxicity, oral, category 5 Aspiration hazard, category 1 Skin corrosion/irritation, category 2	
AH 1 SCI 2 SCI 3	Acute toxicity, oral, category 5 Aspiration hazard, category 1 Skin corrosion/irritation, category 2 Skin corrosion/irritation, category 3	
AH 1 SCI 2 SCI 3 SS 1	Acute toxicity, oral, category 5 Aspiration hazard, category 1 Skin corrosion/irritation, category 2 Skin corrosion/irritation, category 3 Skin sensitisation, category 1	
AH 1 SCI 2 SCI 3 SS 1 SS 1A	Acute toxicity, oral, category 5 Aspiration hazard, category 1 Skin corrosion/irritation, category 2 Skin corrosion/irritation, category 3 Skin sensitisation, category 1 Skin sensitisation, category 1A	
AH 1 SCI 2 SCI 3 SS 1 SS 1A SS 1B	Acute toxicity, oral, category 5 Aspiration hazard, category 1 Skin corrosion/irritation, category 2 Skin corrosion/irritation, category 3 Skin sensitisation, category 1 Skin sensitisation, category 1A Skin sensitisation, category 1B Eye damage/irritation, category 2A Acute toxicity, inhalation, category 5	
AH 1 SCI 2 SCI 3 SS 1 SS 1A SS 1A SS 1B EDI 2A ATI 5 REP 2	Acute toxicity, oral, category 5 Aspiration hazard, category 1 Skin corrosion/irritation, category 2 Skin corrosion/irritation, category 3 Skin sensitisation, category 1 Skin sensitisation, category 1A Skin sensitisation, category 1B Eye damage/irritation, category 2A Acute toxicity, inhalation, category 5 Reproductive toxicity, category 2	
AH 1 SCI 2 SCI 3 SS 1 SS 1A SS 1B EDI 2A ATI 5	Acute toxicity, oral, category 5 Aspiration hazard, category 1 Skin corrosion/irritation, category 2 Skin corrosion/irritation, category 3 Skin sensitisation, category 1 Skin sensitisation, category 1A Skin sensitisation, category 1B Eye damage/irritation, category 2A Acute toxicity, inhalation, category 5	

Printed on 21 Mar 2024

GHS: According to 2015/830/EU

Code Number FM79587 Version 1 Revised 21/03/2024 3:13:31 PM

EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3
Wording of any haza	rd statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
References and furth	ner information
N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemicals AICIS = Australian Industrial Chemicals Introduction Scheme	
Version 1: GHS format	, RB 21/03/2024