

Printed on 26 Apr 2021

GHS: According to 2015/830/EU

 Code Number
 FM72573

 Version 2 Revised 26/04/2021 2:32:34 PM

Section 1. I dentification of the substance/mixture and of the company/undertaking

1.1 Product I dentifier	
Product Name	FREE MEN OUD
Code Number	FM72573
Alternative Name	INCI Name: Parfum
REACH Reg No	Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against

Fragrance use

1.3 Details of the supplier of the safety data sheet

Australian Botanical Products Ltd 39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529

Telephone NumberTel No. +613 97094800Email Addressinfo@abp.com.au

1.4 Emergency Tel No Emergency No. +61 438196124

Section 2. Hazard Identification

2.1 Classification of the substance or mixture

FL 4	Flammable liquid, category 4
AH 1	Aspiration hazard, category 1
SCI 2	Skin corrosion/irritation, category 2
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
EH A1	Aquatic hazard, acute, category 1
EH C1	Aquatic hazard, chronic, category 1
2.2 Labol olomonts	

2.2 Label elements

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

AFETY DATA		Printed on 26 Apr 20
ode Number	FM72573	
ersion 2 Revised 2	26/04/2021 2:32:34 PM	
GHS classification Hazard Pictogram	according to Regulation (EC) No 12 ns	72/2008
Signal Word	Danger	
Hazard Statemer	nts	
H227	Combustible liquid	
H304	May be fatal if swallowed and	enters airways
H315	Causes skin irritation	
H317	May cause an allergic skin rea	ction
H319	Causes serious eye irritation	
H400	Very toxic to aquatic life	
H410	Very toxic to aquatic life with I	long lasting effects
Precautionary St	atements	
P210	Keep away from heat, hot sur other ignition sources. No sm	faces, sparks, open flames and oking.
P261	Avoid breathing fumes.	
P264	Wash hands thoroughly after h	handling
P273	Avoid release to the environm	ent.
P280	Wear protective gloves and ey	ve protection
P301+P310	IF SWALLOWED: Immediately	call a POISON CENTRE.
P302+P352	IF ON SKIN: Wash with plenty	of water.
P305+P351+P338	IF IN EYES: Rinse cautiously w Remove contact lenses, if pres rinsing.	
P331	Do NOT induce vomiting.	
P362+P364	T 1 66 11 1 1 1 1 1 1	ning and wash it before reuse.

SAFETY DATA SHEETPrinted on 26 Apr 2GHS: According to 2015/830/EU			ted on 26 Apr 202
<i>Code Number Version 2 Revise</i>	FM72573 ed 26/04/2021 2:32:34 PN	1	
P391	Collect spillage.		
P403+P235	Store in a well-ventil	lated place. Keep cool.	
P501	Dispose of contents regulation.	and container in accorda	nce with local
	⁻ ds /I Alcohol, Benzyl Benzoate, C hene and Linalool which may		
Any percentage values 3.2 Mixtures	osition / information on in listed here for hazardous components are f re of ingredients	•	
Hazardous com	ponents		
ID Numbers	Chemical Name, Classificatio	n and Hazards	Conc (%)
CAS 54464-57-2 EINECS 259-174-3	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-	tetramethyl-2-naphthyl)	10% - 30%
REACH	SCI 2; SS 1B; EH C1 H315,H317,H410		
CAS 24851-98-7 EINECS 246-495-9	methyl 3-oxo-2-pentylcyclopentaneace	etate	10% - 30%
REACH	EH A2 H401		
CAS 18479-58-8 EINECS 242-362-4	2,6-dimethyloct-7-en-2-ol		<10%
REACH	FL 4; ATO 5(3600); SCI 2; EDI 2A; EH A H227, H303, H315, H319, H402	3	
CAS 34902-57-3 EINECS 422-320-3	oxacylohexadecen-2-one		<10%
REACH	EH A1,C1 H400,H410		
CAS 65405-77-8	(Z)-3-hexenyl salicylate		100/
	SCI 3; SS 1B; EH A1,C1 H316,H317,H400,H410		<10%
CAS 81782-77-6 EINECS 279-815-0 REACH	4-methyl-3-decen-5-ol		.10%
	EH A1,C2 H400,H411		<10%
CAS 5462-06-6	3-(p-methoxyphenyl)-2-methylpropior	naldehyde	-10%
EINECS 226-749-5 REACH	ATO 5(4500); SS 1B; EH A3 H303, H317, H402		<10%
CAS 18127-01-0	3-(4-tert-butylphenyl)propionaldehyde	9	.100/
EINECS 242-016-2 REACH	ATO 5(2500); SCI 2; SS 1B; REP 2; STO H303,H315,H317,H361,H373,H401	-RE 2; EH A2	<10%

Printed on 26 Apr 2021

GHS: According to 2015/830/EU

Code Number FM72573

Version 2 Revised 26/04/2021 2:32:34 PM

CAS 58567-11-6 EINECS 261-332-1	(ethoxymethoxy)cyclododecane	<10%
REACH	SCI 2; SS 1B;EH C2 H315,H317,H411	
CAS 120-51-4 EINECS 204-402-9 REACH	benzyl benzoate	<10%
	ATO 4(1500); ATD 5(4000); EH C2 H302, H313, H411	< 1076
CAS 21145-77-7 EINECS 244-240-6	1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	<10%
REACH	ATO 4(1000):EH A1,C1 H302,H400,H410	
CAS 80-56-8 EINECS 201-291-9	Pinenes	<10%
REACH	FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410	
CAS 4707-47-5 EINECS 225-193-0	methyl 2,4-dihydroxy-3,6-dimethylbenzoate	<10%
REACH	SS 1:EH A2 H317,H401	
CAS 88-41-5 EINECS 201-828-7	2-tert-butylcyclohexyl acetate	<10%
REACH	FL 4;ATO 5;SCI 3;EH A2,C2 H227,H303,H316,H401,H411	
CAS 70788-30-6 EINECS 274-892-7	2,2,6-trimethyl-a-propylcyclohexanepropanol	<10%
REACH	SS 1;EH A1,C1 H317,H400,H410	
CAS 469-61-4 EINECS 207-418-4	alpha-Cedrene	<10%
REACH	AH 1;SCI 3;EH A1,C1 H304,H316,H400,H410	
CAS 1222-05-5 EINECS 214-946-9	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	<10%
REACH	EH A1,C1 H400,H410	
CAS 127-91-3 EINECS 204-872-5	beta-Pinene	<10%
REACH	FL 3;ATO 5(3500);SCI 2;SS 1B;AH 1 H226,H303,H304,H315,H317	
CAS 5989-27-5 EINECS 227-813-5	d-Limonene (p-Mentha-1,8-diene)	<10%
REACH	FL 3; SCI 2; SS 1B; AH 1; EH A1, C1 H226, H304, H315, H317, H400, H410	
CAS 78-70-6 EINECS 201-134-4	Linalool	<10%
REACH	FL 4; ATO 5; SCI 2; SS 1B; EDI 2A; EH A2 H227, H303, H315, H317, H319, H401	
CAS 115-95-7 EINECS 204-116-4	Linalyl acetate	<10%
REACH	FL 4; SCI 2; EDI 2A; EH A3 H227, H315, H319, H402	< 10 %

Printed on 26 Apr 2021

GHS: According to 2015/830/EU

Code Number FM72573 Version 2 Revised 26/04/2021 2:32:34 PM

Section 4. First Aid measures

Take phrases in section 2 into account

- 4.1 Description of first aid measures
 - After inhalation

No known adverse effects. If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

May be fatal if enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

- 5.1 Extinguishing Media
 - Carbon dioxide, foam or dry powder.
 - DO NOT USE A DIRECT WATER JET.
- 5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Z

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 26 Apr 2021

GHS: According to 2015/830/EU

Code Number FM72573 Version 2 Revised 26/04/2021 2:32:34 PM

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbant material such as earth or vemiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatiable material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s) No further information available

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

FM72573


Printed on 26 Apr 2021

GHS: According to 2015/830/EU

Code Number

Version 2 Revised 26/04/2021 2:32:34 PM		
Individual protection measures Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period. Eye/face protection Use splash-proof safety glasses and face shield where splashing is possible.		
Hand protection Wear chemically resistant disposab	le gloves.	
Other skin protection		
	tions in the workplace, additional body protection n routinely before breaks, meals and at the end of	
Respiratory protection Not generally required. Use inhala	tion protection in poorly ventilated areas	
Thermal hazards No information		
Environmental exposure controls Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation. National Exposure Standards No exposure standards have been established for this material by Worksafe Australia.		
Biological Limit Values No biological limit allocated.		
Section 9. Physical and chemical p	roperties	
9.1 Information on basic physical and chemical properties FLASH POINT (°C) 72		
APPEARANCE	Mobile liquid	
COLOUR	Yellow	
ODOUR	Bergamot, nutmeg, pepper, violet, patchouli, vetiver	
ODOUR THRESHOLD	Not available	
pH @20 DEG C	Not available	
MELTING/FREEZING POINT	Not available	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.



SAFETY DATA SHEET GHS: According to 2015/830/EU	Printed on 26 Apr 20
Code Number FM72573	
Version 2 Revised 26/04/2021 2:	
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	0.92 to 0.94
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available	
Section 10. Stability and reactivity	у
10.1 Reactivity Not determined	
10.2 Chemical Stability Stable under the recommended st	orage conditions (see section 7).
10.3 Possibility of hazardous rea No hazardous reactions if stored u	
10.4 Conditions to avoid Avoid exposure to heat, sources of	f ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials	and from highly alkaline or acidic material.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 26 Apr 2021

GHS: According to 2015/830/EU

Code Number FM72573 Version 2 Revised 26/04/2021 2:32:34 PM

10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity No data

Skin corrosion / irritation Causes skin irritation.

Serious eye damage / irritation Causes serious eye irritation.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity

No data

STO-single exposure No data

STO-repeated exposure

No data

Aspiration hazard


May be fatal if swallowed and enters airways

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.



Printed on 26 Apr 2021

GHS: According to 2015/830/EU

Code Number FM72573

Version 2 Revised 26/04/2021 2:32:34 PM

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

12.2 Persistence and degradability

No data


- 12.3 Bioaccumulative potential No data
- 12.4 Mobility in soil Prevent contamination of soil, ground and surface water.
- 12.5 Results of PBT and vPvB assessment No data
- 12.6 Other adverse effects See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods Dispose in accordance with the law and local regulations. Treat as trade effluent.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.



SAFETY DATA SHEET Printed on 26 App GHS: According to 2015/830/EU Printed on 26 App			
Code Number Version 2 Rev	- FM72573 vised 26/04/2021 2:32:34 PN	1	
Section 14. Tr	ansport information		
14.1 UN num	ber		
ADR	3082		
ΙΑΤΑ	3082		
IMDG	3082		
14.2 UN prop	er shipping name		
ADR	ENVIRONMENTALLY HAZARDO (TETRAMETHYL ACETYLOCTA	DUS SUBSTANCE, LIQUID, N.O.S. HYDRONAPHTHALENES)	
ΙΑΤΑ	ENVIRONMENTALLY HAZARDO (TETRAMETHYL ACETYLOCTA	DUS SUBSTANCE, LIQUID, N.O.S. HYDRONAPHTHALENES)	
IMDG	ENVIRONMENTALLY HAZARDO (TETRAMETHYL ACETYLOCTA	DUS SUBSTANCE, LIQUID, N.O.S. HYDRONAPHTHALENES)	
14.3 Transpo	14.3 Transport hazard class(es)		
ADR	9		
ΙΑΤΑ	9		
IMDG	9		
14.4 Packing	group		
ADR	111		
ΙΑΤΑ	111		
IMDG	111		
Tunnel Code	(E)		
14.5 Environ	mental Hazards		
Dangerous f	Dangerous for the environment. Marine pollutant.		
14.6 Special	precautions for user		
Maritime Tra EmS: F-A, S Marine Pollu	-F	Dangerous Goods Code (IMDG Code)):	
Road and Ra	Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):		
HazChem C	Code • 3Z		
14.7 Transpo Not applicab	•	x II of MARPOL73/78 and the IBC Code	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

-	D/EU
Code Number Version 2 Revised 26.	FM72573 /04/2021 2:32:34 PM
Section 15. Regulator	y information
	nd environmental regulations/legislation specific for the
substance or mixture	-
Poison Schedule: S5	CAUTION HS Tariff Code: 3302.90.00
15.2 Chemical safety	assessment
A chemical safety as	sessment has not been carried out
Section 16. Other info	ormation
Full list of precaut	ionary phrases
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P351	Rinse cautiously with water for several minutes.
P362+P364	Take off all contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents and container in accordance with local regulation.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA HS: According to 2015/	
Code Number	FM7257.3
	26/04/2021 2:32:34 PM
Wording of any	hazard classes listed in section 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
REP 2	Reproductive toxicity, category 2
STO-RE 2	Specific target organ, repeated exposure, category 2
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
Wording of any	hazard statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H361	Suspected of damaging fertility or the unborn child
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life

Printed on 26 Apr 2021

GHS: According to 2015/830/EU

 Code Number
 FM72573

 Version 2 Revised 26/04/2021 2:32:34 PM

H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
References	and further information
KEY: N/A = Not ap	pplicable
Version 2: UI	HS format, BV 21/04/2021 N number update, BV 26/04/2021 y: JJ 26/04/2021

Page 14 of 14