

SAFETY DATA S GHS: According to 2015/830/		Printed on 31 May 202
<i>Code Number Version 2 Revised 31/C</i>	FM76806 95/2023 12:31:00 PM	
Section 1. Identificatio	n of the substance/mixture and	d of the company/undertaking
1.1 Product I dentifier		
Product Name	GOURMANDISE STRG	
Code Number	FM76806	
Alternative Name		
REACH Reg No	Not registered	
1.2 Relevant identified	l uses of the substance or mixt	ure and uses advised against
For fragrance use.		
1.3 Details of the supp	lier of the safety data sheet	
	Australian Botanical Products Ltd	
	39 Melverton Drive, Hallam	
	Victoria, 3803 Australia	
	ABN: 45006782529	
Telephone Number	Tel No. +613 97094800	
Email Address	abpsales@ixom.com	
1.4 Emergency Tel No	Emergency No. +61 1 800 033 1	11
Section 2. Hazard Iden	tification	
2.1 Classification of th	e substance or mixture	
FL 4	Flammable liquid, category 4	
AH 1	Aspiration hazard, category 1	
SCI 2	Skin corrosion/irritation, category	/ 2
SS 1B	Skin sensitisation, category 1B	
EDI 2A	Eye damage/irritation, category 2	
EH A1	Aquatic hazard, acute, category 1	
EH C2	Aquatic hazard, chronic, category	2
2.2 Label elements		

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

AFETY DATA S: According to 2015/		Printed on 31 May 202
ode Number	FM76806	
ersion 2 Revised .	31/05/2023 12:31:00 PM	
	according to Regulation (EC) No 12	272/2008
Hazard Pictogra	ns	
		2
Signal Word	Danger	
Hazard Stateme	nts	
H227	Combustible liquid	
H304	May be fatal if swallowed and	enters airways
H315	Causes skin irritation	
H317	May cause an allergic skin rea	action
H319	Causes serious eye irritation	
H400	Very toxic to aquatic life	
H411	Toxic to aquatic life with long	lasting effects
Precautionary St	atements	
P210	Keep away from heat, hot sur other ignition sources. No sm	faces, sparks, open flames and oking.
P261	Avoid breathing fumes.	
P273	Avoid release to the environm	nent.
P280	Wear protective gloves and e	ye protection
P301+P310	IF SWALLOWED: Immediately	y call a POISON CENTRE.
P331	Do NOT induce vomiting.	
P333+P313	If skin irritation or rash occurs	s: Get medical advice.
P337+P313	If eye irritation persists: Get i	medical attention.
P362+P364	Take off contaminated clothin	ng and wash it before reuse.
P391	Collect spillage.	
P403+P235	Store in a well-ventilated place	ce. Keep cool.
P405	Store locked up.	

Printed on 31 May 2023

GHS: According to 2015/830/EU

Code Number FM76806

Version 2 Revised 31/05/2023 12:31:00 PM

P501

Dispose of contents and container in accordance to local regulations.

2.3 Other Hazards

Contains Citral, Citronellol, Geraniol, Hexyl Cinnamal, Hydroxycitronellal, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

Section 3. Composition / information on ingredients Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

D Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 101-86-0 EINECS 202-983-3 REACH	a-hexylcinnamaldehyde SS 1B;EH A1,C2 H317,H400,H411	10% - 30%
CAS 24851-98-7 EINECS 246-495-9 REACH	methyl 3-oxo-2-pentylcyclopentaneacetate EH A2 H401	10% - 30%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3; SCI 2; SS 1B; AH 1; EH A1, C1 H226, H304, H315, H317, H400, H410	10% - 30%
CAS 5392-40-5 EINECS 226-394-6 REACH	Citral SCI 2;SS 1 H315,H317	<10%
CAS 21145-77-7 EINECS 244-240-6 REACH	1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)etha ATO 4(1000);EH A1,C1 H302,H400,H410	<10%
CAS 77-54-3 EINECS 201-036-1 REACH	[3R-(3a,3aß,6a,7ß,8aa)]-octahydro-3,6,8,8-tetramethyl-1H-3a, SCI 3;EH A2,C2 H316,H401,H411	<10%
CAS 32388-55-9 EINECS 251-020-3 REACH	[3R-(3a,3a6,76,8aa)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetra ATO 5;SS 1B;EH A1,C1 H303,H317,H400,H410	<10%
CAS 13171-00-1 EINECS 236-114-4 REACH	6-tert-butyl-1,1-dimethylindan-4-yl methyl ketone EH A1,C1 H400,H410	<10%

Printed on 31 May 2023

GHS: According to 2015/830/EU

Code Number FM76806

Version 2 Revised 31/05/2023 12:31:00 PM

CAS 1222-05-5 EINECS 214-946-9 REACH	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	<10%
	EH A1,C1 H400,H410	
CAS 127-91-3 EINECS 204-872-5 REACH	beta-Pinene	<10%
	FL 3; ATO 5(3700); AH 1; SCI 2; SS 1B; EH A1, C1 H226, H303, H304, H315, H317, H400, H410	
CAS 98-55-5 EINECS 202-680-6 REACH	Terpineol (alpha-Terpineol)	<10%
	FL 4;ATO 5(4300);SCI 2;EDI 2A;EH A2 H227,H303,H315,H319,H401	
CAS 106-23-0 EINECS 203-376-6	Citronellal	<10%
REACH	FL 4;ATO 5(2500);SCI 2;EDI 2A;SS 1;EH A2 H227,H303,H315,H317,H319,H401	
CAS 99-85-4 EINECS 202-794-6	gamma-Terpinene (p-Mentha-1,4-diene)	<10%
REACH	FL 3;ATO 5(3850);SCI 3;AH 1 H226,H303,H304,H316	
CAS 106-24-1 EINECS 203-377-1	Geraniol	< 10%
REACH	SCI 2;SS 1;EDI 1 H315,H317,H318	
CAS 78-70-6 EINECS 201-134-4	Linalool	<10%
REACH	FL 4;SS 1B H227,H317	
CAS 115-95-7 EINECS 204-116-4	Linalyl acetate	< 10%
REACH	FL 4; SCI 2; EDI 2A; EH A3 H227,H315,H319,H402	
CAS 106-26-3 EINECS 203-379-2	Neral	<10%
REACH	SCI 2;SS 1;EDI 2A H315,H317,H319	
CAS 141-12-8 EINECS 205-459-2 REACH	Neryl acetate	<10%
	SCI 2;SS 1;EH C3 H315,H317,H412	
CAS 80-56-8 EINECS 201-291-9	Pinenes	<10%
REACH	FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410	

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

Printed on 31 May 2023

GHS: According to 2015/830/EU

Code Number FM76806

Version 2 Revised 31/05/2023 12:31:00 PM

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

May be fatal if enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically. Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Z

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.

6.2 Environmental precautions Do not discharge directly into drains or the soil. Keep away from surface and ground

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 31 May 2023

GHS: According to 2015/830/EU

Code Number FM76806 Version 2 Revised 31/05/2023 12:31:00 PM

water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 31 May 2023

GHS: According to 2015/830/EU

Code Number FM76806

Version 2 Revised 31/05/2023 12:31:00 PM

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

FLASH POINT (°C)	73°C
APPEARANCE	Mobile liquid
COLOUR	Yellow to golden yellow
ODOUR	Cologne, fresh, lavender, bergamot, floral, musky, neroli
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available

Page 7 of 13

Code Number FM76806	
Version 2 Revised 31/05/2023 12	P:31:00 PM
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	0.925 to 0.955
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information	
No further information available. Section 10. Stability and reactivity	у
	У
Section 10. Stability and reactivity	
Section 10. Stability and reactivity 10.1 Reactivity No data. 10.2 Chemical Stability	orage conditions (see section 7). ctions
Section 10. Stability and reactivity 10.1 Reactivity No data. 10.2 Chemical Stability Stable under the recommended st 10.3 Possibility of hazardous rea No hazardous reactions if stored u 10.4 Conditions to avoid	orage conditions (see section 7). ctions
Section 10. Stability and reactivity 10.1 Reactivity No data. 10.2 Chemical Stability Stable under the recommended st 10.3 Possibility of hazardous rea No hazardous reactions if stored u 10.4 Conditions to avoid Avoid exposure to heat, sources of 10.5 Incompatible materials	orage conditions (see section 7). ctions nder suitable storage conditions.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 31 May 2023

GHS: According to 2015/830/EU

Code Number FM76806 Version 2 Revised 31/05/2023 12:31:00 PM

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity Not classified based on available data. Skin corrosion / irritation

Causes skin irritation.

Serious eye damage / irritation

Causes serious eye irritation.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity No data

STO-single exposure No data

STO-repeated exposure No data

Aspiration hazard May be fatal if swallowed and enters airways.

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data


Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.



SAFETY C	DATA SHEET 2015/830/EU	Printed on 31 May 2023	
Code Number Version 2 Ret	r FM76806 vised 31/05/2023 12:3	1:00 PM	
Other info No data	rmation		
12.1 Toxicity Toxic to aqu Contains D- LC50 (96 h) EC50 (48 h) EC50 (72 h) 12.2 Persiste No test data	 Section 12. Ecological information 12.1 Toxicity Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains D-Limonene (5989-27-5): LC50 (96 h) - Pimephales promelas (fathead minnow) – 0.72 mg/L EC50 (48 h) - Daphnia magna – 0.36 mg/L EC50 (72 h) - Raphidocelis subcapitata – 0.32 mg/L 12.2 Persistence and degradability No test data available for this substance. 12.3 Bioaccumulative potential 		
 12.4 Mobility in soil Avoid soil, surface water and water-bearing stratum contamination. 12.5 Results of PBT and vPvB assessment No data 12.6 Other adverse effects 			
Section 13. D Please refer to 13.1 Waste t	reatment methods	n 8 (Exposure controls and personal protection) nd local regulations. Treat as trade effluent.	
14.1 UN num ADR IATA IMDG	3082 3082 3082 ber shipping name	ZARDOUS SUBSTANCE, LIQUID, N.O.S. IE)	
ΙΑΤΑ	ENVIRONMENTALLY HA (CONTAINS D-LIMONEN	ZARDOUS SUBSTANCE, LIQUID, N.O.S. IE)	

Printed on 31 May 2023

GHS: According to 2015/830/EU

Code Number FM76806

Version 2 Revised 31/05/2023 12:31:00 PM

VEISIUN 2 REVISEU 31/03/2023 12.31.00 PM			
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)		
14.3 Transport hazard class(es)			
ADR	9		
ΙΑΤΑ	9		
IMDG	9		
14.4 Packing group			
ADR	III		
ΙΑΤΑ	III		
IMDG	III		
Tunnel Code	(E)		
14.5 Environi	mental Hazards		
Dangerous f	or the environment. Marine pollutant.		
Maritime Tra EmS: F-A, S	14.6 Special precautions for user Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A, S-F Marine Pollutant: Yes		
Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):			
HazChem C			
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable			
Section 15. Re	egulatory information		
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture			
Poison Sche	dule (SUSMP): Not applicableHS Tariff Code: 3302.90.00		
All the constituents of this material are compliant with AICIS regulation.			
15.2 Chemical safety assessment			
A chemical safety assessment has not been carried out			
Section 16. Other information			

Printed on 31 May 2023

GHS: According to 2015/830/EU

Code Number FM76806 Version 2 Revised 31/05/2023 12:31:00 PM

Full list of precautionary phrases		
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P261	Avoid breathing fumes.	
P264	Wash hands thoroughly after handling	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye protection	
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P331	Do NOT induce vomiting.	
P333+P313	If skin irritation or rash occurs: Get medical advice.	
P337+P313	If eye irritation persists: Get medical attention.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P391	Collect spillage.	
P403+P235	Store in a well-ventilated place. Keep cool.	
P405	Store locked up.	
P501	Dispose of contents and container in accordance to local regulations.	
Wording of any ha	zard classes listed in section 3	
FL 3	Flammable liquid, category 3	
FL 4	Flammable liquid, category 4	
ATO 4	Acute toxicity, oral, category 4	
ATO 5	Acute toxicity, oral, category 5	
AH 1	Aspiration hazard, category 1	
SCI 2	Skin corrosion/irritation, category 2	
SCI 3	Skin corrosion/irritation, category 3	
SS 1	Skin sensitisation, category 1	
SS 1B	Skin sensitisation, category 1B	
EDI 1	Eye damage/irritation, category 1	
EDI 2A	Eye damage/irritation, category 2A	

Printed on 31 May 2023

GHS: According to 2015/830/EU

Code Number FM76806 Version 2 Revised 31/05/2023 12:31:00 PM

VC	ISION 2 NEVISED 5170	5/2025 12.51.0011//
	EH A1	Aquatic hazard, acute, category 1
	EH A2	Aquatic hazard, acute, category 2
	EH A3	Aquatic hazard, acute, category 3
	EH C1	Aquatic hazard, chronic, category 1
	EH C2	Aquatic hazard, chronic, category 2
	EH C3	Aquatic hazard, chronic, category 3
	Wording of any haza	rd statements listed in section 3
	H226	Flammable liquid and vapour
	H227	Combustible liquid
	H302	Harmful if swallowed
	H303	May be harmful if swallowed
	H304	May be fatal if swallowed and enters airways
	H315	Causes skin irritation
	H316	Causes mild skin irritation
	H317	May cause an allergic skin reaction
	H318	Causes serious eye damage
	H319	Causes serious eye irritation
	H400	Very toxic to aquatic life
	H401	Toxic to aquatic life
	H402	Harmful to aquatic life
	H410	Very toxic to aquatic life with long lasting effects
	H411	Toxic to aquatic life with long lasting effects
	H412	Harmful to aquatic life with long lasting effects
	References and furth	ner information
N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemicals AICIS = Australian Industrial Chemicals Introduction Scheme		
	Version 1: GHS format, BV 02/08/2019 Version 2: Mandatory revision, RB 31/05/2023	