



## SAFETY DATA SHEET

*Printed on 27 Sep 2022*

GHS: According to 2015/830/EU

*Code Number FM77545*  
*Version 3 Revised 27/09/2022 3:33:03 PM*

### Section 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product Identifier

Product Name TUTTI FRUITTY  
Code Number FM77545  
Alternative Name INCI: Parfum  
REACH Reg No Not registered

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

For fragrance use.

#### 1.3 Details of the supplier of the safety data sheet

Australian Botanical Products Ltd  
39 Melverton Drive, Hallam  
Victoria, 3803  
Australia  
ABN: 45006782529

Telephone Number Tel No. +613 97094800  
Email Address info@abp.com.au

1.4 Emergency Tel No Emergency No. +61 438196124

### Section 2. Hazard Identification

#### 2.1 Classification of the substance or mixture

FL 3 Flammable liquid, category 3  
ATO 5 Acute toxicity, oral, category 5  
SS 1A Skin sensitisation, category 1A  
EH A3 Aquatic hazard, acute, category 3  
EH C3 Aquatic hazard, chronic, category 3

#### 2.2 Label elements

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 27 Sep 2022

GHS: According to 2015/830/EU

Code Number FM77545

Version 3 Revised 27/09/2022 3:33:03 PM

GHS classification according to Regulation (EC) No 1272/2008

Hazard Pictograms



Signal Word Warning

Hazard Statements

- |      |   |
|------|---|
| H226 | Flammable liquid and vapour                       |
| H317 | May cause an allergic skin reaction               |
| H412 | Harmful to aquatic life with long lasting effects |

Precautionary Statements

- |                |  |
|----------------|--|
| P210           | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P261           | Avoid breathing fumes.   |
| P273           | Avoid release to the environment.  |
| P280           | Wear protective gloves and eye protection  |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.   |
| P312           | Call a POISON CENTRE if you feel unwell.   |
| P333+P313      | If skin irritation or rash occurs: Get medical advice.   |
| P362+P364      | Take off contaminated clothing and wash it before reuse.                                       |
| P403+P235      | Store in a well-ventilated place. Keep cool.   |
| P501           | Dispose of contents and container in accordance to local regulations.                          |

## 2.3 Other Hazards

Contains Cinnamal and Coumarin which may produce an allergic reaction

No further information available at this time

## Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 27 Sep 2022

GHS: According to 2015/830/EU

Code Number FM77545  
Version 3 Revised 27/09/2022 3:33:03 PM

## 3.2 Mixtures

Complex mixture of ingredients

### Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 121-33-5 EINECS 204-465-2 REACH	Vanillin ATO 5; EDI 2A; EH A3 H303, H319, H402	<10%
CAS 104-55-2 EINECS 203-213-9 REACH	cinnamaldehyde FL 4; ATO 5; ATD 5; SCI 2; SS 1A; EDI 2A H227, H303, H313, H315, H317, H319	<10%
CAS 88-41-5 EINECS 201-828-7 REACH	2-tert-butylcyclohexyl acetate FL 4; ATO 5; SCI 3; EH A2, C2 H227, H303, H316, H401, H411	<10%
CAS 125-12-2 EINECS 204-727-6 REACH	exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acetate FL 4; SCI 3; EH A2, C2 H227, H316, H401, H411	<10%
CAS 87-20-7 EINECS 201-730-4 REACH	isopentyl salicylate ATO 5; EH A2, C3 H303, H401, H412	<10%
CAS 77-83-8 EINECS 201-061-8 REACH	ethyl 2,3-epoxy-3-phenylbutyrate SS 1; EH A2, C2 H317, H401, H411	<10%
CAS 105-54-4 EINECS 203-306-4 REACH	ethyl butyrate FL 3; EDI 2A H226, H319	<10%
CAS 91-64-5 EINECS 202-086-7 REACH	Coumarin ATO 3; SS 1B; EH A2, C3 H301, H317, H401, H412	<10%
CAS 123-92-2 EINECS 204-662-3 REACH	isopentyl acetate FL 3; EH A3 H226, H402	<10%
CAS 104-67-6 EINECS 203-225-4 REACH	undecan-4-olide EH C3 H412	<10%

Refer to section 16 for the wording of listed classification and hazard statement codes

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 27 Sep 2022

GHS: According to 2015/830/EU

Code Number FM77545

Version 3 Revised 27/09/2022 3:33:03 PM

## Section 4. First Aid measures

Take phrases in section 2 into account

### 4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

May cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

May be harmful if swallowed. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

### 4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

### 4.3 Indication of immediate medical attention and special treatment needed

Treat symptomatically.

## Section 5. Fire-fighting measures

### 5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

### 5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

### 5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Y

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 27 Sep 2022

GHS: According to 2015/830/EU

Code Number FM77545  
Version 3 Revised 27/09/2022 3:33:03 PM

## Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures  
Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions  
Do not discharge directly into drains or the soil. Keep away from surface and ground water.
- 6.3 Methods and material for containment and cleaning up  
Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.
- 6.4 Reference to other sections  
Refer to information in Sections 7, 8 and 13

## Section 7. Handling and storage

- 7.1 Precautions for safe handling  
Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.
- 7.2 Conditions for safe storage, including any incompatibilities  
Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.
- 7.3 Specific end use(s)  
No further information available.

## Section 8. Exposure controls / personal protection

- 8.1 Control Parameters  
No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.
- 8.2 Exposure controls  
Engineering controls  
Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 27 Sep 2022

GHS: According to 2015/830/EU

Code Number FM77545

Version 3 Revised 27/09/2022 3:33:03 PM

## Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

### Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

### Hand protection

Wear chemically resistant disposable gloves.

### Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

### Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

### Thermal hazards

No information.

### Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

### National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

### Biological Limit Values

No biological limit allocated.

## Section 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

FLASH POINT (°C)	53°C
APPEARANCE	Mobile liquid
COLOUR	Pale yellow to yellow
ODOUR	Tutti frutti, bubble gum, tropical, vanilla, sweet
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 27 Sep 2022

GHS: According to 2015/830/EU

Code Number FM77545

Version 3 Revised 27/09/2022 3:33:03 PM

INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	0.995 to 1.025
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available

## 9.2 Other information

No further information available.

## Section 10. Stability and reactivity

### 10.1 Reactivity

No data.

### 10.2 Chemical Stability

Stable under the recommended storage conditions (see section 7).

### 10.3 Possibility of hazardous reactions

No hazardous reactions if stored under suitable storage conditions.

### 10.4 Conditions to avoid

Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.

### 10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic material.

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

*Printed on 27 Sep 2022*

GHS: According to 2015/830/EU

*Code Number FM77545*  
*Version 3 Revised 27/09/2022 3:33:03 PM*

## 10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

## Section 11. Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

May be harmful if swallowed.

#### Skin corrosion / irritation

No known adverse effects.

#### Serious eye damage / irritation

No known adverse effects.

#### Respiratory or skin sensitisation

May cause an allergic skin reaction.

#### Germ cell mutagenicity

No data

#### Carcinogenicity

No data

#### Reproductive toxicity

No data

#### STO-single exposure

No data

#### STO-repeated exposure

No data

#### Aspiration hazard

No data

#### Information on likely routes of exposure

No data

#### Symptoms related to the physical, chemical and toxicological characteristics

No data

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*



# SAFETY DATA SHEET

Printed on 27 Sep 2022

GHS: According to 2015/830/EU

Code Number FM77545  
Version 3 Revised 27/09/2022 3:33:03 PM

Interactive effects

No data

Other information

No data

## Section 12. Ecological information

### 12.1 Toxicity

Harmful to aquatic life with long lasting effects. Avoid contaminating waterways.

### 12.2 Persistence and degradability

No test data available for this substance.

### 12.3 Bioaccumulative potential

No data

### 12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

### 12.5 Results of PBT and vPvB assessment

No data

### 12.6 Other adverse effects

See sections 6, 7, 13 and 15.

## Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

### 13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

## Section 14. Transport information

### 14.1 UN number

ADR 1993

IATA 1993

IMDG 1993

### 14.2 UN proper shipping name

ADR FLAMMABLE LIQUID, N.O.S. (CONTAINS ISOPENTYL ACETATE)

IATA FLAMMABLE LIQUID, N.O.S. (CONTAINS ISOPENTYL ACETATE)

IMDG FLAMMABLE LIQUID, N.O.S. (CONTAINS ISOPENTYL ACETATE)

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 27 Sep 2022

GHS: According to 2015/830/EU

Code Number FM77545

Version 3 Revised 27/09/2022 3:33:03 PM

## 14.3 Transport hazard class(es)

ADR 3

IATA 3

IMDG 3

## 14.4 Packing group

ADR III

IATA III

IMDG III

Tunnel Code (D/E)

## 14.5 Environmental Hazards

No relevant information available

## 14.6 Special precautions for user

Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)):

EmS: F-E, S-E

Marine Pollutant: No

Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

HazChem Code • 3Y

## 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable

## Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): Not applicable

HS Tariff Code: 3302.90.00

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

## Section 16. Other information

Full list of precautionary phrases

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P241 Use explosion-proof equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 27 Sep 2022

GHS: According to 2015/830/EU

Code Number FM77545  
Version 3 Revised 27/09/2022 3:33:03 PM

P261	Avoid breathing fumes.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P302+P352	IF ON SKIN: Wash with plenty of water.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P312	Call a POISON CENTRE if you feel unwell.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P362+P364	Take off contaminated clothing and wash it before reuse.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents and container in accordance to local regulations.

Wording of any hazard classes listed in section 3

FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
ATO 3	Acute toxicity, oral, category 3
ATO 5	Acute toxicity, oral, category 5
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1A	Skin sensitisation, category 1A
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3

Wording of any hazard statements listed in section 3

H226	Flammable liquid and vapour
H227	Combustible liquid
H301	Toxic if swallowed

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

*Printed on 27 Sep 2022*

GHS: According to 2015/830/EU

*Code Number FM77545*

*Version 3 Revised 27/09/2022 3:33:03 PM*

H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

References and further information

Key:

N/A = Not applicable

SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons

Version 1: GHS format, BV 21/10/2020

Version 2: Minor changes, BV 22/10/2020

Version 3: Minor changes, RB 27/09/2022

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*