

SAFETY DATA S GHS: According to 2015/830/		Printed on 23 Feb 2022
Code Number Version 1 Revised 23/0	FM76177	
Section 1. Identificatio	n of the substance/mixture	and of the company/undertaking
1.1 Product I dentifier Product Name Code Number Alternative Name REACH Reg No	CHAI SPICE FM76177 INCI Name: Parfum Not registered	
1.2 Relevant identified	uses of the substance or m	nixture and uses advised against
Recommended use: Fo	r fragrance use.	
1.3 Details of the supp	lier of the safety data shee Australian Botanical Products 39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529	
Telephone Number	Tel No. +613 97094800	
Email Address	info@abp.com.au	
1.4 Emergency Tel No	Emergency No. +61 4381961	24
Section 2. Hazard I den	tification	
2.1 Classification of th	e substance or mixture	
ATO 5 SS 1A EH A3 EH C3	Acute toxicity, oral, category Skin sensitisation, category 1 Aquatic hazard, acute, catego Aquatic hazard, chronic, catego	A pry 3
2.2 Label elements		

SAFETY DAT	A SHEET	Printed on 23 Feb 2022
GHS: According to 2015	-	· · · · · · · · · · · · · · · · · · ·
Code Number	FM76177	
Version 1 Revised .	23/02/2022 12:51:45 Pi	И
	according to Regulation (E	C) No 1272/2008
Hazard Pictogra	ms	
Signal Word	Warning	
Hazard Stateme	nts	
H317	May cause an allergi	c skin reaction
H412	Harmful to aquatic li	fe with long lasting effects
Precautionary S	tatements	
P261	Avoid breathing fum	es.
P273	Avoid release to the	environment.
P280	Wear protective glov	es and eye protection
P302+P352	IF ON SKIN: Wash w	ith plenty of water.
P312	Call a POISON CENT	RE if you feel unwell.
P333+P313	If skin irritation or ra	sh occurs: Get medical advice.
P362+P364	Take off contaminate	ed clothing and wash it before reuse.
P501	Dispose of contents regulations.	and container in accordance to local
2.3 Other Hazards		
	Citral, Coumarin, Eugenol	enzyl Cinnamate, Benzyl Salicylate, Cinnamal, , Geraniol, Limonene and Linalool which may
No further inform	ation available at this time	
	ition / information on in ed here for hazardous components are	-
3.2 Mixtures		
Complex mixture	of fragrance ingredients	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 23 Feb 2022

GHS: According to 2015/830/EU

Code Number FM76177

Version 1 Revised 23/02/2022 12:51:45 PM

### Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 121-33-5 EINECS 204-465-2 REACH	Vanillin ATO 5(3500);EDI 2A;EH A3 H303,H319,H402	<10%
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3; ATO 4; AH 1; SCI 2; SS 1; EH A1, C1 H226, H302, H304, H315, H317, H400, H410	<10%
CAS 97-53-0 EINECS 202-589-1 REACH	Eugenol SS 1;EDI 2A H317,H319	<10%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3; SCI 2; SS 1B; AH 1; EH A1, C1 H226, H304, H315, H317, H400, H410	<10%
CAS 91-64-5 EINECS 202-086-7 REACH	Coumarin ATO 3;SS 1B;EH A2,C3 H301,H317,H401,H412	<10%
CAS 104-55-2 EINECS 203-213-9 REACH	Cinnamic aldehyde ATD 4(1100);ATO 5(2500);EDI 2A;SCI 2;SS 1A;EH A2 H303,H312,H315,H317,H319,H401	<10%
CAS 7705-14-8 EINECS 231-732-0 REACH	d,I-Limonene (Isomer unspecified) FL 3;AH 1;SCI 2;SS 1B;EH A1,C1 H226,H304,H315,H317,H400,H410	<10%

### Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

#### After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

#### After skin contact

May cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

#### After eye contact

Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 23 Feb 2022

GHS: According to 2015/830/EU

Code Number FM76177 Version 1 Revised 23/02/2022 12:51:45 PM

### After ingestion

May be harmful if swallowed. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

- 4.2 Most important symptoms and effects, both acute and delayed
- Take phrases in sections 2 and 11 into account. No further information available at this time.
- 4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

- 5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.
- 5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code N/A

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 23 Feb 2022

GHS: According to 2015/830/EU

Code Number FM76177 Version 1 Revised 23/02/2022 12:51:45 PM

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

### 8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

#### SAFETY DATA SHEET Printed on 23 Feb 2022 GHS: According to 2015/830/EU Code Number FM76177 Version 1 Revised 23/02/2022 12:51:45 PM Thermal hazards No information. Environmental exposure controls Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation. National Exposure Standards No exposure standards have been established for this material by Worksafe Australia. **Biological Limit Values** No exposure standards have been established for this material by Worksafe Australia. Section 9. Physical and chemical properties 9.1 Information on basic physical and chemical properties >100 FLASH POINT (°C) **APPEARANCE** Mobile liquid COLOUR Pale yellow to yellow ODOUR Fresh, spicy, vanilla, caramel, cedarwood **ODOUR THRESHOLD** Not available Not available pH @20 DEG C MELTING/FREEZING POINT Not available INITIAL BOILING POINT AND Not available RANGE EVAPORATION RATE Not available FLAMMABILITY (SOLID/GAS) Not available UPPER/LOWER FLAMMABILITY Not available LIMITS VAPOUR PRESSURE Not available VAPOUR DENSITY Not available SPECIFIC GRAVITY @ 20°C 1.125 to 1.155 SOLUBILITIES Insoluble in water PARTITION COEFF Not available N-OCTANAL/WATER

GHS: According to 2015/830/EU	
Code Number FM76177	7
Version 1 Revised 23/02/2022 12	2:51:45 PM
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivit	У
10.1 Reactivity	
No data.	
10.2 Chemical Stability Stable under the recommended st	orage conditions (see section 7).
10.3 Possibility of hazardous rea No hazardous reactions if stored u	
10.4 Conditions to avoid	
Avoid exposure to heat, sources o	f ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents a	and from highly alkaline or acidic material.
10.6 Hazardous decomposition p	roducts
During combustion may form carb compounds.	on monoxide, carbon dioxide and unidentified organic
Section 11. Toxicological information	tion
11.1 Information on toxicologica	leffects
Acute toxicity	
May be harmful if swallowed.	
Skin corrosion / irritation	
No known adverse effects.	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 23 Feb 2022

GHS: According to 2015/830/EU

 Code Number
 FM76177

 Version 1 Revised 23/02/2022 12:51:45 PM

	Respiratory or skin sensitisation
	May cause an allergic skin reaction.
	Germ cell mutagenicity
	No data
	Carcinogenicity
	No data
	Reproductive toxicity
	No data
	STO-single exposure
	No data
	STO-repeated exposure
	No data
	Aspiration hazard
	No data
	Information on likely routes of exposure
	No data
	Symptoms related to the physical, chemical and toxicological characteristics
	No data
	Delayed and immediate effects as well as chronic effects from short and
	long-term exposure
	No data
	Interactive effects
	No data
	Other information
	No data
Sc	ection 12. Ecological information
	2 1 Toxicity

12.1 Toxicity

Harmful to aquatic life with long lasting effects. Avoid contaminating waterways.

12.2 Persistence and degradability

No tested data available on this product.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET	Printed on 23 Feb 2022
GHS: According to 2015/830/EU	
Code Number FM76177	
Version 1 Revised 23/02/2022 12:51:45 PM	
12.3 Bioaccumulative potential No data	
12.4 Mobility in soil Avoid soil, surface water and water-bearing stratum of	contamination.
12.5 Results of PBT and vPvB assessment No data	
12.6 Other adverse effects See sections 6, 7, 13 and 15.	
Section 13. Disposal considerations Please refer to the information in section 8 (Exposure co	ontrols and personal protection)
13.1 Waste treatment methods Dispose in accordance with the law and local regulation	ons. Treat as trade effluent.
Section 14. Transport information	
14.1 UN number Not Regulated	
14.2 UN proper shipping name Not Restricted	
14.3 Transport hazard class(es)	
14.4 Packing group	
Tunnel Code	
14.5 Environmental Hazards No relevant information available	
14.6 Special precautions for user No relevant information available	
HazChem Code N/A	
14.7 Transport in bulk according to Annex II of MA Not applicable	ARPOL73/78 and the IBC Code
Section 15. Regulatory information	
15.1 Safety, health and environmental regulations substance or mixture	s/legislation specific for the
Poison Schedule (SUSMP): Not applicable	HS Tariff Code: 3302.90.00

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

GHS: According to 2015/830/EU

Printed on 23 Feb 2022

 Code Number
 FM76177

 Version 1 Revised 23/02/2022 12:51:45 PM

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

Section 16. Other information

Full list of precautionary phrases

i di list di pièce	
P261	Avoid breathing fumes.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P302+P352	IF ON SKIN: Wash with plenty of water.
P312	Call a POISON CENTRE if you feel unwell.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents and container in accordance to local regulations.
Wording of any	hazard classes listed in section 3
FL 3	Flammable liquid, category 3
ATO 3	Acute toxicity, oral, category 3
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 4	Acute toxicity, dermal, category 4
SCI 2	Skin corrosion/irritation, category 2
SS 1	Skin sensitisation, category 1
SS 1A	Skin sensitisation, category 1A
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C3	Aquatic hazard, chronic, category 3
EH C3	Aquatic hazard, chronic, category 3

Printed on 23 Feb 2022

GHS: According to 2015/830/EU

 Code Number
 FM76177

 Version 1 Revised 23/02/2022 12:51:45 PM

Wording of any ha	azard statements listed in section 3
H226	Flammable liquid and vapour
H301	Toxic if swallowed
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
References and fu	Irther information
Key: N/A = Not applicabl SUSMP = Standard	e for the Uniform Scheduling of Medicines and Poisons
Version 1: GHS form	nat, RB 23/02/2022