

SAFETY DATA S GHS: According to 2015/830/		Printed on	14 Oct 2022
Code Number Version 1 Revised 14/7	FM78326		
Section 1. Identificatio	n of the substance/mixture and of	the company,	/undertaking
1.1 Product I dentifier			
Product Name	LIME APPLE GUAVA		
Code Number	FM78326		
Alternative Name	<b>.</b>		
REACH Reg No	Not registered		
1.2 Relevant identified	d uses of the substance or mixture a	and uses advi	ised against
For fragrance use.			
1.3 Details of the supp	plier of the safety data sheet		
	Australian Botanical Products Ltd		
	39 Melverton Drive, Hallam		
	Victoria, 3803 Australia		
	ABN: 45006782529		
Telephone Number	Tel No. +613 97094800		
Email Address	info@abp.com.au		
1.4 Emergency Tel No	Emergency No. +61 438196124		
Section 2. Hazard I den	tification		
2.1 Classification of th	e substance or mixture		
FL 4	Flammable liquid, category 4		
ATO 5	Acute toxicity, oral, category 5		
SCI 3	Skin corrosion/irritation, category 3		
SS 1B	Skin sensitisation, category 1B		
EH A2	Aquatic hazard, acute, category 2		
EH C2	Aquatic hazard, chronic, category 2		
2.2 Label elements			

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

HS: According to 2015/8	330/EU
Code Number Version 1 Revised i	FM78326 14/10/2022 10:39:34 AM
GHS classification a Hazard Pictogram	according to Regulation (EC) No 1272/2008 ns
Signal Word	Warning
Hazard Statemer	nts
H227	Combustible liquid
H317	May cause an allergic skin reaction
H411	Toxic to aquatic life with long lasting effects
Precautionary St	atements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing fumes.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P302+P352	IF ON SKIN: Wash with plenty of water.
P312	Call a POISON CENTRE if you feel unwell.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents and container in accordance to local regulations.
2.3 Other Hazards	enzoate, Citral, Limonene and Linalool which may produce an allergi

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

### Printed on 14 Oct 2022

GHS: According to 2015/830/EU

Code Number FM78326

Version 1 Revised 14/10/2022 10:39:34 AM

Section 3. Composition / information on ingredients Any percentage values listed here for hazardous components are for illustrative purposes only

#### 3.2 Mixtures

Complex mixture of ingredients

#### Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 88-41-5 EINECS 201-828-7	2-tert-butylcyclohexyl acetate	10% - 30%
REACH	FL 4; ATO 5; SCI 3; EH A2, C2 H227, H303, H316, H401, H411	
CAS 120-51-4 EINECS 204-402-9	benzyl benzoate	10% - 30%
REACH	ATO 4(1500); ATD 5(4000); EH C2 H302,H313,H411	
CAS 23696-85-7 EINECS 245-833-2	1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	<10%
REACH	SCI 2;SS 1A;EH A2,C2 H315,H317,H401,H411	
CAS 104-67-6 EINECS 203-225-4	undecan-4-olide	<10%
REACH	EH C3 H412	
CAS 2705-87-5 EINECS 220-292-5	allyl 3-cyclohexylpropionate	<10%
REACH	ATO 4(820);ATD 4(1600);SS 1;ATI 4;EH A1,C1 H302,H312,H317,H332,H400,H410	
CAS 142-19-8 EINECS 205-527-1	allyl heptanoate	<10%
REACH	FL 4;ATO 3(218);ATD 3(810);SCI 3;ATI 3;EH A1,C3 H227,H301,H311,H316,H331,H400,H412	
CAS 140-11-4 EINECS 205-399-7	benzyl acetate	<10%
REACH	FL 4; ATO 5; ATI 5; EH A2,C3 H227,H303,H333,H401,H412	
CAS 5989-27-5 EINECS 227-813-5	d-Limonene (p-Mentha-1,8-diene)	<10%
REACH	FL 3; SCI 2; SS 1B; AH 1; EH A1, C1 H226, H304, H315, H317, H400, H410	
CAS 18479-58-8 EINECS 242-362-4	2,6-dimethyloct-7-en-2-ol	<10%
REACH	FL 4; ATO 5(3600); SCI 2; EDI 2A; EH A3 H227, H303, H315, H319, H402	
CAS 10094-34-5 EINECS 233-221-8	a,a-dimethylphenethyl butyrate	<10%
REACH	SCI 3;EH A2,C2 H316,H401,H411	
CAS 141-97-9 EINECS 205-516-1	ethyl acetoacetate	<10%
REACH	FL 4;ATO 5(3980);SCI 3 H227,H303,H316	

Printed on 14 Oct 2022

GHS: According to 2015/830/EU

### Code Number FM78326

Version 1 Revised 14/10/2022 10:39:34 AM

CAS 105-95-3 EINECS 203-347-8 REACH	1,4-dioxacycloheptadecane-5,17-dione EH A1,C3 H400,H412	<10%
CAS 77-83-8 EINECS 201-061-8 REACH	ethyl 2,3-epoxy-3-phenylbutyrate SS 1;EH A2,C2 H317,H401,H411	<10%
CAS 14901-07-6 EINECS 238-969-9 REACH	4-(2,6,6-trimethylcyclohex-1-ene-1-yl)-but-3-ene-2-one ATO 5; SCI 3; EH A2,C2 H303,H316,H401,H411	<10%

Refer to section 16 for the wording of listed classification and hazard statement codes

### Section 4. First Aid measures

Take phrases in section 2 into account

### 4.1 Description of first aid measures

#### After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

#### After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

#### After eye contact

Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

### After ingestion

May be harmful if swallowed. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

### Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 14 Oct 2022

GHS: According to 2015/830/EU

Code Number FM78326 Version 1 Revised 14/10/2022 10:39:34 AM

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Z

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 14 Oct 2022

GHS: According to 2015/830/EU

Code Number FM78326 Version 1 Revised 14/10/2022 10:39:34 AM

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 14 Oct 2022


GHS: According to 2015/830/EU

 Code Number
 FM78326

 Version 1 Revised 14/10/2022 10:39:34 AM

Section 9. Physical and chemical properties

9.1 Information on basic physical FLASH POINT (°C)	and chemical properties 86°C
APPEARANCE	Mobile liquid
COLOUR	Colourless to pale yellow
ODOUR	Citrus, green apple, guava, tropical, berry, caramel,vanilla
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	0.92 to 0.95
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	



Printed on 14 Oct 2022

GHS: According to 2015/830/EU

Code Number FM78326 Version 1 Revised 14/10/2022 10:39:34 AM

Section 10. Stability and reactivity		
10.1 Reactivity		
No data.		
10.2 Chemical Stability		
Stable under the recommended storage conditions (see section 7).		
10.3 Possibility of hazardous reactions		
No hazardous reactions if stored under suitable storage conditions.		
10.4 Conditions to avoid		
Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.		
10.5 Incompatible materials		
Keep away from oxidising agents and from highly alkaline or acidic material.		
10.6 Hazardous decomposition products		
During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.		
Section 11. Toxicological information		
11.1 Information on toxicological effects		
Acute toxicity		
May be harmful if swallowed.		
Skin corrosion / irritation		
Causes mild skin irritation.		
Serious eye damage / irritation		
No known adverse effects.		
Respiratory or skin sensitisation		
May cause an allergic skin reaction.		
Germ cell mutagenicity		
No data		
Carcinogenicity		
No data		
Reproductive toxicity		
No data		

Printed on 14 Oct 2022

GHS: According to 2015/830/EU

Code Number FM78326 Version 1 Revised 14/10/2022 10:39:34 AM

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

No data

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

### Section 12. Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains D-Limonene (5989-27-5):

LC50 (96 h) - Pimephales promelas (fathead minnow) – 0.72 mg/L

EC50 (48 h) - Daphnia magna – 0.36 mg/L

EC50 (72 h) - Raphidocelis subcapitata - 0.32 mg/L

12.2 Persistence and degradability

No test data available for this substance.

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment

No data

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 14 Oct 2022

GHS: According to 2015/830/EU

Code Number FM78326

Version 1 Revised 14/10/2022 10:39:34 AM

12.6 Other adverse effects See sections 6, 7, 13 and 15.

Section 13. Disposal considerations Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

14.1 UN number

ADR	3082
IATA	3082
IMDG	3082

14.2 UN proper shipping name

ADR ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)

IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)

IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)

14.3 Transport hazard class(es)

ADR	9
IATA	9
IMDG	9

14.4 Packing group

ADR	111
IATA	111
IMDG	111

Tunnel Code (E)

14.5 Environmental Hazards

Dangerous for the environment. Marine pollutant.

14.6 Special precautions for user

Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A, S-F Marine Pollutant: Yes

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 14 Oct 2022

GHS: According to 2015/830/EU

 Code Number
 FM78326

 Version 1 Revised 14/10/2022 10:39:34 AM

Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

HazChem Code • 3Z

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): Not applicable

HS Tariff Code: 3302.90.00

All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals (AIIC).

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

Section 16. Other information

Full list of precautionary phrases

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing fumes.
2720	Contaminated work clothing should not be allowed out of the

P272 Contaminated work clothing should not be allowed out of the workplace.

- P273 Avoid release to the environment.
- P280 Wear protective gloves and eye protection
- P302+P352 IF ON SKIN: Wash with plenty of water.
- P312 Call a POISON CENTRE if you feel unwell.
- P333+P313 If skin irritation or rash occurs: Get medical advice.
- P362+P364Take off contaminated clothing and wash it before reuse.P391Collect spillage.
- P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents and container in accordance to local regulations.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

GHS: According to 2015	/830/EU		
Code Number Version 1 Pevised	FM78326 14/10/2022 10:39:34 AM		
Wording of any	hazard classes listed in section 3		
FL 3	Flammable liquid, category 3		
FL 4	Flammable liquid, category 4		
ATO 3	Acute toxicity, oral, category 3		
ATO 4	Acute toxicity, oral, category 4		
ATO 5	Acute toxicity, oral, category 5		
AH 1	Aspiration hazard, category 1		
ATD 3	Acute toxicity, dermal, category 3		
ATD 4	Acute toxicity, dermal, category 4		
ATD 5	Acute toxicity, dermal, category 5		
SCI 2	Skin corrosion/irritation, category 2		
SCI 3	Skin corrosion/irritation, category 3		
SS 1	Skin sensitisation, category 1		
SS 1A	Skin sensitisation, category 1A		
SS 1B	Skin sensitisation, category 1B		
EDI 2A	Eye damage/irritation, category 2A		
ATI 3	Acute toxicity, inhalation, category 3		
ATI 4	Acute toxicity, inhalation, category 4		
ATI 5	Acute toxicity, inhalation, category 5		
EH A1	Aquatic hazard, acute, category 1		
EH A2	Aquatic hazard, acute, category 2		
EH A3	Aquatic hazard, acute, category 3		
EH C1	Aquatic hazard, chronic, category 1		
EH C2	Aquatic hazard, chronic, category 2		
EH C3	Aquatic hazard, chronic, category 3		
Wording of any	hazard statements listed in section 3		
H226	Flammable liquid and vapour		
H227	Combustible liquid		
H301	Toxic if swallowed		
H302	Harmful if swallowed		
H303	May be harmful if swallowed		
H304	May be fatal if swallowed and enters a	airways	
H311	Toxic in contact with skin	2	
H312	Harmful in contact with skin		

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Page 12 of 13

Printed on 14 Oct 2022

GHS: According to 2015/830/EU

Code Number FM78326 Version 1 Revised 14/10/2022 10:39:34 AM

H313May be harmful in contact with skinH315Causes skin irritationH316Causes mild skin irritationH317May cause an allergic skin reactionH319Causes serious eye irritationH331Toxic if inhaledH332Harmful if inhaledH333May be harmful if inhaledH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH403Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationKey:N/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial Chemicals Introduction SchemeVersion 1: GHS format, RB14/10/2022			
H316Causes mild skin irritationH317May cause an allergic skin reactionH319Causes serious eye irritationH331Toxic if inhaledH332Harmful if inhaledH333May be harmful if inhaledH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsKey:N/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Inventory of Industrial Chemicals		H313	May be harmful in contact with skin
H317May cause an allergic skin reactionH319Causes serious eye irritationH311Toxic if inhaledH322Harmful if inhaledH333May be harmful if inhaledH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic lifeH412Harmful to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationKey:N/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction Scheme		H315	Causes skin irritation
H319Causes serious eye irritationH331Toxic if inhaledH332Harmful if inhaledH333May be harmful if inhaledH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationKey:N/A = Not applicableSusMP = Standard for the Uniform Scheduling of Medicines and PoisonsAICIS = Australian Inventory of Industrial ChemicalsIntroduction Scheme		H316	Causes mild skin irritation
H331Toxic if inhaledH332Harmful if inhaledH333May be harmful if inhaledH333May be harmful if inhaledH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsKey:N/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction Scheme		H317	May cause an allergic skin reaction
H332Harmful if inhaledH333May be harmful if inhaledH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationKey:N/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction Scheme		H319	Causes serious eye irritation
H333May be harmful if inhaledH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH400Very toxic to aquatic life with long lasting effectsH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationKey:N/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction Scheme		H331	Toxic if inhaled
H400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsKey:N/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction Scheme		H332	Harmful if inhaled
H401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412References and further informationKey:N/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction Scheme		H333	May be harmful if inhaled
H402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationKey:N/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction Scheme		H400	Very toxic to aquatic life
H410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationKey:N/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction Scheme		H401	Toxic to aquatic life
H411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationKey:N/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction Scheme		H402	Harmful to aquatic life
H412 Harmful to aquatic life with long lasting effects References and further information Key: N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemicals AICIS = Australian Industrial Chemicals Introduction Scheme		H410	Very toxic to aquatic life with long lasting effects
References and further information Key: N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemicals AICIS = Australian Industrial Chemicals Introduction Scheme		H411	Toxic to aquatic life with long lasting effects
Key: N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemicals AICIS = Australian Industrial Chemicals Introduction Scheme		H412	Harmful to aquatic life with long lasting effects
N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemicals AICIS = Australian Industrial Chemicals Introduction Scheme		References and furth	ner information
	N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemicals AICIS = Australian Industrial Chemicals Introduction Scheme		