

SAFETY DATA S GHS: According to 2015/830/		Printed on 23 Jan 202.
<i>Code Number Version 1 Revised 23/</i>	FM79016 01/2023 4:37:21 PM	
Section 1. Identification	on of the substance/mixture and	of the company/undertaking
1.1 Product I dentifier Product Name Code Number Alternative Name	SANDALWOOD KENNEDY SMITH FM79016	
REACH Reg No	Not registered	
1.2 Relevant identifie	d uses of the substance or mixtu	re and uses advised against
For fragrance use.		
1.3 Details of the sup	olier of the safety data sheet Australian Botanical Products Ltd	
	39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529	
Telephone Number	Tel No. +613 97094800	
Email Address	info@abp.com.au	
1.4 Emergency Tel No	Emergency No. +61 438196124	
Section 2. Hazard Ider	tification	
2.1 Classification of th	ne substance or mixture	
SCI 2	Skin corrosion/irritation, category	2
EH A3	Aquatic hazard, acute, category 3	.
EH C2	Aquatic hazard, chronic, category	2
2.2 Label elements		

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA		Printed on 23 Jan 20.
HS: According to 2015/	830/EU	
Code Number	FM79016 23/01/2023 4:37:21 PM	
	according to Regulation (EC) N	0 1272/2008
Hazard Pictogra		0 12/2/2000
Ũ		
•		
	\mathbf{v}	
Signal Word	Warning	
Hazard Stateme	nts	
H315	Causes skin irritation	
H411	Toxic to aquatic life with I	ong lasting effects
Precautionary S ⁻	tatements	
P264	Wash hands thoroughly a	fter handling
P273	Avoid release to the envir	ronment.
P280	Wear protective gloves ar	nd eye protection
P302+P352	IF ON SKIN: Wash with p	lenty of water.
P332+P313	If skin irritation occurs: G	et medical advice/attention.
P362+P364	Take off contaminated clo	othing and wash it before reuse.
P391	Collect spillage.	
P501	Dispose of contents and c regulations.	container in accordance to local
2.3 Other Hazards		
Contains alpha-iso	o-Methylionone and Eugenol wh	ich may produce an allergic reaction
No further informa	ation available at this time	
	tion / information on ingree ed here for hazardous components are for illust	
3.2 Mixtures		
	of ingredients	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 23 Jan 2023

GHS: According to 2015/830/EU

Code Number FM79016

Version 1 Revised 23/01/2023 4:37:21 PM

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 36306-87-3 EINECS 252-961-2 REACH	4-(1-ethoxyvinyl)-3,3,5,5-tetramethylcyclohexanone SCI 2;EH C2 H315,H411	10% - 30%
CAS 127-51-5 EINECS 204-846-3 REACH	alpha-iso-Methylionone SCI 2; EDI 2A; EH C2 H315, H319, H411	<10%
CAS 57378-68-4 EINECS 260-709-8 REACH	1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one ATO 4; SCI 2; SS 1; EH A1,C1 H302,H315,H317,H400,H410	<10%
CAS 65113-99-7 EINECS 265-453-0 REACH	a,B,2,2,3-pentamethylcyclopent-3-ene-1-butanol SCI 3;EDI 2A;EH A2,C2 H316,H319,H401,H411	<10%
CAS 67801-20-1 EINECS 267-140-4 REACH	3-methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-o EH A2,C2 H401,H411	<10%
CAS 28219-61-6 EINECS 248-908-8 REACH	2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol FL 4; EDI 2A; EH A1,C1 H227,H319,H400,H410	<10%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

Printed on 23 Jan 2023

GHS: According to 2015/830/EU

Code Number FM79016 Version 1 Revised 23/01/2023 4:37:21 PM

- 4.2 Most important symptoms and effects, both acute and delayedTake phrases in sections 2 and 11 into account. No further information available at this time.
- 4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

- 5.1 Extinguishing Media Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.
- 5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Z

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 23 Jan 2023

GHS: According to 2015/830/EU

 Code Number
 FM79016

 Version 1 Revised 23/01/2023 4:37:21 PM

skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 23 Jan 2023

GHS: According to 2015/830/EU

Code Number FM79016

Version 1 Revised 23/01/2023 4:37:21 PM

Thermal hazards No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

FLASH POINT (°C)	>100°C
APPEARANCE	Mobile liquid
COLOUR	Pale yellow
ODOUR	Sandalwood, saffron, clove, amber, musk
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	0.720 to 0.750
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available

SAFETY DATA SHEET GHS: According to 2015/830/EU	Printed on 23 Jan 202
Code Number FM79016 Version 1 Revised 23/01/2023 4:	
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivit	у
10.1 Reactivity No data.	
10.2 Chemical Stability Stable under the recommended st	orage conditions (see section 7).
10.3 Possibility of hazardous rea No hazardous reactions if stored u	
10.4 Conditions to avoid Avoid exposure to heat, sources o	f ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents a	and from highly alkaline or acidic material.
10.6 Hazardous decomposition p	roducts
During combustion may form carb compounds.	on monoxide, carbon dioxide and unidentified organic
Section 11. Toxicological information	tion
11.1 Information on toxicologica	l effects
Acute toxicity	
Not classified based on available c	lata.
Skin corrosion / irritation Causes skin irritation.	
	า

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 23 Jan 2023

GHS: According to 2015/830/EU

Code Number FM79016 Version 1 Revised 23/01/2023 4:37:21 PM

Respiratory or skin sensitisation No data
Germ cell mutagenicity No data
Carcinogenicity No data
Reproductive toxicity No data
STO-single exposure No data
STO-repeated exposure No data
Aspiration hazard No data
Information on likely routes of exposure No data
Symptoms related to the physical, chemical and toxicological characteristics No data
Delayed and immediate effects as well as chronic effects from short and long-term exposure No data
Interactive effects No data
Other information No data
Section 12. Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains 4-(1-ETHOXYVINYL)-3,3,5,5-TETRAMETHYLCYCLOHEXANONE (36306-87-3) LC50 (96 h) - Cyprinus carpio (fish) – 9.1 mg/L EC50 (48 h) - Daphnia magna – 8.4 mg/L EC50 (72 h) - Pseudokirchnerella subcapitata (algae) – 25mg/L NOEC (72 h) - Pseudokirchnerella subcapitata (algae) – 9mg/L

GHS: According to 2015/830/EU

Printed on 23 Jan 2023

Code Number FM79016

Version 1 Revised 23/01/2023 4:37:21 PM 12.2 Persistence and degradability

No test data available for this substance.

12.3 Bioaccumulative potential No data

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment

No data

12.6 Other adverse effects See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

14.1 UN nu	umber
ADR	3082
ΙΑΤΑ	3082

IMDG	3082

14.2 UN proper shipping name

ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS 4-(1-ETHOXYVINYL)-3,3,5,5-TETRAMETHYLCYCLOHEXANONE)		
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS 4-(1-ETHOXYVINYL)-3,3,5,5-TETRAMETHYLCYCLOHEXANONE)		
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS 4-(1-ETHOXYVINYL)-3,3,5,5-TETRAMETHYLCYCLOHEXANONE)		
14.3 Transport hazard class(es)			
ADR	9		
ΙΑΤΑ	9		
IMDG	9		

Printed on 23 Jan 2023

GHS: According to 2015/830/EU

Code Number FM79016 Version 1 Revised 23/01/2023 4:37:21 PM

14.4 Packing group		
ADR	111	
ΙΑΤΑ	111	
IMDG	111	
Tunnel Code	(E)	
14.5 Environmental Hazards		
Dangerous for the environment. Marine pollutant.		

14.6 Special precautions for user

Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A, S-F Marine Pollutant: Yes

Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

HazChem Code • 3Z

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): Not applicable HS Tariff Code: 3302.90.00

All the constituents of this material are compliant with AICIS regulation.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

Section 16. Other information

Full list of precaution	nary phrases
P264	Wash hands thoroughly after handling
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P302+P352	IF ON SKIN: Wash with plenty of water.
P332+P313	If skin irritation occurs: Get medical advice/

P332+P313If skin irritation occurs: Get medical advice/attention.P362+P364Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

Printed on 23 Jan 2023

GHS: According to 2015/830/EU

 Code Number
 FM79016

 Version 1 Revised 23/01/2023 4:37:21 PM

P501	Dispose of contents and container in accordance to local regulations.
Wording of any	y hazard classes listed in section 3
FL 4	Flammable liquid, category 4
ATO 4	Acute toxicity, oral, category 4
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
EDI 2A	Eye damage/irritation, category 2A
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
Wording of any	y hazard statements listed in section 3
H227	Combustible liquid
H302	Harmful if swallowed
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
References and	d further information
AIIC = Australia	cable ard for the Uniform Scheduling of Medicines and Poisons n Inventory of Industrial Chemicals an Industrial Chemicals Introduction Scheme
Version 1: GHS 1	format, RB 23/01/2023