

SAFETY DATA S GHS: According to 2015/830/		Printed on	18 Apr 2023
<i>Code Number Version 2 Revised 18/0</i>	FM71705 94/2023 2:27:57 PM		
Section 1. Identificatio	n of the substance/mixture and of the substance and of the substance of th	he company/	undertaking
1.1 Product I dentifier			
Product Name	NIEVA		
Code Number	FM71705		
Alternative Name			
REACH Reg No	Not registered		
1.2 Relevant identified	l uses of the substance or mixture a	nd uses advis	ed against
For fragrance use.			
1.3 Details of the supp	lier of the safety data sheet		
	Australian Botanical Products Ltd		
	39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529		
Telephone Number	Tel No. +613 97094800		
Email Address	info@abp.com.au		
1.4 Emergency Tel No	Emergency No. +61 438196124		
Section 2. Hazard I den	tification		
2.1 Classification of th	e substance or mixture		
FL 4	Flammable liquid, category 4		
SCI 2	Skin corrosion/irritation, category 2		
SS 1B	Skin sensitisation, category 1B		
EDI 2A	Eye damage/irritation, category 2A		
EH A2	Aquatic hazard, acute, category 2		
EH C2	Aquatic hazard, chronic, category 2		
2.2 Label elements			

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

IS: According to 2015/	83U/EU	
Code Number	FM71705	
	18/04/2023 2:27:57 PM	1272/2000
Hazard Pictogram	according to Regulation (EC) No 1 ns	127272008
	¥.,	
Signal Word	Warning	
Hazard Statemer	-	
H227	Combustible liquid	
H315	Causes skin irritation	
H317	May cause an allergic skin re	eaction
H319	Causes serious eye irritation	
H411	Toxic to aquatic life with long	g lasting effects
Precautionary St	atements	
P210	Keep away from heat, hot su other ignition sources. No sr	urfaces, sparks, open flames and noking.
P261	Avoid breathing fumes.	
P273	Avoid release to the environ	ment.
P280	Wear protective gloves and	eye protection
P333+P313	If skin irritation or rash occu	rs: Get medical advice.
P337+P313	If eye irritation persists: Get	t medical attention.
P362+P364	Take off contaminated clothi	ing and wash it before reuse.
P391	Collect spillage.	
P403+P235	Store in a well-ventilated pla	ace. Keep cool.
P501	Dispose of contents and con regulations.	tainer in accordance to local
2.3 Other Hazards		
Benzyl Salicylate,	-Methylionone, Amyl Cinnamal, Be Citral, Citronellol, Eugenol, Farnes Limonene and Linalool which ma	sol, Geraniol, Hexyl Cinnamal,

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 18 Apr 2023

GHS: According to 2015/830/EU

Code Number FM71705

Version 2 Revised 18/04/2023 2:27:57 PM

No further information available at this time

Section 3. Composition / information on ingredients Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 120-51-4 EINECS 204-402-9 REACH	Benzyl benzoate ATO 4(1500);EH C2 H302,H411	<10%
CAS 87-19-4 EINECS 201-729-9 REACH	isobutyl salicylate ATO 4(1560);SCI 3 H302,H316	<10%
CAS 107-75-5 EINECS 203-518-7 REACH	7-hydroxycitronellal SCI 2; SS 1B; EDI 2A; EH A3 H315, H317, H319, H402	<10%
CAS 87-20-7 EINECS 201-730-4 REACH	isopentyl salicylate ATO 5;EH A2,C3 H303,H401,H412	<10%
CAS 60-12-8 EINECS 200-456-2 REACH	2-phenylethanol ATO 4(1609);EDI 2A H302,H319	<10%
CAS 120-57-0 EINECS 204-409-7 REACH	Piperonal ATO 5(2700):SS 1B H303,H317	<10%
CAS 127-51-5 EINECS 204-846-3 REACH	alpha-iso-Methylionone SCI 2; EDI 2A; EH C2 H315,H319,H411	< 10%
CAS 1222-05-5 EINECS 214-946-9 REACH	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran EH A1,C1 H400,H410	<10%
CAS 140-11-4 EINECS 205-399-7 REACH	Benzyl acetate FL 4;ATO 5(2490);SCI 2;EDI 2A;ATI 5;STO-SE 3(RI);EH A2,C2 H227,H303,H315,H319,H333,H335,H401,H411	<10%
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410	<10%

Printed on 18 Apr 2023

GHS: According to 2015/830/EU

Code Number FM71705

Version 2 Revised 18/04/2023 2:27:57 PM

CAS 127-91-3 EINECS 204-872-5 REACH	beta-Pinene FL 3; ATO 5(3700); AH 1; SCI 2; SS 1B; EH A1, C1 H226, H303, H304, H315, H317, H400, H410	<10%
CAS 106-22-9 EINECS 203-375-0 REACH	Citronellol (d,I-Citronellol) SCI 2;SS 1B;EDI 2A H315,H317,H319	<10%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3; SCI 2; SS 1B; AH 1; EH A1,C1 H226,H304,H315,H317,H400,H410	<10%
CAS 106-24-1 EINECS 203-377-1 REACH	Geraniol SCI 2; SS 1; EDI 1 H315,H317,H318	<10%
CAS 105-87-3 EINECS 203-341-5 REACH	Geranyl acetate SCI 2; SS 1; EH C3 H315,H317,H412	<10%
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4:SS 1B H227,H317	<10%
CAS 115-95-7 EINECS 204-116-4 REACH	Linalyl acetate FL 4; SCI 2; EDI 2A; EH A3 H227, H315, H319, H402	<10%
CAS 106-25-2 EINECS 203-378-7 REACH	Nerol ATO 5(4500); EDI 2A; SCI 2; SS 1B; EH A2 H303,H315,H317,H319,H401	<10%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY	SHEET
JALLI	JILLI

Printed on 18 Apr 2023

GHS: According to 2015/830/EU

 Code Number
 FM71705

 Version 2 Revised 18/04/2023 2:27:57 PM

After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

- 4.2 Most important symptoms and effects, both acute and delayed Take phrases in sections 2 and 11 into account. No further information available at this time
- 4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

- 5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.
- 5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Z

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 18 Apr 2023

GHS: According to 2015/830/EU

Code Number FM71705 Version 2 Revised 18/04/2023 2:27:57 PM

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET GHS: According to 2015/830/EU	Printed on 18 Apr 202.
Code Number FM71705 Version 2 Revised 18/04/2023 2:2	
Thermal hazards No information.	
compliance with environmental pro National Exposure Standards	cess equipment should be checked to ensure
Biological Limit Values No biological limit allocated.	
Section 9. Physical and chemical p	properties
9.1 Information on basic physica FLASH POINT (°C)	l and chemical properties 75°C
APPEARANCE	Mobile liquid
COLOUR	Yellow
ODOUR	Fresh, floral, woody, powder
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	0.99 to 1.002
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available

SAFETY DATA SHEET HS: According to 2015/830/EU	Printed on 18 Apr 202
Code Number FM71705	
Version 2 Revised 18/04/2023 2:2	27:57 PM
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivity	у
10.1 Reactivity No data.	
10.2 Chemical Stability Stable under the recommended st	orage conditions (see section 7).
10.3 Possibility of hazardous rea No hazardous reactions if stored u	
10.4 Conditions to avoid Avoid exposure to heat, sources of	f ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents a	and from highly alkaline or acidic material.
10.6 Hazardous decomposition pl	roducts
	on monoxide, carbon dioxide and unidentified organic
Section 11. Toxicological informat	tion
11.1 Information on toxicologica	l effects
Acute toxicity	
Not classified based on available d	ata.
Skin corrosion / irritation Causes skin irritation.	
Causes skin initiation.	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 18 Apr 2023

GHS: According to 2015/830/EU

FM71705 Code Number Version 2 Revised 18/04/2023 2:27:57 PM

Respiratory or skin sensitisation
May cause an allergic skin reaction.
Germ cell mutagenicity
No data
Carcinogenicity
No data
Reproductive toxicity
No data
STO-single exposure
No data
STO-repeated exposure
No data
Aspiration hazard
No data
Information on likely routes of exposure
No data
Symptoms related to the physical, chemical and toxicological characteristics
No data
Delayed and immediate effects as well as chronic effects from short and
long-term exposure No data
Interactive effects
No data
Other information
No data
Section 12. Ecological information
12.1 Toxicity
Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains D-Limonene (5989-27-5):

LC50 (96 h) - Pimephales promelas (fathead minnow) – 0.72 mg/L EC50 (48 h) - Daphnia magna – 0.36 mg/L EC50 (72 h) - Raphidocelis subcapitata – 0.32 mg/L

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

	DATA SHEET g to 2015/830/EU	Printed on 18 Apr	20.
	ber FM71705 Revised 18/04/2023 2:27:57 PM		
	stence and degradability ata available for this substance.		
12.3 Bioaco No data	cumulative potential		
12.4 Mobili Avoid soil	ity in soil , surface water and water-bearing stratu	um contamination.	
12.5 Result No data	ts of PBT and vPvB assessment		
12.6 Other	adverse effects ons 6, 7, 13 and 15.		
Section 13. Please refer	Disposal considerations to the information in section 8 (Exposur e treatment methods	re controls and personal protection)	
Section 13. Please refer 13.1 Waste Dispose ir Section 14.	Disposal considerations to the information in section 8 (Exposur e treatment methods n accordance with the law and local regu Transport information		
Section 13. Please refer 13.1 Waste Dispose ir Section 14. 14.1 UN nu	Disposal considerations to the information in section 8 (Exposur e treatment methods n accordance with the law and local regu Transport information		
Section 13. Please refer 13.1 Waste Dispose ir Section 14. 14.1 UN nu ADR	Disposal considerations to the information in section 8 (Exposur e treatment methods n accordance with the law and local regu Transport information umber 3082		
Section 13. Please refer 13.1 Waste Dispose ir Section 14. 14.1 UN nu ADR IATA	Disposal considerations to the information in section 8 (Exposur e treatment methods n accordance with the law and local regu Transport information umber 3082 3082		
Section 13. Please refer 13.1 Waste Dispose ir Section 14. 14.1 UN nu ADR IATA IMDG	Disposal considerations to the information in section 8 (Exposur e treatment methods n accordance with the law and local regu Transport information umber 3082 3082 3082		
Section 13. Please refer 13.1 Waste Dispose ir Section 14. 14.1 UN nu ADR IATA IMDG	Disposal considerations to the information in section 8 (Exposur e treatment methods in accordance with the law and local regu Transport information umber 3082 3082 3082 coper shipping name ENVIRONMENTALLY HAZARDOUS S		INS
Section 13. Please refer 13.1 Waste Dispose ir Section 14. 14.1 UN nu ADR IATA IMDG 14.2 UN pre	Disposal considerations to the information in section 8 (Exposur e treatment methods in accordance with the law and local regu Transport information umber 3082 3082 3082 coper shipping name ENVIRONMENTALLY HAZARDOUS Si D-LIMONENE)	lations. Treat as trade effluent.	
Section 13. Please refer 13.1 Waste Dispose in Section 14. 14.1 UN nu ADR IATA IMDG 14.2 UN pro ADR	Disposal considerations to the information in section 8 (Exposur e treatment methods n accordance with the law and local regu Transport information umber 3082 3082 3082 3082 coper shipping name ENVIRONMENTALLY HAZARDOUS SI D-LIMONENE) ENVIRONMENTALLY HAZARDOUS SI D-LIMONENE)	lations. Treat as trade effluent. UBSTANCE, LIQUID, N.O.S. (CONTA	INS
Section 13. Please refer 13.1 Waste Dispose in Section 14. 14.1 UN nu ADR IATA IMDG 14.2 UN pro ADR IATA IATA IMDG	Disposal considerations to the information in section 8 (Exposur e treatment methods n accordance with the law and local regu Transport information umber 3082 3082 3082 3082 coper shipping name ENVIRONMENTALLY HAZARDOUS Si D-LIMONENE) ENVIRONMENTALLY HAZARDOUS Si D-LIMONENE) ENVIRONMENTALLY HAZARDOUS Si	lations. Treat as trade effluent. UBSTANCE, LIQUID, N.O.S. (CONTA UBSTANCE, LIQUID, N.O.S. (CONTA)	INS
Section 13. Please refer 13.1 Waste Dispose in Section 14. 14.1 UN nu ADR IATA IMDG 14.2 UN pro ADR IATA IATA IMDG	Disposal considerations to the information in section 8 (Exposur e treatment methods in accordance with the law and local regu Transport information umber 3082 3082 3082 3082 3082 coper shipping name ENVIRONMENTALLY HAZARDOUS SI D-LIMONENE) ENVIRONMENTALLY HAZARDOUS SI D-LIMONENE) ENVIRONMENTALLY HAZARDOUS SI D-LIMONENE) ENVIRONMENTALLY HAZARDOUS SI D-LIMONENE)	lations. Treat as trade effluent. UBSTANCE, LIQUID, N.O.S. (CONTA UBSTANCE, LIQUID, N.O.S. (CONTA)	INS
Section 13. Please refer 13.1 Waste Dispose in Section 14. 14.1 UN nu ADR IATA IMDG 14.2 UN pro ADR IATA IMDG 14.3 Trans	Disposal considerations to the information in section 8 (Exposur e treatment methods n accordance with the law and local regu Transport information umber 3082 3082 3082 3082 coper shipping name ENVIRONMENTALLY HAZARDOUS SI D-LIMONENE) ENVIRONMENTALLY HAZARDOUS SI D-LIMONENE) ENVIRONMENTALLY HAZARDOUS SI D-LIMONENE) ENVIRONMENTALLY HAZARDOUS SI D-LIMONENE) port hazard class(es)	lations. Treat as trade effluent. UBSTANCE, LIQUID, N.O.S. (CONTA UBSTANCE, LIQUID, N.O.S. (CONTA)	INS

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 18 Apr 2023

GHS: According to 2015/830/EU

P273

Code Number FM71705 Version 2 Revised 18/04/2023 2:27:57 PM

14.4 Packing group			
ADR	III		
ΙΑΤΑ	III		
IMDG	III		
Tunnel Code	(E)		
14.5 Environr	mental Hazards		
Dangerous f	or the environment. Marine pollutant.		
	precautions for user Insport (International Maritime Dangerous Goods Code (IMDG Code)):		
EmS: F-A, S Marine Pollu	-F		
Road and Ra	il Transport (Australian Dangerous Goods Code (ADG Code)):		
HazChem C	ode • 3Z		
14.7 Transpo Not applicab	rt in bulk according to Annex II of MARPOL73/78 and the IBC Code le		
Section 15. Re	egulatory information		
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture			
Poison Schee	dule (SUSMP): S5 CAUTIONHS Tariff Code: 3302.90.00		
All the const	ituents of this material are compliant with AICIS regulation.		
15.2 Chemical safety assessment			
A chemical safety assessment has not been carried out			
Section 16. Other information			
Full list of precautionary phrases			
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		
P261	Avoid breathing fumes.		
P264	Wash hands thoroughly after handling		
P272	Contaminated work clothing should not be allowed out of the workplace.		

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Avoid release to the environment.

GHS: According to 2015/830/EU

Printed on 18 Apr 2023

Code Number FM71705 Version 2 Revised 18/04/2023 2:27:57 PM P280 Wear protective gloves and eye protection P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsina P333+P313 If skin irritation or rash occurs: Get medical advice. If eye irritation persists: Get medical attention. P337+P313 P362+P364 Take off contaminated clothing and wash it before reuse. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents and container in accordance to local regulations. Wording of any hazard classes listed in section 3 FI 3 Flammable liquid, category 3 FI 4 Flammable liquid, category 4 ATO 4 Acute toxicity, oral, category 4 ATO 5 Acute toxicity, oral, category 5 AH 1 Aspiration hazard, category 1 SCI 2 Skin corrosion/irritation, category 2 SCI 3 Skin corrosion/irritation, category 3 SS 1 Skin sensitisation, category 1 SS 1B Skin sensitisation, category 1B EDI 1 Eye damage/irritation, category 1 EDI 2A Eye damage/irritation, category 2A Acute toxicity, inhalation, category 5 ATI 5 STO-SE 3(RI) Specific target organ, single exposure, respiratory irritation EH A1 Aquatic hazard, acute, category 1 Aquatic hazard, acute, category 2 EH A2 EH A3 Aquatic hazard, acute, category 3 FH C1 Aquatic hazard, chronic, category 1 Aquatic hazard, chronic, category 2 EH C2 Aquatic hazard, chronic, category 3 EH C3 Wording of any hazard statements listed in section 3 Flammable liquid and vapour H226 H227 Combustible liquid

Printed on 18 Apr 2023

GHS: According to 2015/830/EU

Code Number FM71705 Version 2 Revised 18/04/2023 2:27:57 PM

H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
References and furth	ner information
AIIC = Australian Inve	the Uniform Scheduling of Medicines and Poisons ntory of Industrial Chemicals ustrial Chemicals Introduction Scheme
Version 1: GHS format Version 2: Mandatory r	