

SAFETY DATA SHEET GHS: According to 2015/830/EU	Printed on 22 Mar 202	
Code Number FM73878 Version 2 Revised 22/03/2024 9:48:23 AM		
Section 1. Identification of the substance/mixture and	of the company/undertaking	
1.1 Product I dentifier		
Product Name TROPICAL APPLE		
Code Number FM73878		
Alternative Name		
REACH Reg No Not registered		
1.2 Relevant identified uses of the substance or mixtu	re and uses advised against	
For fragrance use.		
1.3 Details of the supplier of the safety data sheet		
Australian Botanical Products Ltd		
39 Melverton Drive, Hallam		
Victoria, 3803 Australia		
ABN: 45006782529		
Telephone Number Tel No. +613 97094800		
Email Address abpsales@ixom.com		
1.4 Emergency Tel No Emergency No. +61 1 800 033 11	1	
Section 2. Hazard I dentification		
2.1 Classification of the substance or mixture		
FL 4 Flammable liquid, category 4		
ATO 5 Acute toxicity, oral, category 5		
SCI 2 Skin corrosion/irritation, category	2	
SS 1B Skin sensitisation, category 1B		
EH A2Aquatic hazard, acute, category 2EH C2Aquatic hazard, chronic, category		
	2	
2.2 Label elements		

SAFETY DATA SHEET Printed on 22 Mar 2029 GHS: According to 2015/830/EU		
Code Number	FM73878	
Version 2 Revised 2	.2/03/2024 9:48:23 AM	
GHS classification	according to Regulation (EC) No 1272	/2008
Hazard Pictograr	ns	
	NK.	
•		
Signal Word	Warning	
Hazard Statemer	nts	
H227	Combustible liquid	
H315	Causes skin irritation	
H317	May cause an allergic skin reacti	on
H411	Toxic to aquatic life with long las	sting effects
Precautionary St	atements	
P210	Keep away from heat, hot surfac other ignition sources. No smoki	
P261	Avoid breathing fumes.	
P273	Avoid release to the environmen	it.
P280	Wear protective gloves and eye	protection
P312	Call a POISON CENTRE if you fee	el unwell.
P333+P313	If skin irritation or rash occurs:	Get medical advice.
P362+P364	Take off contaminated clothing a	and wash it before reuse.
P391	Collect spillage.	
P403+P235	Store in a well-ventilated place.	Keep cool.
P501	Dispose of contents and containe regulations.	er in accordance to local
2.3 Other Hazards		
Contains alpha-iso may produce an al	-Methylionone, Amyl Cinnamal, Citral, llergic reaction	, Limonene and Linalool which
No further informa	tion available at this time	

No further information available at this time

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 22 Mar 2024

GHS: According to 2015/830/EU

Code Number FM73878

Version 2 Revised 22/03/2024 9:48:23 AM

Section 3. Composition / information on ingredients Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene)	1% - 10%
	FL 3; SCI 2; SS 1B; AH 1; EH A1, C1 H226, H304, H315, H317, H400, H410	
CAS 142-19-8 EINECS 205-527-1	allyl heptanoate	1% - 10%
REACH	ATO 3(218);ATD 3(810);EH A1,C3 H301,H311,H400,H412	
CAS 103-95-7 EINECS 203-161-7	3-p-cumenyl-2-methylpropionaldehyde	1% - 10%
REACH	FL 4:ATO 5(3810);SCI 2;SS 1B;EH A2,C3 H227,H303,H315,H317,H401,H412	
CAS 77-83-8 EINECS 201-061-8	ethyl 2,3-epoxy-3-phenylbutyrate	1% - 10%
REACH	SS 1;EH A2,C2 H317,H401,H411	
CAS 3681-71-8 EINECS 222-960-1 REACH	(Z)-hex-3-enyl acetate	1% - 10%
	FL 3;SCI 3;EH A3 H226,H316,H402	
CAS 5471-51-2 EINECS 226-806-4	4-(4-hydroxyphenyl)butan-2-one	1% - 10%
REACH	ATO 4(1400) H302	
CAS 104-67-6 EINECS 203-225-4	undecan-4-olide	1% - 10%
REACH	EH C3 H412	
CAS 55066-48-3 EINECS 259-461-3	3-methyl-5-phenylpentanol	1% - 10%
REACH	ATO 4(1830); ATD 5(3100); STO-RE 2 H302, H313, H373	
CAS 88-41-5 EINECS 201-828-7	2-tert-butylcyclohexyl acetate	1% - 10%
REACH	FL 4;ATO 5;SCI 3;EH A2,C2 H227,H303,H316,H401,H411	
CAS 121-33-5 EINECS 204-465-2	Vanillin	1% - 10%
REACH	ATO 5; EDI 2A; EH A3 H303, H319, H402	
CAS 122-40-7 EINECS 204-541-5	2-benzylideneheptanal	1% - 10%
REACH	ATO 5;SS 1B;EH A1,C2 H303,H317,H400,H411	

Printed on 22 Mar 2024

GHS: According to 2015/830/EU

Code Number FM73878

Version 2 Revised 22/03/2024 9:48:23 AM

CAS 127-51-5 EINECS 204-846-3 REACH	alpha-iso-Methylionone SCI 2; EDI 2A; EH C2 H315, H319, H411	1% - 10%
CAS 1335-66-6 EINECS 215-638-7 REACH	isocyclocitral FL 4;ATO 5(4500);SCI 2;SS 1;EDI 2A;EH A3,C3 H227,H303,H315,H317,H319,H402,H412	<1%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

May be harmful if swallowed. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 22 Mar 2024

GHS: According to 2015/830/EU

Code Number FM73878 Version 2 Revised 22/03/2024 9:48:23 AM

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Z

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.

6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 22 Mar 2024

GHS: According to 2015/830/EU

Code Number FM73878 Version 2 Revised 22/03/2024 9:48:23 AM

out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties FLASH POINT (°C) 69

Printed on 22 Mar 2024

GHS: According to 2015/830/EU

 Code Number
 FM73878

 Version 2 Revised 22/03/2024 9:48:23 AM

APPEARANCE	Mobile liquid	
COLOUR	Yellow	
ODOUR	Fruity, apple, tropical fruits	
ODOUR THRESHOLD	Not available	
pH @20 DEG C	Not available	
MELTING/FREEZING POINT	Not available	
INITIAL BOILING POINT AND RANGE	Not available	
EVAPORATION RATE	Not available	
FLAMMABILITY (SOLID/GAS)	Not available	
UPPER/LOWER FLAMMABILITY LIMITS	Not available	
VAPOUR PRESSURE	Not available	
VAPOUR DENSITY	Not available	
SPECIFIC GRAVITY @ 20°C	0.964 to 0.984	
SOLUBILITIES	Insoluble in water	
PARTITION COEFF N-OCTANAL/WATER	Not available	
AUTO-IGNITION TEMPERATURE	Not available	
DECOMPOSITION TEMPERATURE	Not available	
VISCOSITY @ 20 DEG C	Not available	
EXPLOSIVE PROPERTIES	Not available	
OXIDISING PROPERTIES	Not available	
9.2 Other information No further information available.		
Section 10. Stability and reactivity	,	
10.1 Reactivity No data.		
10.2 Chemical Stability Stable under the recommended storage conditions (see section 7).		

Printed on 22 Mar 2024

GHS: According to 2015/830/EU

 Code Number
 FM73878

 Version 2 Revised 22/03/2024 9:48:23 AM

10.3 Possibility of hazardous reactions No hazardous reactions if stored under suitable storage conditions. 10.4 Conditions to avoid Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air. 10.5 Incompatible materials Keep away from oxidising agents and from highly alkaline or acidic material. 10.6 Hazardous decomposition products During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds. Section 11. Toxicological information 11.1 Information on toxicological effects Acute toxicity May be harmful if swallowed. Skin corrosion / irritation Causes skin irritation. Serious eye damage / irritation Not classified based on available data. Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity No data Carcinogenicity No data Reproductive toxicity No data STO-single exposure No data STO-repeated exposure No data Aspiration hazard No data

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 22 Mar 2024

GHS: According to 2015/830/EU

Code Number FM73878 Version 2 Revised 22/03/2024 9:48:23 AM

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains D-Limonene (5989-27-5): LC50 (96 h) - Pimephales promelas (fathead minnow) – 0.72 mg/L EC50 (48 h) - Daphnia magna – 0.36 mg/L EC50 (72 h) - Raphidocelis subcapitata – 0.32 mg/L

12.2 Persistence and degradability

No test data available for this substance.

12.3 Bioaccumulative potential No data

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment No data

12.6 Other adverse effects See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 22 Mar 2024

GHS: According to 2015/830/EU

Code Number FM73878 Version 2 Revised 22/03/2024 9:48:23 AM

Section 14. Transport information			
14.1 UN number			
ADR	3082		
ΙΑΤΑ	3082		
IMDG	3082		
14.2 UN prop	er shipping name		
ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)		
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)		
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)		
14.3 Transpo	rt hazard class(es)		
ADR	9		
ΙΑΤΑ	9		
IMDG	9		
14.4 Packing	group		
ADR	111		
ΙΑΤΑ	III		
IMDG	III		
Tunnel Code	(-)		
14.5 Environmental Hazards			
Dangerous fo	or the environment. Marine pollutant.		
14.6 Special precautions for user Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A, S-F Marine Pollutant: Yes			
Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):			
HazChem Code • 3Z			
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable			

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DAT		Printed on 22 Mar 202
GHS: According to 2015	/830/EU	
<i>Code Number Version 2 Revised .</i>	FM73878 22/03/2024 9:48:23 AM	
Section 15. Regula	tory information	
15.1 Safety, healt substance or mixt		ations/legislation specific for the
Poison Schedule (SUSMP): S6 POISON	HS Tariff Code: 3302.90.00
All the constituen	ts of this material are complia	nt with AICIS regulation.
15.2 Chemical safe	•	
A chemical safety	assessment has not been car	ried out
Section 16. Other i	nformation	
Full list of preca	utionary phrases	
P210	Keep away from heat, h other ignition sources. I	not surfaces, sparks, open flames and No smoking.
P261	Avoid breathing fumes.	
P264	Wash hands thoroughly	after handling
P272	Contaminated work clot workplace.	hing should not be allowed out of the
P273	Avoid release to the en	vironment.
P280	Wear protective gloves	and eye protection
P302+P352	IF ON SKIN: Wash with	plenty of water.
P312	Call a POISON CENTRE	if you feel unwell.
P333+P313	If skin irritation or rash	occurs: Get medical advice.
P362+P364	Take off contaminated	clothing and wash it before reuse.
P391	Collect spillage.	
P403+P235	Store in a well-ventilate	ed place. Keep cool.
P501	Dispose of contents and regulations.	container in accordance to local
Wording of any	hazard classes listed in see	ction 3
FL 3	Flammable liquid, categ	jory 3
FL 4	Flammable liquid, categ	jory 4
ATO 3	Acute toxicity, oral, cat	-
ATO 4	Acute toxicity, oral, cat	
ATO 5	Acute toxicity, oral, cat	
AH 1	Aspiration hazard, cate	
ATD 3	Acute toxicity, dermal,	

Printed on 22 Mar 2024

GHS: According to 2015/830/EU

 Code Number
 FM73878

 Version 2 Revised 22/03/2024 9:48:23 AM

ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
STO-RE 2	Specific target organ, repeated exposure, category 2
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3
Wording of any haza	rd statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H301	Toxic if swallowed
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Printed on 22 Mar 2024

GHS: According to 2015/830/EU

Code Number FM73878 Version 2 Revised 22/03/2024 9:48:23 AM

References and further information

N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemicals AICIS = Australian Industrial Chemicals Introduction Scheme

Version 1: GHS format, BV 22/09/2017 Version 2: Mandatory revision, RB 22/03/2024

Page 13 of 13