

| SAFETY DATA S GHS: According to 2015/830/ | | Printed on | 06 Jun 202. |
|---|---|---------------|-------------|
| <i>Code Number Version 2 Revised 6/06</i> | FM76015 7/2023 1:01:24 PM | | |
| Section 1. Identification 1.1 Product Identifier Product Name | n of the substance/mixture and of th VANILLA & CASHMERE | e company/ | undertaking |
| Code Number Alternative Name REACH Reg No | FM76015 Not registered | | |
| 1.2 Relevant identified | l uses of the substance or mixture an | nd uses advis | sed against |
| For fragrance use. | | | |
| 1.3 Details of the supp | lier of the safety data sheet Australian Botanical Products Ltd | | |
| | 39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529 | | |
| Telephone Number | Tel No. +613 97094800 | | |
| Email Address | abpsales@ixom.com | | |
| 1.4 Emergency Tel No | Emergency No. +61 1 800 033 111 | | |
| Section 2. Hazard I den | tification | | |
| 2.1 Classification of th | e substance or mixture | | |
| SCI 2 | Skin corrosion/irritation, category 2 | | |
| SS 1B | Skin sensitisation, category 1B | | |
| EDI 2A | Eye damage/irritation, category 2A | | |
| EH A3 | Aquatic hazard, acute, category 3 | | |
| EH C2 | Aquatic hazard, chronic, category 2 | | |
| 2.2 Label elements | | | |
| | | | |
| | | | |

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

| Code Number | FM76015 | |
|-----------------------------|---|---------------------------------|
| | 5/06/2023 1:01:24 PM | |
| GHS classification | according to Regulation (EC) No 1272 | /2008 |
| Hazard Pictograr | ns | |
| | SVL | |
| | 这 | |
| | | |
| Signal Word | Warning | |
| Hazard Statemer | nts | |
| H315 | Causes skin irritation | |
| H317 | May cause an allergic skin reacti | on |
| H319 | Causes serious eye irritation | |
| H411 | Toxic to aquatic life with long las | sting effects |
| Precautionary St | atements | |
| P261 | Avoid breathing fumes. | |
| P273 | Avoid release to the environmen | t. |
| P280 | Wear protective gloves and eye | protection |
| P333+P313 | If skin irritation or rash occurs: (| Get medical advice. |
| P337+P313 | If eye irritation persists: Get me | dical attention. |
| P362+P364 | Take off contaminated clothing a | and wash it before reuse. |
| P391 | Collect spillage. | |
| P501 | Dispose of contents and containe regulations. | er in accordance to local |
| 2.3 Other Hazards | | |
| | enzoate, Cinnamal, Citral, Citronellol, y produce an allergic reaction | Eugenol, Geraniol, Limonene and |
| No further informa | tion available at this time | |
| • | tion / information on ingredients | |
| Any percentage values liste | d here for hazardous components are for illustrative pur | poses only |

Printed on 06 Jun 2023

GHS: According to 2015/830/EU

Code Number FM76015

Version 2 Revised 6/06/2023 1:01:24 PM

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

| ID Numbers | Chemical Name, Classification and Hazards | Conc (%) |
|---|---|-----------|
| CAS 54464-57-2 EINECS 259-174-3 REACH | 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl) SCI 2;SS 1B;EH C1 H315,H317,H410 | 10% - 30% |
| CAS 121-33-5 EINECS 204-465-2 REACH | Vanillin ATO 5; EDI 2A; EH A3 H303, H319, H402 | <10% |
| CAS 1885-38-7 EINECS 217-552-5 REACH | Cinnamonitrile ATO 3(275);ATD 4(1910);SS 1B H301,H312,H317 | <10% |
| CAS 10339-55-6 EINECS 233-732-6 REACH | 3,7-dimethylnona-1,6-dien-3-ol FL 4;SCI 2;SS 1B;EDI 2A;EH A3 H227,H315,H317,H319,H402 | <10% |
| CAS 121-32-4 EINECS 204-464-7 REACH | 3-ethoxy-4-hydroxybenzaldehyde EDI 2A H319 | <10% |
| CAS 63500-71-0 EINECS 405-040-6 REACH | A mixture of: cis-tetrahydro-2-isobutyl-4-methylpyran-4-ol; EDI 2A H319 | <10% |
| CAS 120-57-0 EINECS 204-409-7 REACH | Piperonal ATO 5(2700); SS 1B H303,H317 | <10% |
| CAS 80-56-8 EINECS 201-291-9 REACH | Pinenes FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410 | <10% |
| CAS 104-55-2 EINECS 203-213-9 REACH | Cinnamic aldehyde ATO 5(2500); SCI 2; SS 1A; EDI 2A H303, H315, H317, H319 | <10% |
| CAS 5989-27-5 EINECS 227-813-5 REACH | d-Limonene (p-Mentha-1,8-diene) FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410 | <10% |
| CAS 97-53-0 EINECS 202-589-1 REACH | Eugenol ATO 5(2000); SCI 2; SS 1; EDI 2A H303, H315, H317, H319 | <10% |
| CAS 105-87-3 EINECS 203-341-5 REACH | Geranyl acetate SCI 2;SS 1;EH C3 H315,H317,H412 | <10% |

Printed on 06 Jun 2023

GHS: According to 2015/830/EU

Code Number FM76015

Version 2 Revised 6/06/2023 1:01:24 PM

| CAS 78-70-6 EINECS 201-134-4 REACH | Linalool FL 4;SS 1B H227,H317 | <10% |
|---|---|------|
| CAS 141-12-8 EINECS 205-459-2 REACH | Neryl acetate SCI 2;SS 1;EH C3 H315,H317,H412 | <10% |

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 06 Jun 2023

GHS: According to 2015/830/EU

 Code Number
 FM76015

 Version 2 Revised 6/06/2023 1:01:24 PM

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Z

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.

6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 06 Jun 2023

GHS: According to 2015/830/EU

Code Number FM76015 Version 2 Revised 6/06/2023 1:01:24 PM

out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

FLASH POINT (°C)

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

150°C

Printed on 06 Jun 2023

GHS: According to 2015/830/EU

 Code Number
 FM76015

 Version 2 Revised 6/06/2023 1:01:24 PM

| COLOURColourless to pale yellowODOURCharacteristicODOUR THRESHOLDNot availablepH @20 DEG CNot availableMELTING/FREEZING POINTNot availableINITIAL BOILING POINT ANDNot available | |
|--|--|
| ODOUR THRESHOLDNot availablepH @20 DEG CNot availableMELTING/FREEZING POINTNot available | |
| pH @20 DEG CNot availableMELTING/FREEZING POINTNot available | |
| MELTING/FREEZING POINT Not available | |
| | |
| INITIAL BOILING POINT AND Not available | |
| RANGE | |
| EVAPORATION RATE Not available | |
| FLAMMABILITY (SOLID/GAS) Not available | |
| UPPER/LOWER FLAMMABILITY Not available LIMITS | |
| VAPOUR PRESSURE Not available | |
| VAPOUR DENSITY Not available | |
| SPECIFIC GRAVITY @ 20°C 0.9 to 0.93 | |
| SOLUBILITIES Insoluble in water | |
| PARTITION COEFF Not available N-OCTANAL/WATER | |
| AUTO-IGNITION TEMPERATURE Not available | |
| DECOMPOSITION TEMPERATURE Not available | |
| VISCOSITY @ 20 DEG C Not available | |
| EXPLOSIVE PROPERTIES Not available | |
| OXIDISING PROPERTIES Not available | |
| 9.2 Other information No further information available. | |
| Section 10. Stability and reactivity | |
| 10.1 Reactivity No data. | |
| 10.2 Chemical Stability Stable under the recommended storage conditions (see section 7). | |

Printed on 06 Jun 2023

GHS: According to 2015/830/EU

 Code Number
 FM76015

 Version 2 Revised 6/06/2023 1:01:24 PM

| 10.3 Possibility of hazardous reactions | |
|--|----|
| No hazardous reactions if stored under suitable storage conditions. | |
| 10.4 Conditions to avoid | |
| Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air. | |
| 10.5 Incompatible materials | |
| Keep away from oxidising agents and from highly alkaline or acidic material. | |
| 10.6 Hazardous decomposition products | |
| During combustion may form carbon monoxide, carbon dioxide and unidentified organi compounds. | ic |
| Section 11. Toxicological information | |
| 11.1 Information on toxicological effects | |
| Acute toxicity | |
| Not classified based on available data. | |
| Skin corrosion / irritation | |
| Causes skin irritation. | |
| Serious eye damage / irritation | |
| Causes serious eye irritation. | |
| Respiratory or skin sensitisation | |
| May cause an allergic skin reaction. | |
| Germ cell mutagenicity | |
| No data | |
| Carcinogenicity | |
| No data | |
| Reproductive toxicity | |
| No data | |
| STO-single exposure | |
| No data | |
| STO-repeated exposure No data | |
| | |
| Aspiration hazard No data | |
| | |
| | |

Printed on 06 Jun 2023

GHS: According to 2015/830/EU

Code Number FM76015 Version 2 Revised 6/06/2023 1:01:24 PM

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains Tetramethyl acetyloctahydronaphthalenes (54464-57-2): LC50 (96 h) - Lepomis macrochirus - 1.3 mg/L EC50 (48 h) - Daphnia magna - 1.38 mg/L EC50 (72 h) - Scenedesmus subspicatus - 2.6 mg/L NOEC (30 days) - Danio rerio - 0.16 mg/L NOEC (21 days) - Daphnia magna – 0.044 mg/L NOEC (72 h) - Scenedesmus subspicatus - 2.6 mg/L

12.2 Persistence and degradability

No test data available for this substance.

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment

No data

12.6 Other adverse effects See sections 6, 7, 13 and 15.

Printed on 06 Jun 2023

GHS: According to 2015/830/EU

Code Number FM76015 Version 2 Revised 6/06/2023 1:01:24 PM

Section 13. Disposal considerations Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

14.1 UN number

| ADR | 3082 |
|------|------|
| IATA | 3082 |
| IMDG | 3082 |

14.2 UN proper shipping name

| ADR | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES) |
|------|--|
| ΙΑΤΑ | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES) |

| IMDG | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS |
|------|---|
| | TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES) |

14.3 Transport hazard class(es)

| ADR | 9 |
|------|---|
| IATA | 9 |
| IMDG | 9 |
| | |

14.4 Packing group

| ADR | 111 |
|------|-----|
| IATA | 111 |
| IMDG | 111 |
| | |

Tunnel Code (E)

14.5 Environmental Hazards

Dangerous for the environment. Marine pollutant.

14.6 Special precautions for user

Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A, S-F Marine Pollutant: Yes

Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

| SAFETY DATA GHS: According to 2015/83 | | Printed on C | 76 Jun 2023 |
|--|---|---|-------------|
| Code Number Version 2 Revised 6/C | FM76015 96/2023 1:01:24 PM | | |
| HazChem Code • | 3Z | | |
| 14.7 Transport in bul Not applicable | k according to Annex II | of MARPOL73/78 and the IE | 3C Code |
| Section 15. Regulator | y information | | |
| 15.1 Safety, health a substance or mixture | | itions/legislation specific fo | r the |
| Poison Schedule (SU | SMP): Not applicable | HS Tariff Code: 3302.90 | 00.0 |
| All the constituents of | f this material are complian | nt with AICIS regulation. | |
| 15.2 Chemical safety A chemical safety as | assessment sessment has not been carr | ied out | |
| Section 16. Other info | rmation | | |
| Full list of precauti | onary nhrases | | |
| P261 | 5 . | | |
| P264 | Avoid breathing fumes. Wash hands thoroughly | after handling | |
| P272 | | hing should not be allowed out | of the |
| P273 | Avoid release to the env | rironment. | |
| P280 | Wear protective gloves | and eye protection | |
| P302+P352 | IF ON SKIN: Wash with | plenty of water. | |
| P305+P351+P338 | | ously with water for several min if present and easy to do. Cont | |
| P333+P313 | If skin irritation or rash | occurs: Get medical advice. | |
| P337+P313 | If eye irritation persists: | Get medical attention. | |
| P362+P364 | Take off contaminated c | lothing and wash it before reus | se. |
| P391 | Collect spillage. | | |
| P501 | Dispose of contents and regulations. | container in accordance to loca | al |
| Wording of any ha | zard classes listed in sec | tion 3 | |
| FL 3 | Flammable liquid, categ | ory 3 | |
| FL 4 | Flammable liquid, categ | - | |
| ATO 3 | Acute toxicity, oral, cate | egory 3 | |

GHS: According to 2015/830/EU

Code Number FM76015 Version 2 Revised 6/06/2023 1:01:24 PM

| ATO 4 | Acute toxicity, oral, category 4 | |
|--|--|--|
| ATO 5 | Acute toxicity, oral, category 5 | |
| AH 1 | Aspiration hazard, category 1 | |
| ATD 4 | Acute toxicity, dermal, category 4 | |
| SCI 2 | Skin corrosion/irritation, category 2 | |
| SS 1 | Skin sensitisation, category 1 | |
| SS 1A | Skin sensitisation, category 1A | |
| SS 1B | Skin sensitisation, category 1B | |
| EDI 2A | Eye damage/irritation, category 2A | |
| EH A1 | Aquatic hazard, acute, category 1 | |
| EH A3 | Aquatic hazard, acute, category 3 | |
| EH C1 | Aquatic hazard, chronic, category 1 | |
| EH C3 | Aquatic hazard, chronic, category 3 | |
| Wording of any hazard statements listed in section 3 | | |
| H226 | Flammable liquid and vapour | |
| H227 | Combustible liquid | |
| H301 | Toxic if swallowed | |
| H302 | Harmful if swallowed | |
| H303 | May be harmful if swallowed | |
| H304 | May be fatal if swallowed and enters airways | |
| H312 | Harmful in contact with skin | |
| H315 | Causes skin irritation | |
| H317 | May cause an allergic skin reaction | |
| H319 | Causes serious eye irritation | |
| H400 | Very toxic to aquatic life | |
| H402 | Harmful to aquatic life | |
| H410 | Very toxic to aquatic life with long lasting effects | |
| H412 | Harmful to aquatic life with long lasting effects | |
| References and further information | | |
| N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemicals AICIS = Australian Industrial Chemicals Introduction Scheme | | |
| Version 1: GHS format, BV 25/02/2019 Version 2: Minor changes, RB 6/06/2023 | | |
| | | |

Printed on 06 Jun 2023

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Page 12 of 12