

Printed on 19 Jan 2022

GHS: According to 2015/830/EU

Code Number FM78036

Version 4 Revised 19/01/2022 8:54:16 AM

Section 1. I dentification of the substance/mixture and of the company/undertaking

1.1 Product I dentifier

Product Name FURY FOR WOMEN BASE RECO QUINTIS

Code Number FM78036

Alternative Name INCI Name: Parfum REACH Reg No Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against For fragrance use.

1.3 Details of the supplier of the safety data sheet

Australian Botanical Products Ltd

39 Melverton Drive, Hallam

Victoria, 3803

Australia

ABN: 45006782529

Telephone Number Tel No. +613 97094800

Email Address info@abp.com.au

1.4 Emergency Tel No Emergency No. +61 438196124

### Section 2. Hazard Identification

## 2.1 Classification of the substance or mixture

ATO 5 Acute toxicity, oral, category 5
SCI 2 Skin corrosion/irritation, category 2
SS 1B Skin sensitisation, category 1B
EDI 2A Eye damage/irritation, category 2A
EH A2 Aquatic hazard, acute, category 2
EH C1 Aquatic hazard, chronic, category 1

2.2 Label elements

Printed on 19 Jan 2022

GHS: According to 2015/830/EU

Code Number FM78036

Version 4 Revised 19/01/2022 8:54:16 AM

GHS classification according to Regulation (EC) No 1272/2008

Hazard Pictograms



Signal Word Warning

Hazard Statements

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H410 Very toxic to aquatic life with long lasting effects

**Precautionary Statements** 

P261 Avoid breathing fumes.

P264 Wash hands thoroughly after handling

P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P312 Call a POISON CENTRE if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice.

P337+P313 If eye irritation persists: Get medical attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P501 Dispose of contents and container in accordance to local

regulations.

Printed on 19 Jan 2022

GHS: According to 2015/830/EU

Code Number FM78036

Version 4 Revised 19/01/2022 8:54:16 AM

#### 2.3 Other Hazards

Contains alpha-iso-Methylionone, Benzyl Alcohol, Benzyl Benzoate, Benzyl Salicylate, Citral, Coumarin, Geraniol, Hexyl Cinnamal, Hydroxycitronellal, Limonene and Linalool which may produce an allergic reaction

## Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

#### 3.2 Mixtures

Complex mixture of ingredients

## Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 1222-05-5 EINECS 214-946-9 REACH	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran EH A1,C1 H400,H410	10% - 30%
CAS 118-58-1 EINECS 204-262-9 REACH	benzyl salicylate ATO 5;SS 1B;EDI 2A;EH C3 H303,H317,H319,H412	10% - 30%
CAS 54464-57-2 EINECS 259-174-3 REACH	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl) SCI 2:SS 1B:EH C1 H315,H317,H410	10% - 30%
CAS 101-86-0 EINECS 202-983-3 REACH	a-hexylcinnamaldehyde SS 1B;EH A1,C2 H317,H400,H411	<10%
CAS 115-95-7 EINECS 204-116-4 REACH	Linalyl acetate  FL 4;SCI 2;EDI 2A;EH A3 H227,H315,H319,H402	<10%
CAS 33704-61-9 EINECS 251-649-3 REACH	1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one ATO 5(2900);SCI 2;SS 1B;EDI 2A;EH C2 H303,H315,H317,H319,H411	<10%
CAS 91-64-5 EINECS 202-086-7 REACH	Coumarin ATO 3;SS 1B;EH A2,C3 H301,H317,H401,H412	<10%
CAS 23696-85-7 EINECS 245-833-2 REACH	1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one SCI 3:SS 1A:EH A2,C2 H316,H317,H401,H411	<10%
CAS 10339-55-6 EINECS 233-732-6 REACH	3,7-dimethylnona-1,6-dien-3-ol FL 4;SCI 2;SS 1B;EDI 2A;EH A3 H227,H315,H317,H319,H402	<10%

Printed on 19 Jan 2022

GHS: According to 2015/830/EU

Code Number FM78036

Version 4 Revised 19/01/2022 8:54:16 AM

CAS 65405-77-8 EINECS 265-745-8 REACH	(Z)-3-hexenyl salicylate SCI 3;SS 1B;EH A1,C1 H316,H317,H400,H410	<10%
CAS 34902-57-3 EINECS 422-320-3 REACH	oxacylohexadecen-2-one EH A1,C1 H400,H410	<10%
CAS 63500-71-0 EINECS 405-040-6 REACH	A mixture of: cis-tetrahydro-2-isobutyl-4-methylpyran-4-ol; EDI 2A H319	<10%
CAS 4707-47-5 EINECS 225-193-0 REACH	methyl 2,4-dihydroxy-3,6-dimethylbenzoate SS 1;EH A2 H317,H401	<10%
CAS 106-24-1 EINECS 203-377-1 REACH	Geraniol SCI 2;SS 1;EDI 1 H315,H317,H318	<10%
CAS 24851-98-7 EINECS 246-495-9 REACH	methyl 3-oxo-2-pentylcyclopentaneacetate  EH A2 H401	<10%
CAS 127-51-5 EINECS 204-846-3 REACH	alpha-iso-Methylionone SCI 2;EDI 2A;EH C2 H315,H319,H411	<10%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene)  FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	<10%

Refer to section 16 for the wording of listed classification and hazard statement codes

#### Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

#### After inhalation

No known adverse effects. If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

#### After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

## After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

Printed on 19 Jan 2022

GHS: According to 2015/830/EU

Code Number FM78036

Version 4 Revised 19/01/2022 8:54:16 AM

#### After ingestion

May be harmful if swallowed. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient

- 4.2 Most important symptoms and effects, both acute and delayed Take phrases in sections 2 and 11 into account. No further information available at this time.
- 4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

## Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

- 5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.
- 5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Z

#### Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Printed on 19 Jan 2022

GHS: According to 2015/830/EU

Code Number FM78036

Version 4 Revised 19/01/2022 8:54:16 AM

### Section 7. Handling and storage

#### 7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

## 7.3 Specific end use(s)

No further information available.

#### Section 8. Exposure controls / personal protection

#### 8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

## 8.2 Exposure controls

#### Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

#### Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

#### Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

#### Hand protection

Wear chemically resistant disposable gloves.

### Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

#### Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Printed on 19 Jan 2022

GHS: According to 2015/830/EU

Code Number FM78036

Version 4 Revised 19/01/2022 8:54:16 AM

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

**Biological Limit Values** 

No biological limit allocated.

#### Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

FLASH POINT (°C) 116

**APPEARANCE** Mobile liquid

**COLOUR** Pale yellow-green

**ODOUR** Bergamot, white flower, iris, sandalwood, amber,

musk

**ODOUR THRESHOLD** Not available pH @20 DEG C Not available MELTING/FREEZING POINT Not available INITIAL BOILING POINT AND

**RANGE** 

Not available

**EVAPORATION RATE** Not available FLAMMABILITY (SOLID/GAS) Not available UPPER/LOWER FLAMMABILITY Not available

LIMITS

VAPOUR PRESSURE Not available **VAPOUR DENSITY** Not available

SPECIFIC GRAVITY @ 20°C 0.985 to 1.015

**SOLUBILITIES** Insoluble in water

PARTITION COEFF Not available

N-OCTANAL/WATER

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 19 Jan 2022

GHS: According to 2015/830/EU

Code Number FM78036

Version 4 Revised 19/01/2022 8:54:16 AM

AUTO-IGNITION TEMPERATURE Not available

DECOMPOSITION TEMPERATURE Not available

VISCOSITY @ 20 DEG C Not available

EXPLOSIVE PROPERTIES Not available

OXIDISING PROPERTIES Not available

9.2 Other information

No further information available

## Section 10. Stability and reactivity

#### 10.1 Reactivity

No data

#### 10.2 Chemical Stability

Stable under the recommended storage conditions (see section 7).

## 10.3 Possibility of hazardous reactions

No hazardous reactions if stored under suitable storage conditions.

### 10.4 Conditions to avoid

Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.

## 10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic material.

### 10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

## Section 11. Toxicological information

## 11.1 Information on toxicological effects

Acute toxicity

May be harmful if swallowed.

Skin corrosion / irritation

Causes skin irritation.

Serious eye damage / irritation

Causes serious eye irritation.

Printed on 19 Jan 2022

GHS: According to 2015/830/EU

Code Number FM78036

Version 4 Revised 19/01/2022 8:54:16 AM

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity

No data

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

No data

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics

No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

## Section 12. Ecological information

## 12.1 Toxicity

Very toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

## 12.2 Persistence and degradability

No tested data available on this product.

Printed on 19 Jan 2022

GHS: According to 2015/830/EU

Code Number FM78036

Version 4 Revised 19/01/2022 8:54:16 AM

#### 12.3 Bioaccumulative potential

No data

#### 12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

## 12.5 Results of PBT and vPvB assessment

No data

#### 12.6 Other adverse effects

See sections 6, 7, 13 and 15.

#### Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

#### 13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

## Section 14. Transport information

## 14.1 UN number

ADR 3082 IATA 3082 IMDG 3082

## 14.2 UN proper shipping name

ADR ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS

1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHYL)ETHA

N-1-ONE)

IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS

1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHYL)ETHA

N-1-ONE)

IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS

1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHYL)ETHA

N-1-ONE)

## 14.3 Transport hazard class(es)

ADR 9
IATA 9
IMDG 9

Printed on 19 Jan 2022

GHS: According to 2015/830/EU

Code Number FM78036

Version 4 Revised 19/01/2022 8:54:16 AM

### 14.4 Packing group

ADR III
IATA III
IMDG III
Tunnel Code (E)

### 14.5 Environmental Hazards

Dangerous for the environment. Marine pollutant.

## 14.6 Special precautions for user

Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)):

EmS: F-A, S-F

Marine Pollutant: Yes

Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

HazChem Code • 3Z

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

## Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule: Not applicable HS Tariff Code: 3302.90.00

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

### Section 16. Other information

# Full list of precautionary phrases

P261 Avoid breathing fumes.

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the

workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection P302+P352 IF ON SKIN: Wash with plenty of water.

Printed on 19 Jan 2022

GHS: According to 2015/830/EU

Code Number FM78036

Version 4 Revised 19/01/2022 8:54:16 AM

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTRE if you feel unwell.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P501	Dispose of contents and container in accordance to local regulations.
Wording of any haza	rd classes listed in section 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
ATO 3	Acute toxicity, oral, category 3
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1A	Skin sensitisation, category 1A
SS 1B	Skin sensitisation, category 1B
EDI 1	Eye damage/irritation, category 1
EDI 2A	Eye damage/irritation, category 2A
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3
Wording of any hazard statements listed in section 3	
H226	Flammable liquid and vapour
H227	Combustible liquid
H301	Toxic if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 19 Jan 2022

GHS: According to 2015/830/EU

Code Number FM78036

Version 4 Revised 19/01/2022 8:54:16 AM

H	315	Causes skin irritation
H	316	Causes mild skin irritation
H	317	May cause an allergic skin reaction
H	318	Causes serious eye damage
H	319	Causes serious eye irritation
H	400	Very toxic to aquatic life
H	401	Toxic to aquatic life
H	402	Harmful to aquatic life
H	410	Very toxic to aquatic life with long lasting effects
H	411	Toxic to aquatic life with long lasting effects
H	412	Harmful to aquatic life with long lasting effects

References and further information

KFY:

N/A = Not applicable

Version 1: GHS format, JR 15/09/2021 Version 2: Minor changes, JR 17/09/2021 Version 3: Formulation updated, RB 19/01/2022

Version 4: Minor changes, RB 19/01/2022