

SAFETY DATA S GHS: According to 2015/830/	
<i>Code Number Version 1 Revised 14/C</i>	FM75468 07/2020 9:26:26 AM
Section 1. Identificatio	n of the substance/mixture and of the company/undertaking
1.1 Product I dentifier	
Product Name	LEMON TART NAT
Code Number	FM75468
Alternative Name	
REACH Reg No	Not registered
1.2 Relevant identified	d uses of the substance or mixture and uses advised against
Concentrated material	for manufacturing purposes only
1.3 Details of the supp	plier of the safety data sheet
	Australian Botanical Products Ltd
	39 Melverton Drive, Hallam Victoria, 3803
	Australia
	ABN: 45006782529
Telephone Number	Tel No. +613 97094800
Email Address	info@abp.com.au
1.4 Emergency Tel No	Emergency No. +61 438196124
Section 2. Hazard I den	tification
2.1 Classification of th	e substance or mixture
FL 3	Flammable liquid, category 3
AH 1	Aspiration hazard, category 1
SCI 2	Skin corrosion/irritation, category 2
SS 1B	Skin sensitisation, category 1B
EH C2	Aquatic hazard, chronic, category 2

IS: According to 2015/8	550/E0
Code Number	FM75468
ersion 1 Revised	14/07/2020 9:26:26 AM
2.2 Label elements	
	according to Regulation (EC) No 1272/2008
Hazard Pictogram	
Signal Word	Danger
Hazard Statemer	nts
H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H411	Toxic to aquatic life with long lasting effects
Precautionary St	atements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignnition sources. No smoking.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P302+P352	IF ON SKIN: Wash with plenty of water.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P362+P364	Take off all contaminated clothing and wash it before reuse.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents and container in accordance with local regulation.

Printed on Wednesday, 15 July 2020

GHS: According to 2015/830/EU

Code Number FM75468

Version 1 Revised 14/07/2020 9:26:26 AM

2.3 Other Hazards

Contains Citral, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3; SCI 2; SS 1B; AH 1; EH A1,C1 H226,H304,H315,H317,H400,H410	10% - 30%
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3; ATO 4; AH 1; SCI 2; EH A1, C1 H226, H302, H304, H315, H400, H410	<10%
CAS 5392-40-5 EINECS 226-394-6 REACH	Citral SCI 2:SS 1 H315,H317	<10%
CAS 121-33-5 EINECS 204-465-2 REACH	Vanillin EDI 2A H319	<10%
CAS 105-87-3 EINECS 203-341-5 REACH	Geranyl Acetate SCI 2: SS 1: EH C3 H315, H317, H412	<10%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in sections 2 into account

- 4.1 Description of first aid measures
 - After inhalation

No known adverse effects. If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating to skin, may cause an allergic skin reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET GHS: According to 2015/830/EU	Printed on Wednesday, 15 July 2020
Code Number FM75468	
Version 1 Revised 14/07/2020 9:26:26 AM	И
After eye contact	
No known adverse effects from temporary e for 15 minutes including under eyelid. Seek contact lenses after an eye injury should on	medical if irritation persists. Removal of
After ingestion	
May fatal if enters airways. Do NOT induce vomiting occur. Wash mouth with plenty of immediately. Never give anything by the mo	water and obtain medical advice
4.2 Most important symptoms and effects	s, both acute and delayed
Take phrases in sections 2 and 11 into account time.	unt. No further information available at this
4.3 Indication of immediate medical atter	ntion and special treatment needed
Treat symptomatically.	
Section 5. Fire-fighting measures	
5.1 Extinguishing Media	
Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.	
5.2 Special hazards arising from the subs	tance or mixture
May produce Carbon dioxide and unidentifie	d organic compounds.
5.3 Advice for fire-fighters	
Wear Self-Contained Breathing Apparatus (minimise skin exposure. Avoid inhalation of spray. Do not use direct water jet on burnin enter drains or watercourses.	vapours. Keep containers cool with water
HazChem Code • 3Y	
Section 6. Accidental release measures	
6.1 Personal precautions, protective equi	pment and emergency procedures
Remove all sources of ignition. Avoid inhalative ventilation. Evacuate all unnecessary persor	tion, skin and eye contact. Ensure proper
6.2 Environmental precautions Do not discharge directly into drains or the water	soil. Keep away from surface and ground

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on Wednesday, 15 July 2020

GHS: According to 2015/830/EU

Code Number FM75468 Version 1 Revised 14/07/2020 9:26:26 AM

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbant material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s) No further information available

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course, avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection


Wear chemically resistant disposable gloves.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET Printed on Wednesday, 15 July 2020 GHS: According to 2015/830/EU Code Number FM75468 Version 1 Revised 14/07/2020 9:26:26 AM Other skin protection Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period. Respiratory protection Not generally required. Use inhalation protection in poorly ventilated areas Thermal hazards No information Environmental exposure controls Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation. National Exposure Standards No exposure standards have been established for this material by Worksafe Australia. **Biological Limit Values** No biological limit allocated. Section 9. Physical and chemical properties 9.1 Information on basic physical and chemical properties FLASH POINT (°C) 60 **APPEARANCE** Mobile liquid COLOUR Almost colourless to yellow ODOUR Lemon, biscuit, sweet **ODOUR THRESHOLD** Not available pH @20 DEG C Not available MELTING/FREEZING POINT Not available INITIAL BOILING POINT AND Not available RANGE EVAPORATION RATE Not available FLAMMABILITY (SOLID/GAS) Not available UPPER/LOWER FLAMMABILITY Not available LIMITS VAPOUR PRESSURE Not available

Printed on Wednesday, 15 July 2020	SAFETY DATA SHEET GHS: According to 2015/830/EU	
1	Code Number FM75468 Version 1 Revised 14/07/2020 9:2	
lable	VAPOUR DENSITY	
1.080	SPECIFIC GRAVITY @ 20 deg C	
e in water	SOLUBILITIES	
lable	PARTITION COEFF N-OCTANAL/WATER	
lable	AUTO-IGNITION TEMPERATURE	
lable	DECOMPOSITION TEMPERATURE	
lable	VISCOSITY @ 20 DEG C	
lable	EXPLOSIVE PROPERTIES	
lable	OXIDISING PROPERTIES	
9.2 Other information No further information available		
Section 10. Stability and reactivity		
	10.1 Reactivity Not determined	
ditions (see section 7).	10.2 Chemical Stability Stable under the recommended sto	
ble storage conditions.	10.3 Possibility of hazardous read No hazardous reactions if stored ur	
and open flame. Avoid exposure to air.	10.4 Conditions to avoid Avoid exposure to heat, sources of	
ighly alkaline or acidic material.	10.5 I ncompatible materials Keep away from oxidising agents a	
de, carbon dioxide and unidentified organic	10.6 Hazardous decomposition pr During combustion may form carbo compounds.	
	Section 11. Toxicological informat	
	11.1 Information on toxicological Acute toxicity No data	
	Acute toxicity	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.



Printed on Wednesday, 15 July 2020

GHS: According to 2015/830/EU

Code Number FM75468 Version 1 Revised 14/07/2020 9:26:26 AM

Skin corrosion / irritation Causes skin irritation. Serious eye damage / irritation No data Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity No data Carcinogenicity No data Reproductive toxicity No data STO-single exposure No data STO-repeated exposure No data Aspiration hazard May be fatal if swallowed and enters airways. Information on likely routes of exposure No data Symptoms related to the physical, chemical and toxicological characteristics No data Delayed and immediate effects as well as chronic effects from short and long-term exposure No data Interactive effects No data Other information No data

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on Wednesday, 15 July 2020

GHS: According to 2015/830/EU

Code Number FM75468 Version 1 Revised 14/07/2020 9:26:26 AM

Section 12. Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

d-Limonene (5989-27-5) LC50 fish 1(Lethal) - Pimephales promelas (fathead minnow) – 720µg/L – 96 h EC50 (GLP) - Daphinia magna – 0.36mg/L – 48 h Threshold limit 1 (GLP) - Desmodesmus subspicatus (green algae) – 150mg/L – 72 h

12.2 Persistence and degradability

No data

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Prevent contamination of soil, ground and surface water.


- 12.5 Results of PBT and vPvB assessment No data
- 12.6 Other adverse effects See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.



Printed on Wednesday, 15 July 2020

GHS: According to 2015/830/EU

 Code Number
 FM75468

 Version 1 Revised 14/07/2020 9:26:26 AM

14. Transport information 14.1 UN number ADR 1993 IATA 1993 IMDG 1993 14.2 UN proper shipping name ADR FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE) FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE) IATA IMDG FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE) 14.3 Transport hazard class(es) ADR 3 IATA 3 3 IMDG 14.4 Packing group ADR 111 IATA Ш IMDG 111 Tunnel Code (D/E) 14.5 Environmental Hazards No relevant information available 14.6 Special precautions for user Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-E, S-E Marine Pollutant: No Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)): HazChem Code • 3Y 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable Section 15. Regulatory information 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Poison Schedule: Not applicable HS Tariff Code: 3302.90.00

Printed on Wednesday, 15 July 2020

GHS: According to 2015/830/EU

Code Number FM75468

Version 1 Revised 14/07/2020 9:26:26 AM

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

Section 16. Other information

Full list of precautionary phrases

P210Keep away from heat, hot surfaces, sparks, open flames and other ignnition sources. No smoking.P241Use explosion-proof equipment.P242Use non-sparking tools.P243Take action to prevent static discharges.P261Avoid breathing fumes.P264Wash hands thoroughly after handlingP273Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves and eye protectionP301+P310IF SWALLOWED: Immediately call a POISON CENTRE.P302+P352IF ON SKIN: Wash with plenty of water.P303+P361+P353If skin irritation or rash occurs: Get medical advice.P331Do NOT induce vomiting.P333+P313If skin irritation or rash occurs: Get medical advice.P362+P352Store in a well-ventilated place. Keep container tightly closed.P403+P233Store in a well-ventilated place. Keep cool.P405Store locked up.P501Dispose of contents and container in accordance with local regulation.Wording of any hazard classes listed in section 3FL 3Flammable liquid, category 4Atl 1Aspiration hazard, category 1SCI 2Skin corrosion/irritation, category 2SS 1Skin sensitisation, category 1	run list of precautionary privases		
P242Use non-sparking tools.P243Take action to prevent static discharges.P243Avoid breathing fumes.P264Wash hands thoroughly after handlingP272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves and eye protectionP301+P310IF SWALLOWED: Immediately call a POISON CENTRE.P302+P352IF ON SKIN: Wash with plenty of water.P303+P361+P353If SN KIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.P331Do NOT induce vomiting.P362+P364Take off all contaminated clothing and wash it before reuse.P391Collect spillage.P403+P235Store in a well-ventilated place. Keep container tightly closed.P405Store locked up.P501Dispose of contents and container in accordance with local regulation.Wording of any hazz-t classes listed in section 3FL 3Flammable liquid, category 3ATO 4Acute toxicity, oral, category 4AH 1Aspiration hazard, category 1SCI 2Skin corrosion/irritation, category 2	P210		
P243Take action to prevent static discharges.P261Avoid breathing fumes.P264Wash hands thoroughly after handlingP272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves and eye protectionP301+P310IF SWALLOWED: Immediately call a POISON CENTRE.P302+P352IF ON SKIN: Wash with plenty of water.P303+P361+P353IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.P331Do NOT induce vomiting.P362+P364Take off all contaminated clothing and wash it before reuse.P391Collect spillage.P403+P233Store in a well-ventilated place. Keep container tightly closed.P405Store locked up.P501Dispose of contents and container in accordance with local regulation.Wordling of any Hazzclasses listed in section 3FL 3Flammable liquid, category 3ATO 4Acute toxicity, oral, category 4AH 1Aspiration hazard, category 1SCI 2Skin corrosion/irritation, category 2	P241	Use explosion-proof equipment.	
P261Avoid breathing fumes.P264Wash hands thoroughly after handlingP272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves and eye protectionP301+P310IF SWALLOWED: Immediately call a POISON CENTRE.P302+P352IF ON SKIN: Wash with plenty of water.P303+P361+P353IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.P331Do NOT induce vomiting.P362+P364Take off all contaminated clothing and wash it before reuse.P391Collect spillage.P403+P233Store in a well-ventilated place. Keep container tightly closed.P405Store locked up.P501Dispose of contents and container in accordance with local regulation.Wordling of any Hazzclasses listed in section 3FL 3Flammable liquid, category 3ATO 4Acute toxicity, oral, category 4AH 1Aspiration hazard, category 1SCI 2Skin corrosion/irritation, category 2	P242	Use non-sparking tools.	
P264Wash hands thoroughly after handlingP272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves and eye protectionP301+P310IF SWALLOWED: Immediately call a POISON CENTRE.P302+P352IF ON SKIN: Wash with plenty of water.P303+P361+P353IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.P331Do NOT induce vomiting.P332+P364Take off all contaminated clothing and wash it before reuse.P391Collect spillage.P403+P235Store in a well-ventilated place. Keep container tightly closed.P405Store locked up.P501Dispose of contents and container in accordance with local regulation.Wording of any hazzt classes listed in section 3FL 3Flammable liquid, category 3ATO 4Acute toxicity, oral, category 4AH 1Aspiration hazard, category 1SCI 2Skin corrosion/irritation, category 2	P243	Take action to prevent static discharges.	
P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves and eye protectionP301+P310IF SWALLOWED: Immediately call a POISON CENTRE.P302+P352IF ON SKIN: Wash with plenty of water.P303+P361+P353IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.P331Do NOT induce vomiting.P333+P313If skin irritation or rash occurs: Get medical advice.P362+P364Take off all contaminated clothing and wash it before reuse.P391Collect spillage.P403+P233Store in a well-ventilated place. Keep container tightly closed.P405Store locked up.P501Dispose of contents and container in accordance with local regulation.Wording of any hazzt classes listed in section 3FL 3Flammable liquid, category 3ATO 4Acute toxicity, oral, category 4AH 1Aspiration hazard, category 1SCI 2Skin corrosion/irritation, category 2	P261	Avoid breathing fumes.	
workplace.P273Avoid release to the environment.P280Wear protective gloves and eye protectionP301 + P310IF SWALLOWED: Immediately call a POISON CENTRE.P302 + P352IF ON SKIN: Wash with plenty of water.P303 + P361 + P353IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.P331Do NOT induce vomiting.P333 + P313If skin irritation or rash occurs: Get medical advice.P362 + P364Take off all contaminated clothing and wash it before reuse.P391Collect spillage.P403 + P235Store in a well-ventilated place. Keep container tightly closed.P405Store locked up.P501Dispose of contents and container in accordance with local regulation.Wording of any hazzt classes listed in section 3FL 3Flammable liquid, category 3ATO 4Acute toxicity, oral, category 1ATI 4Aspiration hazard, category 1SCI 2Skin corrosion/irritation, category 2	P264	Wash hands thoroughly after handling	
P280Wear protective gloves and eye protectionP301+P310IF SWALLOWED: Immediately call a POISON CENTRE.P302+P352IF ON SKIN: Wash with plenty of water.P303+P361+P353IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.P331Do NOT induce vomiting.P333+P313If skin irritation or rash occurs: Get medical advice.P362+P364Take off all contaminated clothing and wash it before reuse.P391Collect spillage.P403+P233Store in a well-ventilated place. Keep container tightly closed.P405Store locked up.P501Dispose of contents and container in accordance with local regulation.Wording of any hazard classes listed in section 3FL 3Flammable liquid, category 3ATO 4Acute toxicity, oral, category 4AH 1Aspiration hazard, category 1SCI 2Skin corrosion/irritation, category 2	P272	8	
P301+P310IF SWALLOWED: Immediately call a POISON CENTRE.P302+P352IF ON SKIN: Wash with plenty of water.P303+P361+P353IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.P331Do NOT induce vomiting.P333+P313If skin irritation or rash occurs: Get medical advice.P362+P364Take off all contaminated clothing and wash it before reuse.P391Collect spillage.P403+P233Store in a well-ventilated place. Keep container tightly closed.P405Store locked up.P501Dispose of contents and container in accordance with local regulation.Wording of any hazard classes listed in section 3FL 3Flammable liquid, category 3ATO 4Acute toxicity, oral, category 4AH 1Aspiration hazard, category 1SCI 2Skin corrosion/irritation, category 2	P273	Avoid release to the environment.	
P302+P352IF ON SKIN: Wash with plenty of water.P303+P361+P353IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.P331Do NOT induce vomiting.P333+P313If skin irritation or rash occurs: Get medical advice.P362+P364Take off all contaminated clothing and wash it before reuse.P391Collect spillage.P403+P233Store in a well-ventilated place. Keep container tightly closed.P403+P235Store in a well-ventilated place. Keep cool.P405Store locked up.P501Dispose of contents and container in accordance with local regulation.Wording of any hazzt classes listed in section 3FL 3Flammable liquid, category 3ATO 4Acute toxicity, oral, category 4AH 1Aspiration hazard, category 1SCI 2Skin corrosion/irritation, category 2	P280	Wear protective gloves and eye protection	
P303+P361+P353IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.P331Do NOT induce vomiting.P333+P313If skin irritation or rash occurs: Get medical advice.P362+P364Take off all contaminated clothing and wash it before reuse.P391Collect spillage.P403+P233Store in a well-ventilated place. Keep container tightly closed.P403+P235Store in a well-ventilated place. Keep cool.P405Store locked up.P501Dispose of contents and container in accordance with local regulation.Wording of any haz-rd classes listed in section 3FL 3Flammable liquid, category 3ATO 4Acute toxicity, oral, category 4AH 1Aspiration hazard, category 1SCI 2Skin corrosion/irritation, category 2	P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.	
P331Clothing. Rinse skin with water.P331Do NOT induce vomiting.P333+P313If skin irritation or rash occurs: Get medical advice.P362+P364Take off all contaminated clothing and wash it before reuse.P391Collect spillage.P403+P233Store in a well-ventilated place. Keep container tightly closed.P403+P235Store in a well-ventilated place. Keep cool.P405Store locked up.P501Dispose of contents and container in accordance with local regulation.Wording of any haz-rd classes listed in section 3FL 3Flammable liquid, category 3ATO 4Acute toxicity, oral, category 4AH 1Aspiration hazard, category 1SCI 2Skin corrosion/irritation, category 2	P302+P352	IF ON SKIN: Wash with plenty of water.	
P333+P313If skin irritation or rash occurs: Get medical advice.P362+P364Take off all contaminated clothing and wash it before reuse.P391Collect spillage.P403+P233Store in a well-ventilated place. Keep container tightly closed.P403+P235Store in a well-ventilated place. Keep cool.P405Store locked up.P501Dispose of contents and container in accordance with local regulation.Vording of any haz=rd classes listed in section 3FL 3Flammable liquid, category 3ATO 4Acute toxicity, oral, category 4AH 1Aspiration hazard, category 1SCI 2Skin corrosion/irritation, category 2	P303+P361+P353		
P362+P364Take off all contaminated clothing and wash it before reuse.P391Collect spillage.P403+P233Store in a well-ventilated place. Keep container tightly closed.P403+P235Store in a well-ventilated place. Keep cool.P405Store locked up.P501Dispose of contents and container in accordance with local regulation.Wording of any hazard classes listed in section 3FL 3Flammable liquid, category 3ATO 4Acute toxicity, oral, category 4AH 1Aspiration hazard, category 1SCI 2Skin corrosion/irritation, category 2	P331	Do NOT induce vomiting.	
P391Collect spillage.P403+P233Store in a well-ventilated place. Keep container tightly closed.P403+P235Store in a well-ventilated place. Keep cool.P405Store locked up.P501Dispose of contents and container in accordance with local regulation.Wording of any hazzt classes listed in section 3FL 3Flammable liquid, category 3ATO 4Acute toxicity, oral, category 4AH 1Aspiration hazard, category 1SCI 2Skin corrosion/irritation, category 2	P333+P313	If skin irritation or rash occurs: Get medical advice.	
P403+P233Store in a well-ventilated place. Keep container tightly closed.P403+P235Store in a well-ventilated place. Keep cool.P405Store locked up.P501Dispose of contents and container in accordance with local regulation.Wording of any haz-t classes listed in section 3FL 3Flammable liquid, category 3ATO 4Acute toxicity, oral, category 4AH 1Aspiration hazard, category 1SCI 2Skin corrosion/irritation, category 2	P362+P364	Take off all contaminated clothing and wash it before reuse.	
P403+P235Store in a well-ventilated place. Keep cool.P405Store locked up.P501Dispose of contents and container in accordance with local regulation.Wording of any hazard classes listed in section 3FL 3Flammable liquid, category 3ATO 4Acute toxicity, oral, category 4AH 1Aspiration hazard, category 1SCI 2Skin corrosion/irritation, category 2	P391	Collect spillage.	
P405Store locked up.P501Dispose of contents and container in accordance with local regulation.Wording of any hazard classes listed in section 3FL 3Flammable liquid, category 3ATO 4Acute toxicity, oral, category 4AH 1Aspiration hazard, category 1SCI 2Skin corrosion/irritation, category 2	P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
P501Dispose of contents and container in accordance with local regulation.Wording of any hazard classes listed in section 3FL 3Flammable liquid, category 3ATO 4Acute toxicity, oral, category 4AH 1Aspiration hazard, category 1SCI 2Skin corrosion/irritation, category 2	P403+P235	Store in a well-ventilated place. Keep cool.	
regulation.Wording of any hazard classes listed in section 3FL 3Flammable liquid, category 3ATO 4Acute toxicity, oral, category 4AH 1Aspiration hazard, category 1SCI 2Skin corrosion/irritation, category 2	P405	Store locked up.	
FL 3Flammable liquid, category 3ATO 4Acute toxicity, oral, category 4AH 1Aspiration hazard, category 1SCI 2Skin corrosion/irritation, category 2	P501	•	
ATO 4Acute toxicity, oral, category 4AH 1Aspiration hazard, category 1SCI 2Skin corrosion/irritation, category 2	Wording of any hazard classes listed in section 3		
AH 1Aspiration hazard, category 1SCI 2Skin corrosion/irritation, category 2	FL 3	Flammable liquid, category 3	
SCI 2 Skin corrosion/irritation, category 2	ATO 4	Acute toxicity, oral, category 4	
	AH 1	Aspiration hazard, category 1	
SS 1 Skin sensitisation, category 1	SCI 2	Skin corrosion/irritation, category 2	
	SS 1	Skin sensitisation, category 1	

Printed on Wednesday, 15 July 2020

GHS: According to 2015/830/EU

Code Number FM75468 Version 1 Revised 14/07/2020 9:26:26 AM

SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
EH A1	Aquatic hazard, acute, category 1
EH C1	Aquatic hazard, chronic, category 1
EH C3	Aquatic hazard, chronic, category 3
Wording of any haza	ard statements listed in section 3
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
References and furth	ner information
KEY: N/A = Not applicable	
Version 1: GHS format, BV 14/07/2020 Authorised by: JJ 15/07/2020	
Authonised by: 33 1370	172020

Page 12 of 12