



SAFETY DATA SHEET

Printed on 08 Dec 2022

GHS: According to 2015/830/EU

Code Number FM74815
Version 1 Revised 8/12/2022 11:33:06 AM

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Product Name SAFFRON & BOYSENBERRY
Code Number FM74815
Alternative Name
REACH Reg No Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against
For fragrance use in candle products.

1.3 Details of the supplier of the safety data sheet

Australian Botanical Products Ltd
39 Melverton Drive, Hallam
Victoria, 3803
Australia
ABN: 45006782529

Telephone Number Tel No. +613 97094800
Email Address info@abp.com.au

1.4 Emergency Tel No Emergency No. +61 438196124

Section 2. Hazard Identification

2.1 Classification of the substance or mixture

FL 4 Flammable liquid, category 4
ATO 5 Acute toxicity, oral, category 5
AH 1 Aspiration hazard, category 1
SCI 2 Skin corrosion/irritation, category 2
SS 1B Skin sensitisation, category 1B
EDI 2A Eye damage/irritation, category 2A
EH A1 Aquatic hazard, acute, category 1
EH C1 Aquatic hazard, chronic, category 1

2.2 Label elements

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET

Printed on 08 Dec 2022

GHS: According to 2015/830/EU

Code Number FM74815

Version 1 Revised 8/12/2022 11:33:06 AM

GHS classification according to Regulation (EC) No 1272/2008

Hazard Pictograms



Signal Word Danger

Hazard Statements

H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

Precautionary Statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing fumes.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET

Printed on 08 Dec 2022

GHS: According to 2015/830/EU

Code Number FM74815
Version 1 Revised 8/12/2022 11:33:06 AM

P501 Dispose of contents and container in accordance to local regulations.

2.3 Other Hazards

Contains Benzyl Benzoate, Citral, Citronellol, Coumarin, Eugenol, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of fragrance ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 115-95-7 EINECS 204-116-4 REACH	Linalyl Acetate FL 4; SCI 2; SS 1B; EDI 2A; EH A3 H227, H315, H317, H319, H402	10% - 30%
CAS 28219-61-6 EINECS 248-908-8 REACH	2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol FL 4; EDI 2A; EH A1, C1 H227, H319, H400, H410	10% - 30%
CAS 84-66-2 EINECS 201-550-6 REACH	Diethyl benzene-1,2-dicarboxylate SCI 3; EH A3 H316, H402	10% - 30%
CAS 21145-77-7 EINECS 244-240-6 REACH	1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)etha ATO 4(1000); EH A1, C1 H302, H400, H410	< 10%
CAS 120-51-4 EINECS 204-402-9 REACH	benzyl benzoate ATO 4(1500); ATD 5(4000); EH C2 H302, H313, H411	< 10%
CAS 91-64-5 EINECS 202-086-7 REACH	Coumarin ATO 3; SS 1B; EH A2, C3 H301, H317, H401, H412	< 10%
CAS 97-53-0 EINECS 202-589-1 REACH	Eugenol ATO 4; SS 1B; EDI 2A; EH A2 H302, H317, H319, H401	< 10%
CAS 80-26-2 EINECS 201-265-7 REACH	p-menth-1-en-8-yl acetate SCI 3; EH A2, C2 H316, H401, H411	< 10%

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET

Printed on 08 Dec 2022

GHS: According to 2015/830/EU

Code Number *FM74815*
Version 1 Revised 8/12/2022 11:33:06 AM

CAS 106-26-3 EINECS 203-379-2 REACH	Neral SCI 2;SS 1;EDI 2A H315,H317,H319	< 10%
CAS 121-33-5 EINECS 204-465-2 REACH	Vanillin ATO 5;EDI 2A;EH A3 H303,H319,H402	< 10%
CAS 13171-00-1 EINECS 236-114-4 REACH	6-tert-butyl-1,1-dimethylindan-4-yl methyl ketone EH A1,C1 H400,H410	< 10%
CAS 3691-12-1 EINECS - REACH	alpha-Guaiene AH 1;EDI 2A;SCI 2 H304,H315,H319	< 10%
CAS 5986-55-0 EINECS 227-807-2 REACH	Patchouli alcohol SCI 3 H316	< 10%
CAS 1222-05-5 EINECS 214-946-9 REACH	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran EH A1,C1 H400,H410	< 10%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	< 10%
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4;SS 1B H227,H317	< 10%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET

Printed on 08 Dec 2022

GHS: According to 2015/830/EU

Code Number FM74815
Version 1 Revised 8/12/2022 11:33:06 AM

After ingestion

May be harmful if swallowed and may be fatal if enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed

Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Z

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.

6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET

Printed on 08 Dec 2022

GHS: According to 2015/830/EU

Code Number FM74815
Version 1 Revised 8/12/2022 11:33:06 AM

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET

Printed on 08 Dec 2022

GHS: According to 2015/830/EU

Code Number FM74815
Version 1 Revised 8/12/2022 11:33:06 AM

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

FLASH POINT (°C)	83°C
APPEARANCE	Mobile liquid
COLOUR	Yellow to dark orange
ODOUR	Berry, saffron, spicy, vanilla, musk, wood
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	0.965 to 0.995
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET

Printed on 08 Dec 2022

GHS: According to 2015/830/EU

Code Number FM74815
Version 1 Revised 8/12/2022 11:33:06 AM

AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available

9.2 Other information

No further information available.

Section 10. Stability and reactivity

10.1 Reactivity

No data.

10.2 Chemical Stability

Stable under the recommended storage conditions (see section 7).

10.3 Possibility of hazardous reactions

No hazardous reactions if stored under suitable storage conditions.

10.4 Conditions to avoid

Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.

10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic material.

10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

May be harmful if swallowed.

Skin corrosion / irritation

Causes skin irritation.

Serious eye damage / irritation

Causes serious eye irritation.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET

Printed on 08 Dec 2022

GHS: According to 2015/830/EU

Code Number FM74815
Version 1 Revised 8/12/2022 11:33:06 AM

Respiratory or skin sensitisation
May cause an allergic skin reaction.

Germ cell mutagenicity
No data

Carcinogenicity
No data

Reproductive toxicity
No data

STO-single exposure
No data

STO-repeated exposure
No data

Aspiration hazard
May be fatal if swallowed and enters airways.

Information on likely routes of exposure
No data

Symptoms related to the physical, chemical and toxicological characteristics
No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure
No data

Interactive effects
No data

Other information
No data

Section 12. Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects. Avoid contaminating waterways.
Contains 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (HHCB)
CAS: 1222-05-5:
LC50 (96 h) - Medaka larvae – 0.95 mg/L
EC50 (48 h) - Daphnia magna – 0.194 mg/L
EC50 (72 h) - Pseudokirchneriella subcapitata – 0.72 mg/L

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET

Printed on 08 Dec 2022

GHS: According to 2015/830/EU

Code Number FM74815
Version 1 Revised 8/12/2022 11:33:06 AM

NOEC (36 days) - Pimephales promelas (fathead minnow) - 0.068 mg/L
NOEC (21 days) - Daphnia magna 0.11 mg/L
NOEC (72 h) - Pseudokirchneriella subcapitata – 0.2 mg/L

12.2 Persistence and degradability

No test data available for this substance.

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment

No data

12.6 Other adverse effects

See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

14.1 UN number

ADR	3082
IATA	3082
IMDG	3082

14.2 UN proper shipping name

ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS HHCB)
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS HHCB)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS HHCB)

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET

Printed on 08 Dec 2022

GHS: According to 2015/830/EU

Code Number *FM74815*
Version 1 Revised 8/12/2022 11:33:06 AM

14.3 Transport hazard class(es)

ADR 9
IATA 9
IMDG 9

14.4 Packing group

ADR III
IATA III
IMDG III
Tunnel Code (E)

14.5 Environmental Hazards

Dangerous for the environment. Marine pollutant.

14.6 Special precautions for user

Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)):
EmS: F-A, S-F
Marine Pollutant: Yes

Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

HazChem Code • 3Z

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): S5 CAUTION HS Tariff Code: 3302.90.00

All the constituents of this material are compliant with AICIS regulation.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

Section 16. Other information

Full list of precautionary phrases

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 Avoid breathing fumes.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET

Printed on 08 Dec 2022

GHS: According to 2015/830/EU

Code Number FM74815
Version 1 Revised 8/12/2022 11:33:06 AM

P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents and container in accordance to local regulations.

Wording of any hazard classes listed in section 3

FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
ATO 3	Acute toxicity, oral, category 3
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET

Printed on 08 Dec 2022

GHS: According to 2015/830/EU

Code Number FM74815

Version 1 Revised 8/12/2022 11:33:06 AM

EH C2 Aquatic hazard, chronic, category 2

EH C3 Aquatic hazard, chronic, category 3

Wording of any hazard statements listed in section 3

H226 Flammable liquid and vapour

H227 Combustible liquid

H301 Toxic if swallowed

H302 Harmful if swallowed

H303 May be harmful if swallowed

H304 May be fatal if swallowed and enters airways

H313 May be harmful in contact with skin

H315 Causes skin irritation

H316 Causes mild skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H400 Very toxic to aquatic life

H401 Toxic to aquatic life

H402 Harmful to aquatic life

H410 Very toxic to aquatic life with long lasting effects

H411 Toxic to aquatic life with long lasting effects

H412 Harmful to aquatic life with long lasting effects

References and further information

Key:

N/A = Not applicable

SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons

AIIC = Australian Inventory of Industrial Chemicals

AICIS = Australian Industrial Chemicals Introduction Scheme

Version 1: GHS format, RB 8/12/2022

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.