

Printed on 03 Jul 2023

GHS: According to 2015/830/EU

Code Number FM75056

Version 4 Revised 3/07/2023 3:07:30 PM

Section 1. I dentification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Product Name AMPHORA STRG

Code Number FM75056

Alternative Name

REACH Reg No Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against For fragrance use.

1.3 Details of the supplier of the safety data sheet

Australian Botanical Products Ltd

39 Melverton Drive, Hallam

Victoria, 3803 Australia

Australia

ABN: 45006782529

Telephone Number Tel No. +613 97094800 Email Address abpsales@ixom.com

1.4 Emergency Tel No Emergency No. +61 1 800 033 111

Section 2. Hazard Identification

2.1 Classification of the substance or mixture

SCI 2 Skin corrosion/irritation, category 2
SS 1B Skin sensitisation, category 1B
EDI 2A Eye damage/irritation, category 2A

CAR 2 Carcinogenicity, category 2

REP 1B Reproductive toxicity, category 1B
EH A2 Aquatic hazard, acute, category 2
EH C1 Aquatic hazard, chronic, category 1

2.2 Label elements

Printed on 03 Jul 2023

GHS: According to 2015/830/EU

Code Number FM75056

Version 4 Revised 3/07/2023 3:07:30 PM

GHS classification according to Regulation (EC) No 1272/2008

Hazard Pictograms



Signal Word Danger

Hazard Statements

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritationH351 Suspected of causing cancer

H360 May damage fertility or the unborn child

H410 Very toxic to aquatic life with long lasting effects

Precautionary Statements

P201 Obtain special instructions before use.

P261 Avoid breathing fumes.

P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection

P308+P313 IF exposed or concerned: Get medical advice.

P333+P313 If skin irritation or rash occurs: Get medical advice.

P337+P313 If eye irritation persists: Get medical attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.
P405 Store locked up.

P501 Dispose of contents and container in accordance to local

regulations.

Printed on 03 Jul 2023

GHS: According to 2015/830/EU

Code Number FM75056

Version 4 Revised 3/07/2023 3:07:30 PM

2.3 Other Hazards

Contains alpha-iso-Methylionone, Benzyl Alcohol, Benzyl Benzoate, Benzyl Salicylate, Butylphenyl Methylpropional (Lilial), Citral, Citronellol, Coumarin, Hexyl Cinnamal, Hydroxycitronellal, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 24851-98-7 EINECS 246-495-9 REACH	methyl 3-oxo-2-pentylcyclopentaneacetate EH A2 H401	10% - 30%
CAS 54464-57-2 EINECS 259-174-3 REACH	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl) SCI 2:SS 1B;EH C1 H315,H317,H410	10% - 30%
CAS 101-86-0 EINECS 202-983-3 REACH	a-hexylcinnamaldehyde SS 1B;EH A1,C2 H317,H400,H411	<10%
CAS 106-02-5 EINECS 203-354-6 REACH	pentadecan-15-olide SCI 3;EH C2 H316,H411	<10%
CAS 32388-55-9 EINECS 251-020-3 REACH	[3R-(3a,3aß,7ß,8aa)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetra ATO 5;SS 1B;EH A1,C1 H303,H317,H400,H410	<10%
CAS 5471-51-2 EINECS 226-806-4 REACH	4-(4-hydroxyphenyl)butan-2-one ATO 4(1400) H302	<10%
CAS 10339-55-6 EINECS 233-732-6 REACH	3,7-dimethylnona-1,6-dien-3-ol FL 4;SCI 2;SS 1B;EDI 2A;EH A3 H227,H315,H317,H319,H402	<10%
CAS 121-32-4 EINECS 204-464-7 REACH	3-ethoxy-4-hydroxybenzaldehyde EDI 2A;EH A3 H319,H402	<10%
CAS 105-95-3 EINECS 203-347-8 REACH	1,4-dioxacycloheptadecane-5,17-dione EH A1,C3 H400,H412	<10%

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 03 Jul 2023

GHS: According to 2015/830/EU

Code Number FM75056

Version 4 Revised 3/07/2023 3:07:30 PM

CAS 80-54-6 EINECS 201-289-8	2-(4-tert-butylbenzyl)propionaldehyde	<10%
REACH	ATO 4(1390); SCI 2; SS 1; REP 1B; EH A2, C3 H302, H315, H317, H360, H401, H412	< 10%
CAS 118-58-1 EINECS 204-262-9	benzyl salicylate	<10%
REACH	ATO 5;SS 1B;EDI 2A;EH C3 H303,H317,H319,H412	1070
CAS 28219-61-6 EINECS 248-908-8	2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	<10%
REACH	FL 4; EDI 2A; EH A1, C1 H227, H319, H400, H410	< 10%
CAS 80-56-8 EINECS 201-291-9	Pinenes	<10%
REACH	FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410	< 10%
CAS 5986-55-0 EINECS 227-807-2	Patchouli alcohol	<10%
REACH	SCI 3 H316	1076
CAS 78-70-6	Linalool	100/
EINECS 201-134-4 REACH	FL 4;SS 1B H227,H317	<10%
CAS 5989-27-5 EINECS 227-813-5	d-Limonene (p-Mentha-1,8-diene)	<10%
REACH	FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	1076
CAS 127-91-3 EINECS 204-872-5	beta-Pinene	<10%
REACH	FL 3;ATO 5(3700);AH 1;SCI 2;SS 1B;EH A1,C1 H226,H303,H304,H315,H317,H400,H410	1070
CAS 1222-05-5 EINECS 214-946-9	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	<10%
REACH	EH A1,C1 H400,H410	1070
CAS 60-12-8 EINECS 200-456-2	2-phenylethanol	<10%
REACH	ATO 4(1609); EDI 2A H302, H319	1070
CAS 127-51-5 EINECS 204-846-3	alpha-iso-Methylionone	<10%
REACH	SCI 2;EDI 2A;EH C2 H315,H319,H411	1076
CAS 81-14-1 EINECS 201-328-9	4'-tert-butyl-2',6'-dimethyl-3',5'-dinitroacetophenone	<10%
REACH	CAR 2;EH A1,C1 H351,H400,H410	1076
CAS 121-33-5 EINECS 204-465-2	Vanillin	<10%
REACH	ATO 5; EDI 2A; EH A3 H303, H319, H402	1076
CAS 115-95-7	Linalyl Acetate	100/
EINECS 204-116-4 REACH	FL 4;SCI 2;SS 1B;EDI 2A;EH A3 H227,H315,H317,H319,H402	<10%

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 03 Jul 2023

GHS: According to 2015/830/EU

Code Number FM75056

Version 4 Revised 3/07/2023 3:07:30 PM

CAS 4707-47-5 EINECS 225-193-0	methyl 2,4-dihydroxy-3,6-dimethylbenzoate	<10%
REACH	SS 1;EH A2	
	H317,H401	

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

- 4.2 Most important symptoms and effects, both acute and delayed
 - Take phrases in sections 2 and 11 into account. No further information available at this time.
- 4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

- 5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.
- 5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with

Printed on 03 Jul 2023

GHS: According to 2015/830/EU

Code Number FM75056

Version 4 Revised 3/07/2023 3:07:30 PM

water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Z

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

Printed on 03 Jul 2023

GHS: According to 2015/830/EU

Code Number FM75056

Version 4 Revised 3/07/2023 3:07:30 PM

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

FLASH POINT (°C) 97°C

APPEARANCE Mobile liquid

COLOUR Yellow to dark yellow

ODOUR Green, fruity, white flower, sweet, vanilla

ODOUR THRESHOLD Not available

Printed on 03 Jul 2023

GHS: According to 2015/830/EU

Code Number FM75056

Version 4 Revised 3/07/2023 3:07:30 PM

pH @20 DEG C Not available

MELTING/FREEZING POINT Not available

INITIAL BOILING POINT AND Not available

RANGE

EVAPORATION RATE

FLAMMABILITY (SOLID/GAS)

Not available

UPPER/LOWER FLAMMABILITY

Not available

LIMITS

VAPOUR PRESSURE

VAPOUR DENSITY

Not available

SPECIFIC GRAVITY @ 20°C

O.955 to 0.985

SOLUBILITIES

Insoluble in water

PARTITION COEFF N-OCTANAL/WATER Not available

AUTO-IGNITION TEMPERATURE

DECOMPOSITION TEMPERATURE

VISCOSITY @ 20 DEG C

EXPLOSIVE PROPERTIES

Not available

OXIDISING PROPERTIES

Not available

9.2 Other information

No further information available.

Section 10. Stability and reactivity

10.1 Reactivity

No data.

10.2 Chemical Stability

Stable under the recommended storage conditions (see section 7).

10.3 Possibility of hazardous reactions

No hazardous reactions if stored under suitable storage conditions.

10.4 Conditions to avoid

Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.

Printed on 03 Jul 2023

GHS: According to 2015/830/EU

Code Number FM75056

Version 4 Revised 3/07/2023 3:07:30 PM

10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic material.

10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available data.

Skin corrosion / irritation

Causes skin irritation.

Serious eye damage / irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

No data

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

May damage fertility or the unborn child.

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

No data

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Printed on 03 Jul 2023

GHS: According to 2015/830/EU

Code Number FM75056

Version 4 Revised 3/07/2023 3:07:30 PM

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

Contains Tetramethyl acetyloctahydronaphthalenes (54464-57-2):

LC50 (96 h) - Lepomis macrochirus - 1.3 mg/L

EC50 (48 h) - Daphnia magna - 1.38 mg/L

EC50 (72 h) - Scenedesmus subspicatus - 2.6 mg/L

NOEC (30 days) - Danio rerio - 0.16 mg/L

NOEC (21 days) - Daphnia magna - 0.044 mg/L

NOEC (72 h) - Scenedesmus subspicatus - 2.6 mg/L

12.2 Persistence and degradability

No test data available for this substance.

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment

No data

12.6 Other adverse effects

See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

Printed on 03 Jul 2023

GHS: According to 2015/830/EU

Code Number FM75056

Version 4 Revised 3/07/2023 3:07:30 PM

14.1 UN number

ADR 3082 IATA 3082 IMDG 3082

14.2 UN proper shipping name

ADR ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS

TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)

IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS

TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)

IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS

TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)

14.3 Transport hazard class(es)

ADR 9
IATA 9
IMDG 9

14.4 Packing group

ADR III
IATA III
IMDG III
Tunnel Code (E)

14.5 Environmental Hazards

Dangerous for the environment. Marine pollutant.

14.6 Special precautions for user

Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)):

EmS: F-A, S-F

Marine Pollutant: Yes

Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

HazChem Code • 3Z

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Printed on 03 Jul 2023

GHS: According to 2015/830/EU

Code Number FM75056

Version 4 Revised 3/07/2023 3:07:30 PM

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): S5 CAUTION HS Tariff Code: 3302.90.00

All the constituents of this material are compliant with AICIS regulation.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

Section 16. Other information

Full list of	precautionary	pnrases

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents and container in accordance to local regulations.

Wording of any hazard classes listed in section ${\bf 3}$

FL 3 Flammable liquid, category 3
FL 4 Flammable liquid, category 4

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 03 Jul 2023

GHS: According to 2015/830/EU

Code Number FM75056

Version 4 Revised 3/07/2023 3:07:30 PM

ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
CAR 2	Carcinogenicity, category 2
REP 1B	Reproductive toxicity, category 1B
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
ЕН СЗ	Aquatic hazard, chronic, category 3
Wording of an	y hazard statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H303	May be harmful if swallowed
- 1304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
	Causes mild skin irritation
H316	Gadoos iinid skiii iiritation
	May cause an allergic skin reaction
H317	
H317 H319	May cause an allergic skin reaction
H317 H319 H351	May cause an allergic skin reaction Causes serious eye irritation
H317 H319 H351 H360	May cause an allergic skin reaction Causes serious eye irritation Suspected of causing cancer
H317 H319 H351 H360 H400	May cause an allergic skin reaction Causes serious eye irritation Suspected of causing cancer May damage fertility or the unborn child
H317 H319 H351 H360 H400 H401	May cause an allergic skin reaction Causes serious eye irritation Suspected of causing cancer May damage fertility or the unborn child Very toxic to aquatic life
H317 H319 H351 H360 H400 H401 H402	May cause an allergic skin reaction Causes serious eye irritation Suspected of causing cancer May damage fertility or the unborn child Very toxic to aquatic life Toxic to aquatic life Harmful to aquatic life
H316 H317 H319 H351 H360 H400 H401 H401 H410	May cause an allergic skin reaction Causes serious eye irritation Suspected of causing cancer May damage fertility or the unborn child Very toxic to aquatic life Toxic to aquatic life

Printed on 03 Jul 2023

GHS: According to 2015/830/EU

Code Number FM75056

Version 4 Revised 3/07/2023 3:07:30 PM

References and further information

N/A = Not applicable

SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons

AIIC = Australian Inventory of Industrial Chemicals

AICIS = Australian Industrial Chemicals Introduction Scheme

Version 1: GHS format, BV 26/04/2017 Version 2: Minor changes, BV 26/04/2017 Version 3: Minor changes, BV 06/11/2019 Version 4: Minor changes, RB 3/07/2023