

SAFETY DATA S HS: According to 2015/830		Printed on	18 Jul 202
Code Number Version 4 Revised 18/	FM72641		
Section 1. Identification	on of the substance/mixture a	and of the company/	undertakir
1.1 Product I dentifier			
Product Name	AMAZONE FRESH		
Code Number	FM72641		
Alternative Name			
REACH Reg No	Not registered		
1.2 Relevant identifie	d uses of the substance or m	ixture and uses advis	sed agains
For fragrance use.			
1.3 Details of the sup	plier of the safety data sheet		
	Australian Botanical Products L	₋td	
	39 Melverton Drive, Hallam		
	Victoria, 3803 Australia		
	ABN: 45006782529		
Telephone Number	Tel No. +613 97094800		
Email Address	info@abp.com.au		
1.4 Emergency Tel Nc	Emergency No. +61 43819612	24	
Section 2. Hazard Ider	ntification		
2.1 Classification of tl	ne substance or mixture		
ATO 5	Acute toxicity, oral, category 5	0	
SCI 2	Skin corrosion/irritation, categ	•	
SS 1B	Skin sensitisation, category 1B		
	Eye damage/irritation, categor	•	
EDI 1	E 1 1 1 1 1 1 1	y 1B	
EDI 1 REP 1B	Reproductive toxicity, category		
EDI 1 REP 1B EH A1	Aquatic hazard, acute, categor	5	
EDI 1 REP 1B		5	
EDI 1 REP 1B EH A1	Aquatic hazard, acute, categor	5	

SAFETY DATA GHS: According to 2015/8		inted on	18 Jul 202
Code Number	FM72641 18/07/2022 3:51:13 PM		
GHS classification	according to Regulation (EC) No 1272/2008		
Hazard Pictogram	ns		
Signal Word	Danger		
Hazard Statemer	nts		
H315	Causes skin irritation		
H317	May cause an allergic skin reaction		
H318	Causes serious eye damage		
H360	May damage fertility or the unborn child		
H400	Very toxic to aquatic life		
H411	Toxic to aquatic life with long lasting effects	i	
Precautionary St	atements		
P201	Obtain special instructions before use.		
P261	Avoid breathing fumes.		
P264	Wash hands thoroughly after handling		
P273	Avoid release to the environment.		
P280	Wear protective gloves and eye protection		
P302+P352	IF ON SKIN: Wash with plenty of water.		
P308+P313	IF exposed or concerned: Get medical advice	e.	
P310	Immediately call a POISON CENTRE.		
P333+P313	If skin irritation or rash occurs: Get medical	advice.	
P362+P364	Take off contaminated clothing and wash it	before rea	Jse.
P391	Collect spillage.		
P405	Store locked up.		
P501	Dispose of contents and container in accord regulations.	ance to lo	cal

Printed on 18 Jul 2022

GHS: According to 2015/830/EU

Code Number FM72641

Version 4 Revised 18/07/2022 3:51:13 PM

2.3 Other Hazards

Contains Benzyl Alcohol, Butylphenyl Methylpropional (Lilial), Citronellol, Geraniol, Hexyl Cinnamal and Linalool which may produce an allergic reaction

No further information available at this time

Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 101-86-0 EINECS 202-983-3 REACH	a-hexylcinnamaldehyde SS 1B;EH A1,C2 H317,H400,H411	10% - 30%
CAS 21145-77-7 EINECS 244-240-6 REACH	1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)etha ATO 4(1000);EH A1,C1 H302,H400,H410	10% - 30%
CAS 1222-05-5 EINECS 214-946-9 REACH	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran EH A1,C1 H400,H410	10% - 30%
CAS 18479-58-8 EINECS 242-362-4 REACH	2,6-dimethyloct-7-en-2-ol FL 4;ATO 5(3600);SCI 2;EDI 2A;EH A3 H227,H303,H315,H319,H402	<10%
CAS 106-24-1 EINECS 203-377-1 REACH	Geraniol ATO 5; SCI 2; SS 1; EDI 1; EH A3, C3 H303, H315, H317, H318, H402, H412	<10%
CAS 140-11-4 EINECS 205-399-7 REACH	benzyl acetate FL 4; ATO 5; ATI 5; EH A2,C3 H227,H303,H333,H401,H412	<10%
CAS 80-54-6 EINECS 201-289-8 REACH	2-(4-tert-butylbenzyl)propionaldehyde ATO 4(1390);SCI 2;SS 1;REP 1B;EH A2,C2 H302,H315,H317,H360,H401,H411	<10%
CAS 106-22-9 EINECS 203-375-0 REACH	citronellol SCI 2; SS 1B; EDI 2A H315, H317, H319	<10%
CAS 105-85-1 EINECS 203-338-9 REACH	citronellyl formate FL 4; SCI 2; SS 1 H227,H315,H317	<10%

Printed on 18 Jul 2022

GHS: According to 2015/830/EU

Code Number FM72641

Version 4 Revised 18/07/2022 3:51:13 PM

CAS 103-95-7 EINECS 203-161-7 REACH	3-p-cumenyl-2-methylpropionaldehyde ATO 5(3810); SCI 2; SS 1B; EH C2 H303,H315,H317,H411	< 10%
CAS 98-55-5 EINECS 202-680-6 REACH	p-menth-1-en-8-ol FL 4; ATO 5(4300); SCI 2; EDI 2A; EH A3 H227, H303, H315, H319, H402	<10%
CAS 5413-60-5 EINECS 226-501-6 REACH	Dihydro-dicyclopentadienyl acetate ATO 5(3000);SCI 3;EH A3,C3 H303,H316,H402,H412	< 10%
CAS 65405-77-8 EINECS 265-745-8 REACH	(Z)-3-hexenyl salicylate SCI 3; SS 1B; EH A1,C1 H316,H317,H400,H410	<10%
CAS 24851-98-7 EINECS 246-495-9 REACH	methyl 3-oxo-2-pentylcyclopentaneacetate EH A2 H401	< 10%
CAS 60-12-8 EINECS 200-456-2 REACH	2-phenylethanol ATO 4(1600);EDI 2A H302,H319	< 10%
CAS 17511-60-3 EINECS 241-514-7 REACH	3a,4,5,6,7,7a-hexahydro-4,7-methano-1H-inden-6-yl propionate SCI 3;EH A2,C2 H316,H401,H411	<10%
CAS 88-41-5 EINECS 201-828-7 REACH	2-tert-butylcyclohexyl acetate FL 4; ATO 5; SCI 3; EH A2, C2 H227, H303, H316, H401, H411	<10%
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4; ATO 5; SCI 2; SS 1B; EDI 2A; EH A3 H227, H303, H315, H317, H319, H402	<10%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

- 4.1 Description of first aid measures
 - After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 18 Jul 2022

GHS: According to 2015/830/EU

Code Number FM72641

Version 4 Revised 18/07/2022 3:51:13 PM

After eye contact

Causes serious damage to eyes. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice immediately. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

May be harmful if swallowed. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Z

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 18 Jul 2022

GHS: According to 2015/830/EU

 Code Number
 FM72641

 Version 4 Revised 18/07/2022 3:51:13 PM

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s) No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

FM72641

Printed on 18 Jul 2022


GHS: According to 2015/830/EU

Code Number

Version 4 Revised 18/07/2022 3:51:13 PM Individual protection measures Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period. Eye/face protection Use splash-proof safety glasses and face shield where splashing is possible. Hand protection Wear chemically resistant disposable gloves. Other skin protection Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period. Respiratory protection Not generally required. Use inhalation protection in poorly ventilated areas. Thermal hazards No information. Environmental exposure controls Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation. National Exposure Standards No exposure standards have been established for this material by Worksafe Australia. **Biological Limit Values** No biological limit allocated. Section 9. Physical and chemical properties 9.1 Information on basic physical and chemical properties FLASH POINT (°C) 102° **APPEARANCE** Mobile liquid COLOUR Colourless to pale yellow ODOUR Fresh, fruity, floral, jasmin ODOUR THRESHOLD Not available pH @20 DEG C Not available

MELTING/FREEZING POINT

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.



Not available

SAFETY DATA SHEET		Printed on	18 Jul 2022
GHS: According to 2015/830/EU			
Code Number FM72641	F1.12 DIA		
Version 4 Revised 18/07/2022 3:			
INITIAL BOILING POINT AND RANGE	Not available		
EVAPORATION RATE	Not available		
FLAMMABILITY (SOLID/GAS)	Not available		
UPPER/LOWER FLAMMABILITY LIMITS	Not available		
VAPOUR PRESSURE	Not available		
VAPOUR DENSITY	Not available		
SPECIFIC GRAVITY @ 20°C	0.935 to 0.965		
SOLUBILITIES	Insoluble in water		
PARTITION COEFF N-OCTANAL/WATER	Not available		
AUTO-IGNITION TEMPERATURE	Not available		
DECOMPOSITION TEMPERATURE	Not available		
VISCOSITY @ 20 DEG C	Not available		
EXPLOSIVE PROPERTIES	Not available		
OXIDISING PROPERTIES	Not available		
9.2 Other information No further information available.			
Section 10. Stability and reactivity	y		
10.1 Reactivity No data.			
10.2 Chemical Stability Stable under the recommended st	orage conditions (see section	7).	
10.3 Possibility of hazardous rea No hazardous reactions if stored u	ctions		
10.4 Conditions to avoid Avoid exposure to heat, sources of			to air.
10.5 I ncompatible materials Keep away from oxidising agents a			

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 18 Jul 2022

GHS: According to 2015/830/EU

 Code Number
 FM72641

 Version 4 Revised 18/07/2022 3:51:13 PM

10.6 Hazardous decomposition products During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity May be harmful if swallowed.

Skin corrosion / irritation Causes skin irritation.

Serious eye damage / irritation Causes serious eye damage.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

No data

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 18 Jul 2022

GHS: According to 2015/830/EU

Code Number FM72641

Version 4 Revised 18/07/2022 3:51:13 PM

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5)(HHCB): LC50 (96 h) - Medaka larvae – 0.95 mg/L EC50 (48 h) - Daphnia magna – 0.194 mg/L EC50 (72 h) - Pseudokirchneriella subcapitata – 0.72 mg/L NOEC (36 days) - Pimephales promelas (fathead minnow) - 0.068 mg/L NOEC (21 days) - Daphnia magna 0.11 mg/L

NOEC (72 h) - Pseudokirchneriella subcapitata – 0.2 mg/L

12.2 Persistence and degradability

No tested data available for this substance.

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

- 12.5 Results of PBT and vPvB assessment
 - No data

12.6 Other adverse effects See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY [DATA SHEET 0 2015/830/EU	Printed on	18 Jul 20.
Code Numbe Version 4 Re	er FM72641 vised 18/07/2022 3:51:13 PM		
14.1 UN nur	nber		
ADR	3082		
ΙΑΤΑ	3082		
IMDG	3082		
14.2 UN pro	per shipping name		
ADR	ENVIRONMENTALLY HAZARDOUS S (CONTAINS HHCB)	SUBSTANCE, LIQUID, N.O.S.	
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS S (CONTAINS HHCB)	SUBSTANCE, LIQUID, N.O.S.	
IMDG	ENVIRONMENTALLY HAZARDOUS S (CONTAINS HHCB)	SUBSTANCE, LIQUID, N.O.S.	
14.3 Transp	ort hazard class(es)		
ADR	9		
ΙΑΤΑ	9		
IMDG	9		
14.4 Packing	g group		
ADR			
ΙΑΤΑ	111		
IMDG	111		
Tunnel Code	(E)		
14.5 Enviror	nmental Hazards		
	for the environment. Marine pollutant	t.	
•	precautions for user		
•	ransport (International Maritime Dang S-F	erous Goods Code (IMDG Co	ode)):
Road and R	ail Transport (Australian Dangerous C	Goods Code (ADG Code)):	
HazChem	Code • 3Z		
14.7 Transp Not applica	ort in bulk according to Annex II oble	of MARPOL73/78 and the	IBC Code

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA		
GHS: According to 2015/83	D/EU	
Code Number	FM72641	
Version 4 Revised 18	V07/2022 3:51:13 PM	
Section 15. Regulator	ry information	
15.1 Safety, health a substance or mixture	nd environmental regulations/legislation specific for the e	
Poison Schedule (SU	SMP): Not applicable HS Tariff Code: 3302.90.00	
15.2 Chemical safety	/ assessment	
A chemical safety as	sessment has not been carried out	
Section 16. Other info	ormation	
Full list of precaut	ionary phrases	
P201	Obtain special instructions before use.	
P202	Do not handle until all safety precautions have been read and understood.	
P261	Avoid breathing fumes.	
P264	Wash hands thoroughly after handling	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye protection	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P305+P351+P338		
P308+P313	IF exposed or concerned: Get medical advice.	
P310	Immediately call a POISON CENTRE.	
P333+P313	If skin irritation or rash occurs: Get medical advice.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P391	Collect spillage.	
P405	Store locked up.	
P501	Dispose of contents and container in accordance to local regulations.	
Wording of any ha	zard classes listed in section 3	
FL 4	Flammable liquid, category 4	
ATO 4	Acute toxicity, oral, category 4	
ATO 5		
SCI 2	CI 2 Skin corrosion/irritation, category 2	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Page 12 of 14

Printed on 18 Jul 2022

GHS: According to 2015/830/EU

 Code Number
 FM72641

 Version 4 Revised 18/07/2022 3:51:13 PM

SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 1	Eye damage/irritation, category 1
EDI 2A	Eye damage/irritation, category 2A
ATI 5	Acute toxicity, inhalation, category 5
REP 1B	Reproductive toxicity, category 1B
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3
Wording of any	hazard statements listed in section 3
H227	Combustible liquid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H360	May damage fertility or the unborn child
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
References and	further information
Key: N/A = Not applic SUSMP = Standa	able ard for the Uniform Scheduling of Medicines and Poisons

Printed on 18 Jul 2022

GHS: According to 2015/830/EU

 Code Number
 FM72641

 Version 4 Revised 18/07/2022 3:51:13 PM

Version 1-3: GHS format31/07/2017Version 4: Mandatory revision, RB18/07/2022

Page 14 of 14