# SAFETY DATA SHEET



Revision date: 03-Jul-2024

Revision Number 1

# Section 1: Identification

**Product identifier** 

Product Name BEACH WALK FM79295

Product Code(s) 000000027571

Other means of identification

UN number or ID number 3082

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

**Recommended use** Fragrances. Air fresheners. Candles. Reed Diffusers.

Uses advised against No information available.

Details of manufacturer or importer

**Supplier** 

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia ABN:51 600 546 512
70 Marple Avenue
Villawood NSW 2163
Australia

Telephone Number: +61 2 8717 2929

Facsimile: +61 2 9755 9611

Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

### Section 2: Hazard identification

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

#### **GHS Classification**

| Flammable liquids                 | Category 4 |
|-----------------------------------|------------|
| Skin corrosion/irritation         | Category 2 |
| Serious eye damage/eye irritation | Category 2 |
| Skin sensitization                | Category 1 |
| Acute aquatic toxicity            | Category 2 |
| Chronic aquatic toxicity          | Category 2 |

#### Label elements

Exclamation mark Environment



#### Signal word WARNING

#### **Hazard statements**

H227 - Combustible liquid

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H411 - Toxic to aquatic life with long lasting effects

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/clothing and eye/face protection.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Avoid release to the environment.

### **Precautionary Statements - Response**

Specific treatment (see First aid on this SDS).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water and soap.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet to extinguish...

Collect spillage.

## **Precautionary Statements - Storage**

Store in a well-ventilated place.

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

### Other hazards which do not result in classification

No information available.

# Section 3: Composition and information on ingredients

| Chemical name   | CAS No.    | Weight-% |
|---|------------|----------|
| Naphthalene,  | 54464-57-2 | 1-<10    |
| 2-acetyl-1,2,3,4,6,7,8-octahydro-2,3,8,8-tetramethyl- |            |          |
| Benzyl salicylate                                     | 118-58-1   | 1-<10    |
| Linalyl acetate                                       | 115-95-7   | 1-<10    |

| 3-Hexenyl salicylate, cis-                 | 65405-77-8 | 1-<10  |
|--|------------|--------|
| Oxacyclohexadecan-2-one                    | 106-02-5   | 1-<10  |
| Oils, bergamot                             | 8007-75-8  | 1-<10  |
| Lemon oil                                  | 8008-56-8  | 0.1-<1 |
| cyclopentadecenone, 3-methyl-              | 82356-51-2 | 0.1-<1 |
| Isoeugenol                                 | 97-54-1    | 0.1-<1 |
| Ingredients determined not to be hazardous | -          | to 100 |

### Section 4: First aid measures

#### **Description of first aid measures**

General advice For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New

Zealand 0800 764 766) or a doctor. Show this safety data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

**Skin contact**Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. May cause an allergic skin reaction. In the case of skin irritation or allergic

reactions see a physician.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Call a physician.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Wear

personal protective clothing (see section 8). Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

**Symptoms** Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation.

**Effects of Exposure** No information available.

Indication of any immediate medical attention and special treatment needed

**Note to physicians** May cause sensitization by skin contact. Treat symptomatically.

# Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal

protein foam can be used.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Combustible liquid. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Product is or contains a sensitizer.

May cause sensitization by skin contact. Environmentally hazardous. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local

regulations.

Hazardous combustion products Oxides of carbon.

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

Hazchem code •3Z

# Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Take precautionary measures against static discharges. Do not touch or walk through spilled material. Avoid contact with skin, eyes or clothing. Ensure

adequate ventilation. Keep people away from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Shut off ignition sources. Clear area of all unprotected personnel. Use personal protection

recommended in Section 8.

Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far

ahead of liquid spill for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

# Section 7: Handling and storage

Precautions for safe handling

**Advice on safe handling**Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from direct

sunlight. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights,

electric motors and static electricity). Keep in properly labeled containers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep container closed when not in use.

Classified as a C1 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.

This material is a Scheduled Poison and must be stored, maintained and used in accordance with the relevant regulations.

Incompatible materials Strong acids. Alkali. Oxidizing agent.

## Section 8: Exposure controls and personal protection

#### Control parameters

**Exposure Limits** No value assigned for this specific material by Safe Work Australia.

| Chemical name | European Union | United Kingdom | Germany DFG     |
|---------------|----------------|----------------|-----------------|
| Isoeugenol    | -              | -              | skin sensitizer |
| 97-54-1       |                |                |                 |

#### Appropriate engineering controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.



Eye/face protection Goggles.

**Skin and body protection** Wear suitable protective clothing. Overalls. Boots.

Hand protection Impervious gloves.

**Respiratory protection** If determined by a risk assessment an inhalation risk exists, wear an organic

vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

**Environmental exposure controls** No information available.

Thermal hazards No information available.

### Section 9: Physical and chemical properties

#### Information on basic physical and chemical properties

Physical state Liquid Appearance Clear

Color Colourless to Pale Yellow

Odor Fresh, Citrus, Marine, Musk, Woody, White flower

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Hq No data available None known pH (as aqueous solution) No data available None known Melting point / freezing point No data available None known Boiling point / boiling range No data available None known 80 °C Flash point CC (closed cup) **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure0.03761114 mmHgNone knownVapor densityNo data availableNone knownRelative density0.9060 - 0.9260@ 20 °CWater solubilityNo data availableNone known

Solubility(ies) No data available

Partition coefficientNo data availableNone knownAutoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Other information

# Section 10: Stability and reactivity

Reactivity

**Reactivity** No information available.

Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

Possibility of hazardous reactions

Possibility of hazardous reactions 
None under normal processing.

Conditions to avoid

Conditions to avoid Heat, flames and sparks. Static discharge (electrostatic discharge). Direct sunlight.

Incompatible materials

**Incompatible materials** Strong acids. Alkali. Oxidizing agent.

Hazardous decomposition products

Hazardous decomposition products Oxides of carbon.

# Section 11: Toxicological information

#### Information on likely routes of exposure

**Product Information**No adverse health effects expected if the chemical is handled in accordance with this Safety

Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is

mishandled and overexposure occurs are:

**Inhalation** May cause irritation of respiratory tract.

Eye contact Causes serious eye irritation. May cause redness, itching, and pain.

Skin contact May cause sensitization by skin contact. Repeated or prolonged skin contact may cause

allergic reactions with susceptible persons. Causes skin irritation.

**Ingestion** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.

Acute toxicity .

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)** >5,000 mg/kg **ATEmix (dermal)** >5,000 mg/kg

**Component Information** 

| Chemical name              | Oral LD50           | Dermal LD50           | Inhalation LC50       |
|----------------------------|---------------------|-----------------------|-----------------------|
| Benzyl salicylate          | = 2227 mg/kg (Rat)  | > 5000 mg/kg (Rabbit) | -                     |
| Linalyl acetate            | = 14550 mg/kg (Rat) | > 5000 mg/kg (Rabbit) | > 18.94 mg/L (Rat)8 h |
| 3-Hexenyl salicylate, cis- | = 5 g/kg (Rat)      | > 2000 mg/kg (Rabbit) | -                     |
| Oxacyclohexadecan-2-one    | >5000 mg/kg (Rat)   | >5000 mg/kg (Rabbit)  | -                     |
| Oils, bergamot             | = 11520 mg/kg (Rat) | -                     | -                     |
| Lemon oil                  | = 2840 mg/kg (Rat)  | -                     | -                     |
| Isoeugenol                 | = 1560 mg/kg (Rat)  | -                     | -                     |

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**Causes skin irritation. Classification based on data available for ingredients.

Serious eye damage/eye irritation Causes serious eye irritation. Classification based on data available for ingredients.

Respiratory or skin sensitization May cause an allergic skin reaction. Classification based on data available for ingredients.

Germ cell mutagenicity No information available.

**Carcinogenicity** No information available.

| Chemical name        | Australia | European Union | IARC     |
|----------------------|-----------|----------------|----------|
| Isoeugenol - 97-54-1 | Carc. 2   | -              | Group 2B |

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

# Section 12: Ecological information

### **Ecotoxicity**

Aquatic ecotoxicity Keep out of waterways. Toxic to aquatic life with long lasting effects.

| Chemical name                    | Algae/aquatic plants   | Fish                   | Toxicity to    | Crustacea             |
|----------------------------------|------------------------|------------------------|----------------|-----------------------|
|                                  |                        |                        | microorganisms |                       |
| Naphthalene,                     | EC50 (72 h) -          | LC50 (96 h) - Lepomis  | -              | EC50 (48 h) - Daphnia |
| 2-acetyl-1,2,3,4,6,7,8-octahydro |                        | macrochirus - 1.3 mg/L |                | magna - 1.38 mg/L     |
| -2,3,8,8-tetramethyl-            |                        | NOEC (30 days) - Danio |                | NOEC (21 days) -      |
|                                  | NOEC (72 h) -          | rerio - 0.16 mg/L (1)  |                | Daphnia magna – 0.044 |
|                                  | Scenedesmus            |                        |                | mg/L(1)               |
|                                  | subspicatus - 2.6 mg/L |                        |                |                       |
|                                  | (1)                    |                        |                |                       |
| Benzyl salicylate                | -                      | LC50: =1.03mg/L (96h,  | -              | -                     |
|                                  |                        | Danio rerio)           |                |                       |
| Linalyl acetate                  | EC50: 68mg/L (72h,     | LC50: =11mg/L (96h,    | -              | EC50: 59mg/L (48h,    |
| ·                                | Pseudokirchneriella    | Cyprinus carpio)       |                | Daphnia magna)        |
|                                  | subcapitata)           | ·                      |                | -                     |
| Oxacyclohexadecan-2-one          | -                      | -                      | -              | EC0: 1.27 mg/l (48 h, |
|                                  |                        |                        |                | Daphnia magna (Water  |
|                                  |                        |                        |                | flea)(1)              |

Terrestrial ecotoxicity There is no data for this product.

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

#### **Bioaccumulation**

**Component Information** 

| Chemical name  | Partition coefficient |
|--|-----------------------|
| Naphthalene, 2-acetyl-1,2,3,4,6,7,8-octahydro-2,3,8,8-tetramethyl- | 5.7                   |
| Benzyl salicylate  | 4                     |
| Linalyl acetate  | 3.9                   |
| 3-Hexenyl salicylate, cis-   | 4.8                   |
| Oxacyclohexadecan-2-one  | 5.79                  |

**Mobility** 

**Mobility** No information available.

Other adverse effects

Other adverse effects No information available.

## Section 13: Disposal considerations

Waste treatment methods

Waste from residues/unused

products

ADG

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers. Dispose of in accordance with federal, state and local regulations.

See section 8 for more information

# Section 14: Transport information

(ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code

**UN** number or ID number

3082

Proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS NAPHTHALENE, 2-ACETYL-1,2,3,4,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL- AND

CIS-3-HEXENYL SALICYLATE)

Transport hazard class(es)

Packing group

Ш Yes

**Environmental hazard** Hazchem code

•3Z

IATA

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

**UN number** 

3082

**UN proper shipping name** 

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS NAPHTHALENE, 2-ACETYL-1,2,3,4,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL- AND

CIS-3-HEXENYL SALICYLATE)

Transport hazard class(es)

Packing group

9 Ш

Page 9/12

IMDG Classified as Dangerous Goods by the criteria of the International Maritime Dangerous

Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number 3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS

NAPHTHALENE, 2-ACETYL-1,2,3,4,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL- AND

CIS-3-HEXENYL SALICYLATE)

Transport hazard class(es)

Packing group

IMDG EMS Fire

F-A

IMDG EMS Spill

S-F

Marine pollutant

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

# Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

#### Australia

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail: DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

See section 8 for national exposure control parameters

### Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number 5

#### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

|  | Australian Industrial<br>Chemicals Introduction<br>Scheme (AICIS) | Additional information   |
|--|---|--|
| Naphthalene,                               | Present   | -  |
| 2-acetyl-1,2,3,4,6,7,8-octahydro-2,3,8,    |   |  |
| 8-tetramethyl 54464-57-2                   |   |  |
| Benzyl salicylate - 118-58-1               | Present   | -  |
| Linalyl acetate - 115-95-7                 | Present   | -  |
| 3-Hexenyl salicylate, cis 65405-77-8       | Present   | -  |
| Oxacyclohexadecan-2-one - 106-02-5         | Present   | -  |
| Oils, bergamot - 8007-75-8                 | Present   | -  |
| Lemon oil - 8008-56-8                      | Present   | -  |
| cyclopentadecenone, 3-methyl<br>82356-51-2 |   | Specific information requirement: Obligations to provide information apply. You must tell us within 28 days if the |

| Chemical name                              | Australian Industrial<br>Chemicals Introduction<br>Scheme (AICIS) | Additional information  |
|--|---|---|
|  |   | circumstances of your importation or manufacture (introduction) are different to those in our assessment. |
| Isoeugenol - 97-54-1                       | Present   | -   |
| Ingredients determined not to be hazardous | Present   | -   |

#### **Illicit Drug Precursors/Reagents**

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

**International Inventories** 

All the constituents of this material are listed on the Australian Inventory of Industrial

Chemicals.

**NZIoC** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **TSCA DSL/NDSL** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. **IECSC KECL** Contact supplier for inventory compliance status. **PICCS** Contact supplier for inventory compliance status.

#### Legend:

### **AIIC- Australian Inventory of Industrial Chemicals**

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

# **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

### Section 16: Other information

Reason(s) For Issue: First Issue Primary SDS

Prepared By

This Safety Data Sheet has been prepared by IXOM Operations Pty Ltd (Toxicology and

SDS Services).

Revision date: 03-Jul-2024

**Revision Note:** 

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate

LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

#### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

C Carcinogen

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

#### **Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

**End of Safety Data Sheet**