SAFETY DATA SHEET

Revision date: 10-Jul-2024



Revision Number 1

| Section 1: Identification | |
|--|---|
| Product identifier | |
| Product Name | White Rum Flavour Comp Synth E49999 – FARUM49999 |
| Product Code(s) | 00000027575 |
| Other means of identification | |
| UN number or ID number | 1197 |
| Pure substance/mixture | Mixture |
| Recommended use of the chemica | I and restrictions on use |
| Recommended use | Flavour. |
| Uses advised against | No information available. |
| Details of manufacturer or importe | <u>ir</u> |
| Supplier Ixom Operations Pty Ltd (Bronson & ABN:51 600 546 512 70 Marple Avenue Villawood NSW 2163 Australia Telephone Number: +61 2 8717 2929 Facsimile: +61 2 9755 9611 | Jacobs division) - incorporated in Australia |
| Emergency telephone number | |
| Emergency telephone number | 1 800 033 111 (ALL HOURS) |
| Please ensure you refer to the limitations of this | Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet. |
| Section 2: Hazard identifie | cation |
| | in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). ne criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and |

| GHS Classification | |
|-----------------------------------|------------|
| Flammable liquids | Category 3 |
| Serious eye damage/eye irritation | Category 2 |

Label elements Flame Exclamation mark



Signal word WARNING

Hazard statements

H226 - Flammable liquid and vapor H319 - Causes serious eye irritation

Precautionary Statements - Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Keep container tightly closed.
Ground and bond container and receiving equipment.
Use explosion-proof electrical/ ventilating / lighting/ .? / equipment.
Use only non-sparking tools.
Wash hands and face thoroughly after handling.
Take action to prevent static discharges.
Wear protective gloves/clothing and eye/face protection.
Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet to extinguish...

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other hazards which do not result in classification

Section 3: Composition and information on ingredients

| Chemical name | CAS No. | Weight-% |
|--------------------------------------|---------|----------|
| Ethyl alcohol (Ethanol) | 64-17-5 | 10-30 |
| Flavour ingredients at non-hazardous | - | to 100 |
| concentrations | | |

Additional information

Contains propylene glycol and glycerin.

Section 4: First aid measures

Description of first aid measures

| General advice | For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor. |
|----------------|---|
| Inhalation | IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. (Call a physician if |

| | symptoms occur). |
|------------------------------------|---|
| Eye contact | Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if symptoms occur. |
| Skin contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. (Call a physician if symptoms occur). |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get medical attention if symptoms occur. |
| Self-protection of the first aider | Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. |
| Most important symptoms and effe | cts, both acute and delayed |
| Symptoms | Irritating. May cause redness and tearing of the eyes. |
| Effects of Exposure | No information available. |
| Indication of any immediate medica | I attention and special treatment needed |
| Note to physicians | Treat symptomatically. |

Section 5: Firefighting measures

| Suitable Extinguishing Media | | |
|--|--|--|
| Suitable extinguishing media | Foam. Carbon dioxide (CO2). Dry chemical. | |
| Unsuitable extinguishing media | CAUTION: Use of water spray when fighting fire may be inefficient. | |
| Specific hazards arising from the c | hemical | |
| Specific hazards arising from the chemical | Flammable. Risk of ignition. Keep product and empty container away from heat and sources of ignition. Containers may explode when heated. In the event of fire, cool tanks with water spray. Runoff may create fire or explosion hazard. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. | |
| Hazardous combustion products | Oxides of carbon. | |
| Special protective actions for fire-fighters | | |
| Special protective equipment and precautions for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. | |
| Hazchem code | 3Y | |
| Section 6. Assidental roles | | |

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Use personal protective equipment as

| | required. See section 8 for more information. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. |
|-----------------------------------|---|
| Other information | Ventilate the area. Refer to protective measures listed in Sections 7 and 8. |
| For emergency responders | Shut off ignition sources. Clear area of all unprotected personnel. Use personal protection recommended in Section 8. |
| Environmental precautions | |
| Environmental precautions | Prevent further leakage or spillage if safe to do so. Refer to protective measures listed in Sections 7 and 8. Prevent product from entering drains. |
| Methods and material for containm | ent and cleaning up |
| Methods for containment | Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. |
| Methods for cleaning up | Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. |

Section 7: Handling and storage

Precautions for safe handling

| Advice on safe handling | Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. |
|--|---|
| General hygiene considerations | Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. |
| Conditions for safe storage, including | ng any incompatibilities |
| Storage Conditions | Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Protect from direct sunlight. Store away from incompatible materials described in Section 10. Store in accordance with the particular national regulations. Store in accordance with local regulations. |
| Incompatible materials | Oxidizing agent. |

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

| Chemical name | Australia | New Zealand | ACGIH TLV |
|------------------------------------|--|--|----------------|
| Ethyl alcohol (Ethanol) 64-17-5 | TWA: 1000 ppm TWA: 1880 mg/m ³ | TWA: 200 ppm TWA: 380 mg/m ³ STEL: 800 ppm STEL: 1520 mg/m ³ oto | STEL: 1000 ppm |
| | | | |
| Chemical name | European Union | United Kingdom | Germany DFG |

| Chemical name | European Union | United Kingdom | Germany DFG |
|-------------------------|----------------|------------------------------|------------------------------|
| Ethyl alcohol (Ethanol) | - | TWA: 1000 ppm | TWA: 200 ppm |
| 64-17-5 | | TWA: 1920 mg/m ³ | TWA: 380 mg/m ³ |
| | | STEL: 3000 ppm | Peak: 800 ppm |
| | | STEL: 5760 mg/m ³ | Peak: 1520 mg/m ³ |

Propane-1,2-diol (propylene glycol) (total: vapour & particulates): 8hr TWA = 474 mg/m³ (150 ppm); (particulates only): 8hr TWA = 10 mg/m³ Glycerin (Glycerol) mist: 8hr TWA = 10 mg/m³

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls Ensure adequate ventilation, especially in confined areas. Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.



| Respiratory protection | If determined by a risk assessment an inhalation risk exists, wear an organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. |
|---------------------------------|--|
| Environmental exposure controls | No information available. |
| Thermal hazards | No information available. |

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid No information available Appearance Color Colourless to Pale Yellow Odor Characteristic aroma and flavour of white rum. Odor threshold No information available

| Property | Values | Remarks • Method |
|---|-----------------------|------------------|
| pH | No data available | None known |
| pH (as aqueous solution) | No data available | None known |
| Melting point / freezing point | No data available | None known |
| Boiling point / boiling range | No data available | None known |
| Flash point | 40°C | CC (closed cup) |
| Evaporation rate | No data available | None known |
| Flammability (solid, gas) | No data available | None known |
| Flammability Limit in Air | | None known |
| Upper flammability or explosive limits | No data available | |
| Lower flammability or explosive | No data available | |
| limits | | |
| Vapor pressure | No data available | None known |
| Vapor density | No data available | None known |
| Relative density | 1.0382 - 1.0782 @20°C | None known |
| Water solubility | No data available | None known |
| Solubility(ies) | Miscible in water | None known |
| Partition coefficient | No data available | None known |
| Autoignition temperature | No data available | None known |
| Decomposition temperature | No data available | None known |
| Kinematic viscosity | No data available | None known |
| Dynamic viscosity | No data available | None known |

Other information

Section 10: Stability and reactivity

Reactivity

Reactivity

No information available.

Yes.

Chemical stability

Stability

Stable under normal conditions.

Explosion data Sensitivity to mechanical impact None. Sensitivity to static discharge

Possibility of hazardous reactions

| Possibility of hazardous reactions | None under normal processing. Heating can cause expansion or decomposition of the material, which can lead to the containers exploding. | | |
|--|---|--|--|
| Conditions to avoid | | | |
| Conditions to avoid | Heat, flames and sparks. static discharge (electrostatic discharge). Avoid contact with combustible substances. Direct sunlight. | | |
| Incompatible materials | | | |
| Incompatible materials | Oxidizing agent. | | |
| Hazardous decomposition products | | | |
| Hazardous decomposition products Oxides of carbon. | | | |
| Section 11: Toxicological information | | | |
| Information on likely routes of exposure | | | |

| Product Information | No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are: |
|---------------------|---|
| Inhalation | May cause irritation. |
| Eye contact | Causes serious eye irritation. |
| Skin contact | May cause irritation. |
| Ingestion | Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May cause gastrointestinal discomfort if consumed in large amounts. |
| Symptoms | Irritating. May cause redness and tearing of the eyes. |
| Acute toxicity | |

Numerical measures of toxicity - Product Information No information available

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-------------------------|----------------------|-------------|-------------------------|
| Ethyl alcohol (Ethanol) | = 7060 mg/kg (Rat) | - | = 124.7 mg/L (Rat) 4h |

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Skin corrosion/irritation | No information available. |
|-----------------------------------|--|
| Serious eye damage/eye irritation | Causes serious eye irritation. Classification is based on mixture calculation methods based on component data. |
| Respiratory or skin sensitization | No information available. |

| Germ cell mutagenicity | No information available. |
|--------------------------|---------------------------|
| Carcinogenicity | No information available. |
| | |
| Reproductive toxicity | No information available. |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | No information available. |
| Aspiration hazard | No information available. |

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity

Avoid contaminating waterways.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|-------------------------|----------------------|--|-------------------------------|---|
| Ethyl alcohol (Ethanol) | - | LC50: 12.0 - 16.0mL/L (96h, Oncorhynchus mykiss) LC50: >100mg/L (96h, Pimephales promelas) LC50: 13400 - 15100mg/L (96h, Pimephales promelas) | - | LC50: 9268 - 14221mg/L (48h, Daphnia magna) EC50: =2mg/L (48h, Daphnia magna) |

Terrestrial ecotoxicity

There is no data for this product.

| Chemical name | Earthworm | Avian | Honeybees |
|---------------|---|-------|-----------|
| | Acute Toxicity: LC50 0.1 - 1 mg/cm2 (Eisenia foetida 48 h filter paper) Source: IUCLID | | - |

| Persistence and degradability | |
|-------------------------------|------------------------------------|
| Persistence and degradability | No information available. |
| Bioaccumulative potential | |
| Bioaccumulation | There is no data for this product. |

| Component Information | | |
|--|---|--|
| Chemical Ethyl alcohol | | Partition coefficient -0.35 |
| Mobility | | |
| Mobility | No information available. | |
| Other adverse effects | | |
| Other adverse effects | No information available. | |
| Section 13: Disposal cons | iderations | |
| Waste treatment methods | | |
| Waste from residues/unused products | | environment. Dispose of in accordance with local accordance with environmental legislation. |
| Contaminated packaging | | ial fire and explosion hazard. Do not cut, puncture or weld ance with federal, state and local regulations. |
| See section 8 for more information | | |
| Section 14: Transport info | rmation | |
| ADG | | by the criteria of the Australian Dangerous Goods Code and Rail; DANGEROUS GOODS. |
| UN number or ID number Proper shipping name Transport hazard class(es) Packing group Hazchem code | 1197 EXTRACTS, FLAVOURING, LIC 3 III 3Y | QUID |
| IATA | | by the criteria of the International Air Transport Association ations for transport by air; DANGEROUS GOODS. |
| UN number UN proper shipping name Transport hazard class(es) Packing group | 1197 EXTRACTS, FLAVOURING, LIC 3 III | QUID |
| IMDG | | by the criteria of the International Maritime Dangerous ansport by sea; DANGEROUS GOODS. |
| UN number UN proper shipping name Transport hazard class(es) Packing group IMDG EMS Fire IMDG EMS Spill | 1197 EXTRACTS, FLAVOURING, LIC 3 III F-E S-D | JUD |
| Transport in bulk according to Ann No information available | ex II of MARPOL 73/78 and the I | BC Code |

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

Australian Industrial Chemicals Introduction Scheme (AICIS)

| | Australian Industrial Chemicals Introduction Scheme (AICIS) | Additional information |
|---|---|------------------------|
| Ethyl alcohol (Ethanol) - 64-17-5 | Present | - |
| Flavour ingredients at non-hazardous concentrations | Present | - |

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

Major hazard (accident/incident planning) regulation

Verify that license requirements are met

Hazardous chemical Liquids that meet the criteria for Class 3 Packing Group II or III Threshold quantity (T) 50 000

National pollutant inventory

Subject to reporting requirement

| Chemical name | National pollutant inventory |
|-----------------------------------|----------------------------------|
| Ethyl alcohol (Ethanol) - 64-17-5 | 10 tonne/yr Threshold category 1 |

| International Inventories | |
|---------------------------|--|
| AIIC | |
| | |

| AIIC | All the constituents of this material are listed on the Australian Inventory of Industrial |
|---------------|--|
| | Chemicals or are regulated through the Food Standards Australia New Zealand (FSANZ). |
| NZIOC | Contact supplier for inventory compliance status. |
| TSCA | Contact supplier for inventory compliance status. |
| DSL/NDSL | Contact supplier for inventory compliance status. |
| EINECS/ELINCS | Contact supplier for inventory compliance status. |
| ENCS | Contact supplier for inventory compliance status. |
| IECSC | Contact supplier for inventory compliance status. |
| KECL | Contact supplier for inventory compliance status. |
| PICCS | Contact supplier for inventory compliance status. |

Revision Number 1

Legend:

AIIC AIIC- Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

| Section 16: Other information | | | | |
|-------------------------------|--|--|--|--|
| Reason(s) For Issue: | First Issue Primary SDS | | | |
| Prepared By | This Safety Data Sheet has been prepared by IXOM Operations Pty Ltd (Toxicology and SDS Services). | | | |
| Revision date: | 10-Jul-2024 | | | |
| | | | | |

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

| TWA | TWA (time-weighted average) | STEL | STEL (Short Term Exposure Limit) |
|---------|-----------------------------|------|----------------------------------|
| Ceiling | Maximum limit value | * | Skin designation |
| С | Carcinogen | | |

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) Environmental Protection Agency Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal

Revision Number 1

Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

End of Safety Data Sheet