

SAFETY DATA S GHS: According to 2015/830/		Printed on	19 Jun 202
<i>Code Number Version 2 Revised 19/0</i>	FM76895 96/2024 10:37:33 AM		
Section 1. Identification	n of the substance/mixture and of th	ne company/	undertaking
1.1 Product I dentifier			
Product Name	INTO THE WOODS		
Code Number	FM76895		
Alternative Name			
REACH Reg No	Not registered		
1.2 Relevant identified	l uses of the substance or mixture ar	nd uses advis	sed against
For fragrance use.			
1.3 Dotails of the supr	lier of the safety data sheet		
	Australian Botanical Products Ltd		
	39 Melverton Drive, Hallam Victoria, 3803 Australia		
	ABN: 45006782529		
Telephone Number	Tel No. +613 97094800		
Email Address	abpsales@ixom.com		
1.4 Emergency Tel No	Emergency No. +61 1 800 033 111		
Section 2. Hazard I den	tification		
2.1 Classification of th	e substance or mixture		
SCI 2	Skin corrosion/irritation, category 2		
SS 1B	Skin sensitisation, category 1B		
EDI 2A	Eye damage/irritation, category 2A		
REP 2	Reproductive toxicity, category 2		
EH A2	Aquatic hazard, acute, category 2		
EH C2	Aquatic hazard, chronic, category 2		
2.2 Label elements			

AFETY DATA		-
ode Number	FM76895	
ersion 2 Revised	19/06/2024 10:37:33 AM	
	according to Regulation (EC) No 1272/2008	
Hazard Pictogram	ns	
	A A A A A A A A A A A A A A A A A A A	
Signal Word	Warning	
Hazard Statemer	nts	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H361	Suspected of damaging fertility or the unborn child	
H411	Toxic to aquatic life with long lasting effects	
Precautionary St	atements	
P201	Obtain special instructions before use.	
P261	Avoid breathing fumes.	
P264	Wash hands thoroughly after handling	
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye protection	
P308+P313	IF exposed or concerned: Get medical advice.	
P333+P313	If skin irritation or rash occurs: Get medical advice.	
P337+P313	If eye irritation persists: Get medical attention.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P391	Collect spillage.	
P405	Store locked up.	
P501	Dispose of contents/container in accordance to local regulation	ons

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 19 Jun 2024

GHS: According to 2015/830/EU

Code Number FM76895

Version 2 Revised 19/06/2024 10:37:33 AM

No further information available at this time

Section 3. Composition / information on ingredients Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 54464-57-2 EINECS 259-174-3 REACH	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl) SCI 2:SS 1B:EH C1 H315,H317,H410	10% - 30%
CAS 3407-42-9 EINECS 222-294-1 REACH	3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol EDI 2A;REP 2;EH A2,C2 H319,H361,H401,H411	10% - 30%
CAS 77-53-2 EINECS 201-035-6 REACH	Cedrol (alpha-Cedrol) SCI 3;EH A2,C2 H316,H401,H411	1% - 10%
CAS 32210-23-4 EINECS 250-954-9 REACH	4-tert-butylcyclohexyl acetate ATO 5;SS 1B;EH A2,C2 H303,H317,H401,H411	1% - 10%
CAS 65113-99-7 EINECS 265-453-0 REACH	a, B, 2, 2, 3-pentamethylcyclopent-3-ene-1-butanol SCI 3; EDI 2A; EH A2, C2 H316, H319, H401, H411	1% - 10%
CAS 1222-05-5 EINECS 214-946-9 REACH	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran EH A1,C1 H400,H410	1% - 10%
CAS 77-54-3 EINECS 201-036-1 REACH	[3R-(3a,3aß,6a,7ß,8aa)]-octahydro-3,6,8,8-tetramethyl-1H-3a, SS 1B;EH A1,C1 H317,H400,H410	1% - 10%
CAS 1506-02-1 EINECS 244-240-6 REACH	1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)etha ATO 4(1000);EH A1,C1 H302,H400,H410	1% - 10%
CAS 28219-61-6 EINECS 248-908-8 REACH	2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol FL 4; EDI 2A; EH A1,C1 H227,H319,H400,H410	1% - 10%
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410	1% - 10%

Printed on 19 Jun 2024

GHS: According to 2015/830/EU

Code Number FM76895

Version 2 Revised 19/06/2024 10:37:33 AM

CAS 469-61-4 EINECS 207-418-4 REACH	alpha-Cedrene AH 1;SCI 3;EH A1,C1 H304,H316,H400,H410	<1%
CAS 70788-30-6 EINECS 274-892-7 REACH	2,2,6-trimethyl-a-propylcyclohexanepropanol SS 1;EH A1,C1 H317,H400,H410	<1%
CAS 97-53-0 EINECS 202-589-1 REACH	Eugenol ATO 5(2000); SCI 2; SS 1; EDI 2A H303,H315,H317,H319	<1%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3; SCI 2; SS 1B; AH 1; EH A1, C1 H226, H304, H315, H317, H400, H410	<1%
CAS 128-37-0 EINECS 204-881-4 REACH	2,6-di-tert-butyl-p-cresol EH A1,C1 H400,H410	<1%
CAS 13466-78-9 EINECS 236-719-3 REACH	3-Carene (delta-3-Carene) FL 3;ATO 5(4800);SCI 2;SS 1;AH 1 H226,H303,H304,H315,H317	<1%
CAS 4707-47-5 EINECS 225-193-0 REACH	methyl 2,4-dihydroxy-3,6-dimethylbenzoate SS 1;EH A2 H317,H401	<1%
CAS 546-28-1 EINECS 208-898-8 REACH	beta-Cedrene AH 1; EH A1,C1 H304,H400,H410	<1%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal. Obtain medical advice if necessary.

After skin contact

Causes skin irritation, May cause an allergic skin reaction. Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

After eye contact

Causes serious eye irritation. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY	DATA	SHFFT
0/ 11 - 1 - 1	27.17.	0

Printed on 19 Jun 2024

GHS: According to 2015/830/EU

Code Number FM76895 Version 2 Revised 19/06/2024 10:37:33 AM

After ingestion

time

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

- 4.2 Most important symptoms and effects, both acute and delayed Take phrases in sections 2 and 11 into account. No further information available at this
- 4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

- 5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.
- 5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code •3Z

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 19 Jun 2024

GHS: According to 2015/830/EU

Code Number FM76895 Version 2 Revised 19/06/2024 10:37:33 AM

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET Printed on 19 Jun 2024 GHS: According to 2015/830/EU Code Number FM76895 Version 2 Revised 19/06/2024 10:37:33 AM Thermal hazards No information. Environmental exposure controls Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation. National Exposure Standards No exposure standards have been established for this material by Worksafe Australia. **Biological Limit Values** No biological limit allocated. Section 9. Physical and chemical properties 9.1 Information on basic physical and chemical properties >100°C FLASH POINT (°C) **APPEARANCE** Mobile liquid COLOUR Colourless to pale yellow ODOUR Lemon, sandalwood, cedarwood, juniper, patchouli, moss, tonk **ODOUR THRESHOLD** Not available pH @20 DEG C Not available MELTING/FREEZING POINT Not available INITIAL BOILING POINT AND Not available RANGE EVAPORATION RATE Not available FLAMMABILITY (SOLID/GAS) Not available UPPER/LOWER FLAMMABILITY Not available LIMITS VAPOUR PRESSURE Not available VAPOUR DENSITY Not available SPECIFIC GRAVITY @ 20°C 0.89 - 0.92 SOLUBILITIES Insoluble in water PARTITION COEFF Not available N-OCTANAL/WATER

Page 7 of 14

Code Number FM76895	5
Version 2 Revised 19/06/2024 10	D: 37: 33 AM
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivit	У
10.1 Reactivity No data.	
10.2 Chemical Stability Stable under the recommended st	torage conditions (see section 7).
10.3 Possibility of hazardous rea No hazardous reactions if stored u	
10.4 Conditions to avoid Avoid exposure to heat, sources o	f ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents	and from highly alkaline or acidic material.
10.6 Hazardous decomposition p	roducts
During combustion may form carb compounds.	oon monoxide, carbon dioxide and unidentified organic
Section 11. Toxicological informa	tion
11.1 Information on toxicologica	Il effects
Acute toxicity	
Not classified based on available of	data.
Skin corrosion / irritation Causes skin irritation.	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 19 Jun 2024

GHS: According to 2015/830/EU

 Code Number
 FM76895

 Version 2 Revised 19/06/2024 10:37:33 AM

Respiratory or skin sensitisation
May cause an allergic skin reaction.
Germ cell mutagenicity
No data
Carcinogenicity
No data
Reproductive toxicity
Suspected of damaging fertility or the unborn child.
STO-single exposure
No data
STO-repeated exposure
No data
Aspiration hazard
No data
Information on likely routes of exposure
No data
Symptoms related to the physical, chemical and toxicological characteristics
No data
Delayed and immediate effects as well as chronic effects from short and
long-term exposure No data
Interactive effects No data
Other information No data
Section 12. Ecological information
12.1 Toxicity
Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains Tetramethyl acetyloctahydronaphthalenes (54464-57-2):
LC50 (96 h) - Lepomis macrochirus - 1.3 mg/L
EC50 (48 h) - Daphnia magna - 1.38 mg/L

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

EC50 (72 h) - Scenedesmus subspicatus - 2.6 mg/L

NOEC (30 days) - Danio rerio - 0.16 mg/L

HS: According	g to 2015/830/EU	
Code Num	ber FM76895	
Version 2 k	Pevised 19/06/2024 10:37:33 AM	
NOEC (72 12.2 Persis	l days) - Daphnia magna – 0.044 mg/L 2 h) - Scenedesmus subspicatus - 2.6 mg/L stence and degradability	-
	ata available for this substance.	
12.3 Bioac No data.	cumulative potential	
12.4 Mobil	-	contamination
	l, surface water and water-bearing stratum	
12.5 Resul No data.	ts of PBT and vPvB assessment	
	adverse effects ons 6, 7, 13 and 15.	
See section 13.	Disposal considerations	controls and personal protection)
See section Section 13. Please refer 13.1 Waste	ons 6, 7, 13 and 15.	
See section Section 13. Please refer 13.1 Waste Dispose in	Disposal considerations to the information in section 8 (Exposure treatment methods	
See section Section 13. Please refer 13.1 Waste Dispose in	Disposal considerations to the information in section 8 (Exposure treatment methods n accordance with the law and local regulat Transport information	
See section Section 13. Please refer 13.1 Waste Dispose in Section 14.	Disposal considerations to the information in section 8 (Exposure treatment methods n accordance with the law and local regulat Transport information	
See section Section 13. Please refer 13.1 Waste Dispose in Section 14. 14.1 UN nu	Disposal considerations to the information in section 8 (Exposure treatment methods n accordance with the law and local regulat Transport information	
See section Section 13. Please refer 13.1 Waste Dispose in Section 14. 14.1 UN nu ADR	Disposal considerations to the information in section 8 (Exposure treatment methods n accordance with the law and local regulat Transport information umber 3082	
See section Section 13. Please refer 13.1 Waste Dispose in Section 14. 14.1 UN nu ADR IATA IMDG	Disposal considerations to the information in section 8 (Exposure treatment methods n accordance with the law and local regulat Transport information umber 3082 3082	
See section Section 13. Please refer 13.1 Waste Dispose in Section 14. 14.1 UN nu ADR IATA IMDG	Disposal considerations to the information in section 8 (Exposure treatment methods n accordance with the law and local regulat Transport information umber 3082 3082 3082	tions. Treat as trade effluent.
See section Section 13. Please refer 13.1 Waste Dispose in Section 14. 14.1 UN nu ADR IATA IMDG 14.2 UN pr	Disposal considerations To the information in section 8 (Exposure to the information in section 8 (Exposure to the information accordance with the law and local regulat Transport information umber 3082 3082 3082 3082 Toper shipping name ENVIRONMENTALLY HAZARDOUS SUE	tions. Treat as trade effluent. SSTANCE, LIQUID, N.O.S. (CONTAINS PHTHALENES) SSTANCE, LIQUID, N.O.S. (CONTAINS
See section Section 13. Please refer 13.1 Waste Dispose in Section 14. 14.1 UN nu ADR IATA IMDG 14.2 UN pr ADR	Disposal considerations To the information in section 8 (Exposure to the information in section 8 (Exposure te treatment methods n accordance with the law and local regulat Transport information umber 3082 3082 3082 3082 TOPER shipping name ENVIRONMENTALLY HAZARDOUS SUE TETRAMETHYL ACETYLOCTAHYDRONA ENVIRONMENTALLY HAZARDOUS SUE	tions. Treat as trade effluent. BSTANCE, LIQUID, N.O.S. (CONTAINS APHTHALENES) BSTANCE, LIQUID, N.O.S. (CONTAINS APHTHALENES) BSTANCE, LIQUID, N.O.S. (CONTAINS
See section Section 13. Please refer 13.1 Waste Dispose in Section 14. 14.1 UN nu ADR IATA IMDG 14.2 UN pr ADR IATA	ons 6, 7, 13 and 15. Disposal considerations to the information in section 8 (Exposure e treatment methods n accordance with the law and local regulat Transport information umber 3082 3082 3082 3082 roper shipping name ENVIRONMENTALLY HAZARDOUS SUE TETRAMETHYL ACETYLOCTAHYDRONA ENVIRONMENTALLY HAZARDOUS SUE TETRAMETHYL ACETYLOCTAHYDRONA ENVIRONMENTALLY HAZARDOUS SUE	tions. Treat as trade effluent. BSTANCE, LIQUID, N.O.S. (CONTAINS APHTHALENES) BSTANCE, LIQUID, N.O.S. (CONTAINS APHTHALENES) BSTANCE, LIQUID, N.O.S. (CONTAINS

Printed on 19 Jun 2024

GHS: According to 2015/830/EU

Code Number FM76895 Version 2 Revised 19/06/2024 10:37:33 AM

14.3 Transpo	rt hazard class(es)		
ADR	9		
ΙΑΤΑ	9		
IMDG	9		
14.4 Packing	group		
ADR	111		
ΙΑΤΑ	111		
IMDG	III		
Tunnel Code	(-)		
14.5 Environ	mental Hazards		
Dangerous f	or the environment. Marin	ne pollutant.	
14.6 Special	precautions for user		
		itime Dangerou	is Goods Code (IMDG Code)):
EmS: F-A,S- Marine Pollu			
Road and Ra	ail Transport (Australian D	angerous Good	s Code (ADG Code)):
HazChem (code •3Z		
14.7 Transpo	rt in bulk according to	Annex II of M	ARPOL73/78 and the IBC Code
Not applicat	le.		
Section 15. Re	egulatory information		
15.1 Safety,	nealth and environmen	tal regulations	s/legislation specific for the
substance or			
Poison Sche	dule (SUSMP): Not Applic	able	HS Tariff Code: 3302.90.00
All the const	ituents of this material ar	e compliant wit	h AICIS regulation.
15.2 Chemica	al safety assessment		
	afety assessment has not	been carried o	ut.
Contine 1/ Or	her information		
Section 16. U	ner mormation		
Full list of	precautionary phrases		
P201	Obtain special	instructions be	fore use.
P202	•		precautions have been read and
1			

Printed on 19 Jun 2024

GHS: According to 2015/830/EU

 Code Number
 FM76895

 Version 2 Revised 19/06/2024 10:37:33 AM

P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/container in accordance to local regulations
Wording of any haz	ard classes listed in section 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
FS 2	Flammable solid, category 2
ATO 3	Acute toxicity, oral, category 3
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 1	Eye damage/irritation, category 1
EDI 2A	Eye damage/irritation, category 2A
ATI 1	Acute toxicity, inhalation, category 1
STO-SE 3(RI)	Specific target organ, single exposure, respiratory irritation
MUT 2	Germ cell mutagenicity, category 2

SAFETY DATA SHEET Printed on 19 Jun 2024 GHS: According to 2015/830/EU Code Number FM76895 Version 2 Revised 19/06/2024 10:37:33 AM CAR 2 Carcinogenicity, category 2 REP 2 Reproductive toxicity, category 2 EH A1 Aquatic hazard, acute, category 1 EH A2 Aquatic hazard, acute, category 2 Aquatic hazard, acute, category 3 EH A3 EH C1 Aquatic hazard, chronic, category 1 EH C2 Aquatic hazard, chronic, category 2 Aquatic hazard, chronic, category 3 EH C3 Wording of any hazard statements listed in section 3 H226 Flammable liquid and vapour H227 Combustible liquid H228 Flammable solid H301 Toxic if swallowed H302 Harmful if swallowed H303 May be harmful if swallowed H304 May be fatal if swallowed and enters airways May be harmful in contact with skin H313 Causes skin irritation H315 H316 Causes mild skin irritation H317 May cause an allergic skin reaction H318 Causes serious eye damage H319 Causes serious eye irritation H330 Fatal if inhaled May cause respiratory irritation H335 Suspected of causing genetic defects H341 H351 Suspected of causing cancer Suspected of damaging fertility or the unborn child H361 H400 Very toxic to aquatic life H401 Toxic to aquatic life H402 Harmful to aquatic life Very toxic to aquatic life with long lasting effects H410 Toxic to aquatic life with long lasting effects H411 Harmful to aquatic life with long lasting effects H412

Printed on 19 Jun 2024

GHS: According to 2015/830/EU

Code Number FM76895 Version 2 Revised 19/06/2024 10:37:33 AM

References and further information

N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemical AICIS = Australian Industrial Chemicals Introduction Scheme

Version 1: GHS format, BV 20/08/2019 Authorised by: JJ 22/08/2019 Version 2: Mandatory revision, RB 19/06/2024

Page 14 of 14