

SAFETY DATA S GHS: According to 2015/830/		Printed on 25 Jul 2024
<i>Code Number Version 4 Revised 25/0</i>	FM71665 17/2024 12:09:50 PM	
Section 1. Identification	n of the substance/mixture and of the	e company/undertaking
1.1 Product I dentifier		
Product Name	FRENCH PEAR IN SYRUP	
Code Number Alternative Name	FM71665	
REACH Reg No	Not registered	
1.2 Relevant identified	uses of the substance or mixture and	d uses advised against
For fragrance use in ca	ndle products.	
1.3 Details of the supp	lier of the safety data sheet	
	Australian Botanical Products Ltd	
	39 Melverton Drive, Hallam	
	Victoria, 3803 Australia	
	ABN: 45006782529	
Telephone Number	Tel No. +613 97094800	
Email Address	abpsales@ixom.com	
1.4 Emergency Tel No	Emergency No. +61 1 800 033 111	
Section 2. Hazard I dent	tification	
2.1 Classification of th	e substance or mixture	
FL 4	Flammable liquid, category 4	
SCI 2	Skin corrosion/irritation, category 2	
SS 1A	Skin sensitisation, category 1A	
EDI 2A EH A2	Eye damage/irritation, category 2A Aquatic hazard, acute, category 2	
EH C2	Aquatic hazard, acute, category 2 Aquatic hazard, chronic, category 2	
2.2 Label elements		

HS: According to 2015/8	830/EU	
Code Number	FM71665	
Version 4 Revised 2	25/07/2024 12:09:50 PM	
	according to Regulation (EC) No 1272/2008	
Hazard Pictogran	ns	
	A A A A A A A A A A A A A A A A A A A	
	$\mathbf{v}$ $\mathbf{v}$	
Signal Word	Warning	
Hazard Statemen	nts	
H227	Combustible liquid	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H411	Toxic to aquatic life with long lasting effects	
Precautionary Sta	atements	
P210	Keep away from heat, hot surfaces, sparks, open fla other ignition sources. No smoking.	mes and
P261	Avoid breathing fumes.	
P264	Wash hands thoroughly after handling	
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye protection	
P333+P313	If skin irritation or rash occurs: Get medical advice.	
P337+P313	If eye irritation persists: Get medical attention.	
P362+P364	Take off contaminated clothing and wash it before re	euse.
F302+F304	Collect spillage.	
P391		
	Store in a well-ventilated place. Keep cool.	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 25 Jul 2024

GHS: According to 2015/830/EU

Code Number FM71665

Version 4 Revised 25/07/2024 12:09:50 PM

No further information available at this time

#### Section 3. Composition / information on ingredients Any percentage values listed here for hazardous components are for illustrative purposes only

#### 3.2 Mixtures

Complex mixture of ingredients

#### Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 105-87-3 EINECS 203-341-5 REACH	Geranyl acetate SCI 2; SS 1; EH C3 H315, H317, H412	10% - 30%
CAS 100-51-6 EINECS 202-859-9 REACH	benzyl alcohol ATO 4;ATD 5;EDI 2A;ATI 4 H302,H313,H319,H332	1% - 10%
CAS 110-19-0 EINECS 203-745-1 REACH	Isobutyl Acetate FL 2; STO-SE 3(NE) H225,H336	1% - 10%
CAS 101-86-0 EINECS 202-983-3 REACH	a-hexylcinnamaldehyde SS 1B; EH A1,C2 H317,H400,H411	1% - 10%
CAS 4940-11-8 EINECS 225-582-5 REACH	2-ethyl-3-hydroxy-4-pyrone ATO 4(1200);EH A2 H302,H401	1% - 10%
CAS 104-67-6 EINECS 203-225-4 REACH	undecan-4-olide EH C3 H412	1% - 10%
CAS 150-84-5 EINECS 205-775-0 REACH	citronellyl acetate SCI 2;EH C2 H315,H411	1% - 10%
CAS 88-41-5 EINECS 201-828-7 REACH	2-tert-butylcyclohexyl acetate FL 4;ATO 5;SCI 3;EH A2,C2 H227,H303,H316,H401,H411	1% - 10%
CAS 104-55-2 EINECS 203-213-9 REACH	Cinnamic aldehyde ATO 5(2500);SCI 2;SS 1A;EDI 2A H303,H315,H317,H319	1% - 10%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3; SCI 2; SS 1B; AH 1; EH A1,C1 H226,H304,H315,H317,H400,H410	1% - 10%

### Printed on 25 Jul 2024

GHS: According to 2015/830/EU

### Code Number FM71665

Version 4 Revised 25/07/2024 12:09:50 PM

CAS 97-53-0 EINECS 202-589-1 REACH	Eugenol ATO 5(2000);SCI 2;SS 1;EDI 2A H303,H315,H317,H319	1% - 10%
CAS 121-32-4 EINECS 204-464-7 REACH	3-ethoxy-4-hydroxybenzaldehyde EDI 2A; EH A3 H319,H402	1% - 10%

Refer to section 16 for the wording of listed classification and hazard statement codes

### Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

### After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal. Obtain medical advice if necessary.

### After skin contact

Causes skin irritation, May cause an allergic skin reaction. Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

### After eye contact

Causes serious eye irritation. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

### After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

### 4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

### 4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

### Section 5. Fire-fighting measures

### 5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

### 5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 25 Jul 2024

GHS: According to 2015/830/EU

Code Number FM71665 Version 4 Revised 25/07/2024 12:09:50 PM

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code •3Z

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.

6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 25 Jul 2024

GHS: According to 2015/830/EU

Code Number FM71665 Version 4 Revised 25/07/2024 12:09:50 PM

out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice.

Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties FLASH POINT (°C) 75°C

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 25 Jul 2024

GHS: According to 2015/830/EU

 Code Number
 FM71665

 Version 4 Revised 25/07/2024
 12:09:50 PM

APPEARANCE	Mobile liquid
COLOUR	Very pale yellow to yellow
ODOUR	Green, pear
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	0.99 - 1.01
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivity	
10.1 Reactivity No data.	
10.2 Chemical Stability Stable under the recommended sto	rage conditions (see section 7).

Printed on 25 Jul 2024

GHS: According to 2015/830/EU

Code Number FM71665 Version 4 Revised 25/07/2024 12:09:50 PM

10.3 Possibility of hazardous reactions No hazardous reactions if stored under suitable storage conditions. 10.4 Conditions to avoid Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air. 10.5 Incompatible materials Keep away from oxidising agents and from highly alkaline or acidic material. 10.6 Hazardous decomposition products During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds. Section 11. Toxicological information 11.1 Information on toxicological effects Acute toxicity Not classified based on available data. Skin corrosion / irritation Causes skin irritation. Serious eye damage / irritation Causes serious eye irritation. Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity No data Carcinogenicity No data Reproductive toxicity No data STO-single exposure No data STO-repeated exposure No data Aspiration hazard No data

Printed on 25 Jul 2024

GHS: According to 2015/830/EU

Code Number FM71665 Version 4 Revised 25/07/2024 12:09:50 PM

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains D-Limonene (5989-27-5): LC50 (96 h) - Pimephales promelas (fathead minnow) – 0.72 mg/L EC50 (48 h) - Daphnia magna – 0.36 mg/L EC50 (72 h) - Raphidocelis subcapitata – 0.32 mg/L

12.2 Persistence and degradability

No test data available for this substance.

12.3 Bioaccumulative potential No data.

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment No data.

12.6 Other adverse effects

See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 25 Jul 2024

GHS: According to 2015/830/EU

 Code Number
 FM71665

 Version 4 Revised 25/07/2024 12:09:50 PM

Section 14. Transport information			
14.1 UN num	14.1 UN number		
ADR	3082		
ΙΑΤΑ	3082		
IMDG	3082		
14.2 UN prop	er shipping name		
ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)		
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)		
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)		
14.3 Transpo	rt hazard class(es)		
ADR	9		
IATA	9		
IMDG	9		
14.4 Packing	group		
ADR	III		
IATA	111		
IMDG	111		
Tunnel Code	(-)		
14.5 Environmental Hazards			
Dangerous f	Dangerous for the environment. Marine pollutant.		
14.6 Special precautions for user			
Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A,S-F Marine Pollutant: Yes			
Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):			
HazChem C	HazChem Code •3Z		
14.7 Transpo Not applicab	rt in bulk according to Annex II of MARPOL73/78 and the IBC Code de.		

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET
GHS: According to 2015/830/EU

Printed on 25 Jul 2024

Code Number FM71665

Version 4 Revised 25/07/2024 12:09:50 PM

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): Not Applicable

HS Tariff Code: 3302.90.00

All the constituents of this material are compliant with AICIS regulation.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

Section 16. Other information

Full list of precautionary phrases

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		
P261	Avoid breathing fumes.		
P264	Wash hands thoroughly after handling		
P272	Contaminated work clothing should not be allowed out of the workplace.		
P273	Avoid release to the environment.		
P280	Wear protective gloves and eye protection		
P302+P352	IF ON SKIN: Wash with plenty of water.		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P333+P313	If skin irritation or rash occurs: Get medical advice.		
P337+P313	If eye irritation persists: Get medical attention.		
P362+P364	Take off contaminated clothing and wash it before reuse.		
P391	Collect spillage.		
P403+P235	Store in a well-ventilated place. Keep cool.		
P501	Dispose of contents/container in accordance to local regulations		
Wording of any hazard classes listed in section 3			
FL 2	Flammable liquid, category 2		
FL 3	Flammable liquid, category 3		
FL 4	Flammable liquid, category 4		
ATO 3	Acute toxicity, oral, category 3		
ATO 4	Acute toxicity, oral, category 4		

Printed on 25 Jul 2024

GHS: According to 2015/830/EU

 Code Number
 FM71665

 Version 4 Revised 25/07/2024
 12:09:50 PM

ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1A	Skin sensitisation, category 1A
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
ATI 4	Acute toxicity, inhalation, category 4
STO-SE 3(NE)	Specific target organ, single exposure, narcotic effects
MUT 2	Germ cell mutagenicity, category 2
CAR 1B	Carcinogenicity, category 1B
REP 2	Reproductive toxicity, category 2
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3
Wording of any haza	rd statements listed in section 3
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H227	Combustible liquid
H301	Toxic if swallowed
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H336	May cause drowsiness or dizziness

Printed on 25 Jul 2024

GHS: According to 2015/830/EU

 Code Number
 FM71665

 Version 4 Revised 25/07/2024
 12:09:50 PM

H341	Suspected of causing genetic defects
H350	May cause cancer
H361	Suspected of damaging fertility or the unborn child
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
References and fu	urther information
AIIC = Australian I	ie for the Uniform Scheduling of Medicines and Poisons nventory of Industrial Chemical Industrial Chemicals Introduction Scheme
Version 2: Minor ch Version 3: Hazard u Authorised by: JJ 0	mat, BV 29/05/2017 update, BV 06/01/2020 6/01/2020 ory revision, RB 25/07/2024