

GHS: According to 2015/830/	EU	
<i>Code Number Version 2 Revised 29/C</i>	FM72772 07/2024 4:47:52 PM	
Section 1. Identificatio	n of the substance/mixture and of	the company/undertaking
1.1 Product I dentifier		
Product Name	MR MOSS	
Code Number	FM72772	
Alternative Name		
REACH Reg No	Not registered	
1.2 Relevant identified	l uses of the substance or mixture a	and uses advised against
For fragrance use in ca	indle products.	
1.3 Details of the supp	lier of the safety data sheet	
	Australian Botanical Products Ltd	
	39 Melverton Drive, Hallam	
	Victoria, 3803 Australia	
	ABN: 45006782529	
Telephone Number	Tel No. +613 97094800	
Email Address	abpsales@ixom.com	
1.4 Emergency Tel No	Emergency No. +61 1 800 033 111	
Section 2. Hazard I den	tification	
2.1 Classification of th	e substance or mixture	
SCI 2	Skin corrosion/irritation, category 2	
SS 1B	Skin sensitisation, category 1B	
EDI 2A	Eye damage/irritation, category 2A	
EH A2	Aquatic hazard, acute, category 2	
EH C1	Aquatic hazard, chronic, category 1	
2.2 Label elements		

IS: According to 2015/ Code Number	FM72772	
GHS classification	according to Regulation (EC) No 1272/2008	
Hazard Pictogram	ns	
•		
Signal Word	Warning	
Hazard Statemer	-	
Hazard Statemer	Causes skin irritation	
H315		
H317	May cause an allergic skin reaction Causes serious eye irritation	
H319 H410	-	
	Very toxic to aquatic life with long lasting effects	
Precautionary St	atements	
P261	Avoid breathing fumes.	
P264	Wash hands thoroughly after handling	
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye protection	
P333+P313	If skin irritation or rash occurs: Get medical advice.	
P337+P313	If eye irritation persists: Get medical attention.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P391	Collect spillage.	
P501	Dispose of contents/container in accordance to local regulati	ons
2.3 Other Hazards		
	-Methylionone, Citral, Citronellol, Eugenol, Hexyl Cinnamal, Limon may produce an allergic reaction	en
No further informa	tion available at this time	
ection 3. Composi	tion / information on ingredients	_
Any percentage values liste	d here for hazardous components are for illustrative purposes only	

Printed on 29 Jul 2024

GHS: According to 2015/830/EU

Code Number FM72772

Version 2 Revised 29/07/2024 4:47:52 PM

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 54464-57-2 EINECS 259-174-3 REACH	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl) SCI 2;SS 1B;EH C1 H315,H317,H410	10% - 30%
CAS 77-53-2 EINECS 201-035-6 REACH	Cedrol (alpha-Cedrol) SCI 3;EH A2,C2 H316,H401,H411	1% - 10%
CAS 469-61-4 EINECS 207-418-4 REACH	alpha-Cedrene AH 1;SCI 3;EH A1,C1 H304,H316,H400,H410	1% - 10%
CAS 127-51-5 EINECS 204-846-3 REACH	alpha-iso-Methylionone SCI 2;EDI 2A;EH C2 H315,H319,H411	1% - 10%
CAS 24851-98-7 EINECS 246-495-9 REACH	methyl 3-oxo-2-pentylcyclopentaneacetate EH A2 H401	1% - 10%
CAS 115-95-7 EINECS 204-116-4 REACH	Linalyl Acetate FL 4; SCI 2; SS 1B; EDI 2A; EH A3 H227, H315, H317, H319, H402	1% - 10%
CAS 4707-47-5 EINECS 225-193-0 REACH	methyl 2,4-dihydroxy-3,6-dimethylbenzoate SS 1;EH A2 H317,H401	1% - 10%
CAS 87-44-5 EINECS 201-746-1 REACH	Caryophyllene AH 1; SS 1B H304,H317	1% - 10%
CAS 470-40-6 EINECS - REACH	Thujopsene SS 1B; EDI 2A; EH A2 H317, H319, H401	1% - 10%
CAS 63500-71-0 EINECS 405-040-6 REACH	A mixture of: cis-tetrahydro-2-isobutyl-4-methylpyran-4-ol; EDI 2A H319	1% - 10%
CAS 106-22-9 EINECS 203-375-0 REACH	Citronellol (d,I-Citronellol) SCI 2; SS 1B; EDI 2A H315,H317,H319	1% - 10%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	1% - 10%

Printed on 29 Jul 2024

GHS: According to 2015/830/EU

Code Number FM72772

Version 2 Revised 29/07/2024 4:47:52 PM

CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4;SS 1B H227,H317	1% - 10%
CAS 101-86-0 EINECS 202-983-3 REACH	a-hexylcinnamaldehyde SS 1B; EH A1,C2 H317,H400,H411	1% - 10%
CAS 10339-55-6 EINECS 233-732-6 REACH	3,7-dimethylnona-1,6-dien-3-ol FL 4; SCI 2; SS 1B; EDI 2A; EH A3 H227,H315,H317,H319,H402	1% - 10%
CAS 1222-05-5 EINECS 214-946-9 REACH	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran EH A1,C1 H400,H410	<1%
CAS 79-92-5 EINECS 201-234-8 REACH	Camphene FS 2; SCI 3; EDI 2A; EH A1, C1 H228, H316, H319, H400, H410	<1%
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3; ATO 4; AH 1; SCI 2; SS 1; EH A1,C1 H226,H302,H304,H315,H317,H400,H410	<1%
CAS 127-91-3 EINECS 204-872-5 REACH	beta-Pinene FL 3; ATO 5(3700); AH 1; SCI 2; SS 1B; EH A1,C1 H226,H303,H304,H315,H317,H400,H410	<1%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal. Obtain medical advice if necessary.

After skin contact

Causes skin irritation, May cause an allergic skin reaction. Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

After eye contact

Causes serious eye irritation. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything

GHS: According to 2015/830/EU

Printed on 29 Jul 2024

Code Number FM72772 Version 2 Revised 29/07/2024 4:47:52 PM

by the mouth to an unconscious patient.

- 4.2 Most important symptoms and effects, both acute and delayed Take phrases in sections 2 and 11 into account. No further information available at this time.
- 4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

- 5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.
- 5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code •3Z

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 29 Jul 2024

GHS: According to 2015/830/EU

Code Number FM72772 Version 2 Revised 29/07/2024 4:47:52 PM

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 29 Jul 2024

GHS: According to 2015/830/EU

 Code Number
 FM72772

 Version 2 Revised 29/07/2024 4:47:52 PM

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties	9.1 Information	basic physical and chemical proper	ties
---	-----------------	------------------------------------	------

FLASH POINT (°C)	98°C
APPEARANCE	Mobile liquid
COLOUR	Colourless to pale yellow
ODOUR	Woody, mossy, cedar
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	0.98 - 1
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available

Page 7 of 13

GHS: According to 2015/830/EU	
Code Number FM72772 Version 2 Revised 29/07/2024 4:-	
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivit	у
10.1 Reactivity No data.	
10.2 Chemical Stability Stable under the recommended st	orage conditions (see section 7).
10.3 Possibility of hazardous rea No hazardous reactions if stored u	
10.4 Conditions to avoid	
Avoid exposure to heat, sources o	f ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents a	and from highly alkaline or acidic material.
10.6 Hazardous decomposition p	roducts
During combustion may form carb compounds.	on monoxide, carbon dioxide and unidentified organic
Section 11. Toxicological informa	tion
11.1 Information on toxicologica	l effects
Acute toxicity	
Not classified based on available c	lata.
Skin corrosion / irritation Causes skin irritation.	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 29 Jul 2024

GHS: According to 2015/830/EU

 Code Number
 FM72772

 Version 2 Revised 29/07/2024 4:47:52 PM

Respiratory or skin sensitisation
May cause an allergic skin reaction.
Germ cell mutagenicity
No data
Carcinogenicity
No data
Reproductive toxicity
No data
STO-single exposure
No data
STO-repeated exposure
No data
Aspiration hazard
No data
Information on likely routes of exposure
No data
Symptoms related to the physical, chemical and toxicological characteristics
No data
Delayed and immediate effects as well as chronic effects from short and long-term exposure
No data
Interactive effects
No data
Other information
No data
Section 12. Ecological information 12.1 Toxicity
Very toxic to aquatic life with long lasting effects. Avoid contaminating waterways.
Contains Tetramethyl acetyloctahydronaphthalenes (54464-57-2):
LC50 (96 h) - Lepomis macrochirus - 1.3 mg/L EC50 (48 h) - Daphnia magna - 1.38 mg/L

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

EC50 (72 h) - Scenedesmus subspicatus - 2.6 mg/L

NOEC (30 days) - Danio rerio - 0.16 mg/L

STS. ACCOLUTING	DATA SHEET to 2015/830/EU	Printed on 29 Jul 20
Code Numb		
	evised 29/07/2024 4:47:52 PM	
	days) - Daphnia magna – 0.044 mg/L h) - Scenedesmus subspicatus - 2.6 m	g/L
12.2 Persis	tence and degradability	
No test da	ta available for this substance.	
12.3 Bioacc	cumulative potential	
No data.		
12.4 Mobili	ty in soil	
	surface water and water-bearing strat	um contamination.
	s of PBT and vPvB assessment	
No data.		
	adverse effects	
	adverse effects ons 6, 7, 13 and 15.	
13.1 Waste	to the information in section 8 (Exposu e treatment methods a accordance with the law and local regu	
Section 14.	Transport information	
14.1 UN nu		
14. I UN HU	mber	
ADR	mber 3082	
ADR	3082	
ADR IATA IMDG	3082 3082 3082	
ADR IATA IMDG	3082 3082 3082 oper shipping name	· · · · ·
ADR IATA IMDG 14.2 UN pro	3082 3082 3082 oper shipping name ENVIRONMENTALLY HAZARDOUS S TETRAMETHYL ACETYLOCTAHYDRO	NAPHTHALENES) SUBSTANCE, LIQUID, N.O.S. (CONTAINS
ADR IATA IMDG 14.2 UN pro ADR	3082 3082 3082 oper shipping name ENVIRONMENTALLY HAZARDOUS S TETRAMETHYL ACETYLOCTAHYDRO ENVIRONMENTALLY HAZARDOUS S TETRAMETHYL ACETYLOCTAHYDRO	SUBSTANCE, LIQUID, N.O.S. (CONTAINS NAPHTHALENES) SUBSTANCE, LIQUID, N.O.S. (CONTAINS

Printed on 29 Jul 2024

GHS: According to 2015/830/EU

 Code Number
 FM72772

 Version 2 Revised 29/07/2024 4:47:52 PM

14.3 Transpo	rt hazard class(es)	
ADR	9	
IATA	9	
IMDG	9	
14.4 Packing	group	
ADR	111	
IATA	111	
IMDG	111	
Tunnel Code	(-)	
14.5 Environr	mental Hazards	
Dangerous f	or the environment. Marine pol	lutant.
14.6 Special	precautions for user	
		Dangerous Goods Code (IMDG Code)):
EmS: F-A,S- Marine Pollu		
Road and Ra	ail Transport (Australian Danger	ous Goods Code (ADG Code)):
HazChem C	Code •3Z	
14.7 Transpo	rt in bulk according to Anne	x II of MARPOL73/78 and the IBC Code
Not applicab	le.	
Section 15. Re	egulatory information	
		gulations/legislation specific for the
substance or		
Poison Schee	dule (SUSMP): S5 CAUTION	HS Tariff Code: 3302.90.00
All the const	ituents of this material are com	pliant with AICIS regulation.
15.2 Chemica	al safety assessment	
A chemical s	afety assessment has not been	carried out.
Section 16. Ot	ther information	
Full list of p	precautionary phrases	
P261	Avoid breathing fum	nes.
P264	Wash hands thoroug	

Printed on 29 Jul 2024

GHS: According to 2015/830/EU

Code Number FM72772 Version 2 Revised 29/07/2024 4:47:52 PM

P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P501	Dispose of contents/container in accordance to local regulations
Wording of any haz	ard classes listed in section 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
FS 2	Flammable solid, category 2
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
ATI 4	Acute toxicity, inhalation, category 4
REP 2	Reproductive toxicity, category 2
STO-SE 2	Specific target organ, single exposure, category 2
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3

Printed on 29 Jul 2024

GHS: According to 2015/830/EU

Code Number FM72772 Version 2 Revised 29/07/2024 4:47:52 PM

Wording of any l	hazard statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H228	Flammable solid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H371	May cause damage to organs
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
References and	further information
N/A = Not applica	ble
SUSMP = Standar	d for the Uniform Scheduling of Medicines and Poisons
	Inventory of Industrial Chemical n Industrial Chemicals Introduction Scheme
AICIS = Australia	Thrusthal chemicals introduction scheme
Version 1: GHS fo	
Version 2: Mandat	tory revision, RB 29/07/2024