

SAFETY DATA SHEET



Revision date: 07-Aug-2024

Revision Number 1

Section 1: Identification

Product identifier

Product Name Spring Freshness FFIA00307AA

Product Code(s) 000000027628

Other means of identification

UN number or ID number 3082

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Fragrances.

Uses advised against No information available.

Illicit Drug Precursors/Reagents This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list. Verify requirements related to using, handling, and storing these substances.

Details of manufacturer or importer

Supplier

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia
ABN:51 600 546 512
70 Marple Avenue
Villawood NSW 2163
Australia

Telephone Number: +61 2 8717 2929

Facsimile: +61 2 9755 9611

Emergency telephone number

Emergency telephone number **1 800 033 111 (ALL HOURS)**

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

Section 2: Hazard identification

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).
Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

GHS Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Reproductive toxicity	Category 1B
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 2

Label elements

Health hazard
Corrosion
Exclamation mark
Environment

**Signal word**

DANGER

Hazard statements

H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H360Fd - May damage fertility. Suspected of damaging the unborn child
H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Avoid breathing dust/fume/gas/mist/vapors/spray.
Wash hands thoroughly after handling.
Contaminated work clothing should not be allowed out of the workplace.
Wear protective gloves/clothing and eye/face protection.
Avoid release to the environment.

Precautionary Statements - Response

Specific treatment (see First aid on this SDS).
IF exposed or concerned: Get medical advice/attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER or doctor/physician.
IF ON SKIN: Wash with plenty of soap and water.
If skin irritation or rash occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
Collect spillage.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other hazards which do not result in classification

Toxic to aquatic life.

Section 3: Composition and information on ingredients

Chemical name	CAS No.	Weight-%
2-Phenyl ethanol	60-12-8	1-10
Benzyl salicylate	118-58-1	1-10
7-Octen-2-ol, 2,6-dimethyl-	18479-58-8	1-10
Galaxolide	1222-05-5	1-10
.alpha.-Hexylcinnamaldehyde	101-86-0	1-10
Naphthalene, 2-acetyl-1,2,3,4,6,7,8-octahydro-2,3,8,8-tetramethyl-	54464-57-2	1-10
2-methyl-3-(4-tert.-butylphenyl)-propanal (Lilial)	80-54-6	1-10
Ionone, methyl-	1335-46-2	1-10
Hexyl salicylate	6259-76-3	1-10
Tetrahydrolinalool	78-69-3	1-10
Cyclohexanol, 4-(1,1-dimethylethyl)-, acetate	32210-23-4	1-10
3-Buten-2-one, 4-(2,6,6-trimethyl-1-cyclohexen-1-yl)-	14901-07-6	1-10
Coumarin	91-64-5	1-10
gamma.-Undecalactone	104-67-6	1-10
Eugenol	97-53-0	1-10
2H-Pyran-4-ol, tetrahydro-4-methyl-2-(2-methylpropyl)- (rozanol)	63500-71-0	1-10
Ingredients determined not to be hazardous	-	to 100

Section 4: First aid measures**Description of first aid measures****General advice**

For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.

Inhalation

Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. (Call a physician if symptoms occur).

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately if symptoms occur.

Skin contact

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation or rash occurs: Get medical advice/attention.

Ingestion

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed**Symptoms**

Irritating. May cause redness and tearing of the eyes. May cause allergic skin reaction. Redness. Rashes. Hives.

Effects of Exposure

No information available.

Indication of any immediate medical attention and special treatment needed**Note to physicians**

Treat symptomatically. Can cause corneal burns. May cause sensitization by skin contact.

Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the chemical Combustible liquid. On burning will emit toxic fumes, including those of oxides of carbon. In the event of fire, cool tanks with water spray. Environmentally hazardous. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Environmentally hazardous.

Hazardous combustion products Oxides of carbon.

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Hazchem code •3Z

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Avoid breathing dust/fume/gas/mist/vapors/spray. Ensure adequate ventilation. Evacuate personnel to safe areas. Do not touch or walk through spilled material. Wash thoroughly after handling. Remove all sources of ignition. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. See section 8 for more information.

For emergency responders Shut off ignition sources. Clear area of all unprotected personnel. Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Refer to protective measures listed in Sections 7 and 8. See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Remove ignition sources. Provide adequate ventilation. Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Handle in accordance with good industrial hygiene and safety practice. Use according to package label instructions. Not to be used by pregnant workers and workers who have recently given birth or who are breastfeeding.

General hygiene considerations Wear suitable gloves and eye/face protection. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up. Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from sources of heat or ignition. Protect from sunlight. Keep container closed when not in use.

Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.

Incompatible materials Strong oxidizing agents.

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits No value assigned for this specific material by Safe Work Australia.

Chemical name	European Union	United Kingdom	Germany DFG
2-Phenyl ethanol 60-12-8	-	-	SK*
Eugenol 97-53-0	-	-	skin sensitizer

Appropriate engineering controls

Engineering controls Ensure adequate ventilation, especially in confined areas. Apply technical measures to comply with the occupational exposure limits. Eyewash stations.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES, RESPIRATOR.



Eye/face protection Tight sealing safety goggles.

Skin and body protection Wear suitable protective clothing. Overalls. Boots.

Hand protection	Impervious gloves.
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear an organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.
Thermal hazards	No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Clear
Color	Yellow to Dark Yellow
Odor	Aldehydic , Floral , Fresh and Musk
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash point	103 °C	CC (closed cup)
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	0.9930 - 1.0130 @20°C	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information

Section 10: Stability and reactivity

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.
Sensitivity to static discharge None.

Possibility of hazardous reactions**Possibility of hazardous reactions** None under normal processing.**Conditions to avoid****Conditions to avoid** Heat, flames and sparks. static discharge (electrostatic discharge). Direct sunlight.**Incompatible materials****Incompatible materials** Strong oxidizing agents.**Hazardous decomposition products****Hazardous decomposition products** Oxides of carbon.**Section 11: Toxicological information****Information on likely routes of exposure****Product Information** No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:**Inhalation** May cause irritation.**Eye contact** Causes serious eye damage. May cause irreversible damage to eyes.**Skin contact** Causes skin irritation. May cause sensitization by skin contact.**Ingestion** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.**Symptoms** Irritating. May cause redness and tearing of the eyes. May cause allergic skin reaction. Redness. Rashes. Hives.**Acute toxicity****Numerical measures of toxicity - Product Information**

No information available

Numerical measures of toxicity - Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-Phenyl ethanol	= 1609 mg/kg (Rat)	= 2535 mg/kg (Rabbit)	> 4.63 mg/L (Rat) 4 h
Benzyl salicylate	= 2227 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
7-Octen-2-ol, 2,6-dimethyl- Galaxolide	= 3600 mg/kg (Rat) > 3250 mg/kg (Rat)	> 5 g/kg (Rabbit) > 3250 mg/kg (Rabbit)	- > 5.04 mg/L (Rat) 4 h
.alpha.-Hexylcinnamaldehyde	= 3100 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	> 5 mg/L (Rat) 4 h
2-methyl-3-(4-tert.-butylphenyl)-propanal (Lilial)	= 1390 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 1802 mg/m ³ (Rat) 4 h
Ionone, methyl-	> 5 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Hexyl salicylate	> 5 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-

Tetrahydrolinalool	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Cyclohexanol, 4-(1,1-dimethylethyl)-, acetate	= 5 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
3-Buten-2-one, 4-(2,6,6-trimethyl-1-cyclohexen-1-yl)-	= 4590 mg/kg (Rat)	-	-
Coumarin	> 5000 mg/kg (Rat)	= 293 mg/kg (Rat)	-
gamma.-Undecalactone	= 18500 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Eugenol	= 1930 mg/kg (Rat)	-	-
2H-Pyran-4-ol, tetrahydro-4-methyl-2-(2-methylpropyl)-(rozanol)	-	> 2000 mg/kg (Rabbit)	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes skin irritation. Classification is based on mixture calculation methods based on component data.
Serious eye damage/eye irritation	Causes serious eye damage. Classification is based on mixture calculation methods based on component data.
Respiratory or skin sensitization	May cause sensitization by skin contact. Classification is based on mixture calculation methods based on component data.
Germ cell mutagenicity	No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia	European Union	IARC
Coumarin - 91-64-5	-	-	Group 3
Eugenol - 97-53-0	-	-	Group 3

Reproductive toxicity	May damage fertility or the unborn child. Classification is based on mixture calculation methods based on component data.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

Section 12: Ecological information

Ecotoxicity**Aquatic ecotoxicity**

Keep out of waterways. Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
2-Phenyl ethanol	EC50: =490mg/L (72h, <i>Desmodesmus subspicatus</i>)	-	-	EC50: =287.17mg/L (48h, <i>Daphnia magna</i>)
Benzyl salicylate	-	LC50: =1.03mg/L (96h, <i>Danio rerio</i>)	-	-
Naphthalene, 2-acetyl-1,2,3,4,6,7,8-octahydro-2,3,8,8-tetramethyl-	EC50 (72 h) - <i>Scenedesmus subspicatus</i> - 2.6 mg/L NOEC (72 h) - <i>Scenedesmus subspicatus</i> - 2.6 mg/L (1)	LC50 (96 h) - <i>Lepomis macrochirus</i> - 1.3 mg/L NOEC (30 days) - <i>Danio rerio</i> - 0.16 mg/L (1)	-	EC50 (48 h) - <i>Daphnia magna</i> - 1.38 mg/L NOEC (21 days) - <i>Daphnia magna</i> - 0.044 mg/L(1)
2-methyl-3-(4-tert.-butylphenyl)-propanal (Lilial)	-	LC50: 2.2 - 4.6mg/L (96h, <i>Brachydanio rerio</i>)	-	EC50: =10.7mg/L (48h, <i>Daphnia magna</i>)
Ionone, methyl-	-	LC50: =2.3mg/L (96h, <i>Danio rerio</i>)	-	-
Tetrahydrolinalool	-	LC50: =8.9mg/L (96h, <i>Danio rerio</i>)	-	-
Cyclohexanol, 4-(1,1-dimethylethyl)-, acetate	-	LC50: =8.6mg/L (96h, <i>Cyprinus carpio</i>)	-	-
Eugenol	-	LC50: =13mg/L (96h, <i>Danio rerio</i>)	-	EC50 = 1.13mg/L (48hr, <i>Daphnia magna</i>)(1)

Terrestrial ecotoxicity

There is no data for this product.

Persistence and degradability**Persistence and degradability**

No information available.

Bioaccumulative potential**Bioaccumulation**

There is no data for this product.

Component Information

Chemical name	Partition coefficient
2-Phenyl ethanol	1.36
Benzyl salicylate	4
7-Octen-2-ol, 2,6-dimethyl-	3.25
Galaxolide	5.3
Naphthalene, 2-acetyl-1,2,3,4,6,7,8-octahydro-2,3,8,8-tetramethyl-	5.7
2-methyl-3-(4-tert.-butylphenyl)-propanal (Lilial)	4.2
Ionone, methyl-	5
Hexyl salicylate	5.5
Tetrahydrolinalool	3.3
Cyclohexanol, 4-(1,1-dimethylethyl)-, acetate	4.8
3-Buten-2-one, 4-(2,6,6-trimethyl-1-cyclohexen-1-yl)-	1.903
gamma.-Undecalactone	3.6
Eugenol	3.098
2H-Pyran-4-ol, tetrahydro-4-methyl-2-(2-methylpropyl)- (rozanol)	1.65

Mobility**Mobility** No information available.**Other adverse effects****Other adverse effects** No information available.**Section 13: Disposal considerations****Waste treatment methods****Waste from residues/unused products** Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.**Contaminated packaging** Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

See section 8 for more information

Section 14: Transport information**ADG**

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

UN number or ID number
Proper shipping name3082
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS GALAXOLIDE AND TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)**Transport hazard class(es)**

9

Packing group

III

Environmental hazard

Yes

Hazchem code

•3Z

IATA

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number
UN proper shipping name3082
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS GALAXOLIDE AND TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)**Transport hazard class(es)**

9

Packing group

III

IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number
UN proper shipping name3082
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS GALAXOLIDE AND TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)**Transport hazard class(es)**

9

Packing group

III

IMDG EMS Fire

F-A

IMDG EMS Spill

S-F

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

Section 15: Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****Australia**

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).
Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

Australian Industrial Chemicals Introduction Scheme (AICIS)

Chemical name	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
2-Phenyl ethanol - 60-12-8	Present	-
Benzyl salicylate - 118-58-1	Present	-
7-Octen-2-ol, 2,6-dimethyl- - 18479-58-8	Present	-
Galaxolide - 1222-05-5	Present	-
.alpha.-Hexylcinnamaldehyde - 101-86-0	Present	-
Naphthalene, 2-acetyl-1,2,3,4,6,7,8-octahydro-2,3,8,8-tetramethyl- - 54464-57-2	Present	-
2-methyl-3-(4-tert.-butylphenyl)-propanal (Lilial) - 80-54-6	Present	-
Ionone, methyl- - 1335-46-2	Present	-
Hexyl salicylate - 6259-76-3	Present	-
Tetrahydrolinalool - 78-69-3	Present	-
Cyclohexanol, 4-(1,1-dimethylethyl)-, acetate - 32210-23-4	Present	-
3-Buten-2-one, 4-(2,6,6-trimethyl-1-cyclohexen-1-yl)- - 14901-07-6	Present	-
Coumarin - 91-64-5	Present	-
gamma.-Undecalactone - 104-67-6	Present	-
Eugenol - 97-53-0	Present	-
2H-Pyran-4-ol, tetrahydro-4-methyl-2-(2-methylpropyl)-	Present	-

Chemical name	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
(rozanol) - 63500-71-0		
Ingredients determined not to be hazardous - -	Present	-

Illicit Drug Precursors/Reagents

This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list. Verify requirements related to using, handling, and storing these substances.

Chemical name	Illicit Drug Precursors/Reagents
Eugenol - 97-53-0	Category 2

International Inventories

AIIC	All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.
NZIoC	All the constituents of this material are listed on the New Zealand Inventory of Chemicals.
TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.

Legend:**AIIC** AIIC- Australian Inventory of Industrial Chemicals**NZIoC** - New Zealand Inventory of Chemicals**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**International Regulations****The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable**The Stockholm Convention on Persistent Organic Pollutants** Not applicable**The Rotterdam Convention** Not applicable**Section 16: Other information**

Reason(s) For Issue: First Issue Primary SDS
First Issue Primary SDS NZ

Prepared By This Safety Data Sheet has been prepared by IXOM Operations Pty Ltd (Toxicology and

SDS Services).

Revision date: 07-Aug-2024

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances
STOT: Specific Target Organ Toxicity
ATE: Acute Toxicity Estimate
LC50: 50% Lethal Concentration
LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
Environmental Protection Agency
Acute Exposure Guideline Level(s) (AEGl(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
Australian Industrial Chemicals Introduction Scheme (AICIS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
Organization for Economic Co-operation and Development High Production Volume Chemicals Program
Organization for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical

Products.

End of Safety Data Sheet