

SAFETY DATA SHEET Printed on 31 Jul 2024 GHS: According to 2015/830/EU			
<i>Code Number</i> <i>Version 2 Revised 31/0</i>	FM74596		
Section 1. Identificatio	n of the substance/mixture and of th	ne company/undertaking	
1.1 Product I dentifier			
Product Name	PLUME		
Code Number	FM74596		
Alternative Name			
REACH Reg No	Not registered		
1.2 Relevant identified	uses of the substance or mixture an	nd uses advised against	
For fragrance use.			
1.3 Details of the supp	lier of the safety data sheet		
	Australian Botanical Products Ltd		
	39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529		
Telephone Number	Tel No. +613 97094800		
Email Address	abpsales@ixom.com		
1.4 Emergency Tel No	Emergency No. +61 1 800 033 111		
Section 2. Hazard I dentification			
2.1 Classification of th	e substance or mixture		
AH 1	Aspiration hazard, category 1		
SCI 2	Skin corrosion/irritation, category 2		
SS 1B	Skin sensitisation, category 1B		
EDI 2A	Eye damage/irritation, category 2A		
EH A2	Aquatic hazard, acute, category 2		
EH C2	Aquatic hazard, chronic, category 2		
2.2 Label elements			

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

FM74596 /07/2024 12:09:56 PM coording to Regulation (EC) No 1272/20	008
ccording to Regulation (EC) No 1272/20	208
	800
\checkmark \checkmark \checkmark	
Danger	
S	
May be fatal if swallowed and enter	s airways
Causes skin irritation	
May cause an allergic skin reaction	
Causes serious eye irritation	
Toxic to aquatic life with long lastin	ig effects
tements	
Avoid breathing fumes.	
Wash hands thoroughly after handli	ing
Avoid release to the environment.	
Wear protective gloves and eye pro	otection
IF SWALLOWED: Immediately call a	POISON CENTRE.
Do NOT induce vomiting.	
If skin irritation or rash occurs: Get	medical advice.
If eye irritation persists: Get medic	al attention.
Take off contaminated clothing and	wash it before reuse.
Collect spillage.	
Store locked up.	
Dispose of contents/container in ac	cordance to local regulations
	May be fatal if swallowed and enter Causes skin irritation May cause an allergic skin reaction Causes serious eye irritation Toxic to aquatic life with long lastin Toxic to aquatic life with long lastin tements Avoid breathing fumes. Wash hands thoroughly after handl Avoid release to the environment. Wear protective gloves and eye pro IF SWALLOWED: Immediately call a Do NOT induce vomiting. If skin irritation or rash occurs: Get If eye irritation persists: Get medic Take off contaminated clothing and Collect spillage. Store locked up.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 31 Jul 2024

GHS: According to 2015/830/EU

Code Number FM74596

Version 2 Revised 31/07/2024 12:09:56 PM

No further information available at this time

Section 3. Composition / information on ingredients Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 107898-54-4 EINECS 411-580-3 REACH	(+/-) trans-3,3-dimethyl-5-(2,2,3-trimethyl-cyclopent-3-en-1 SCI 2;EH A1,C1 H315,H400,H410	1% - 10%
CAS 87-44-5 EINECS 201-746-1 REACH	Caryophyllene AH 1;SS 1B H304,H317	1% - 10%
CAS 507-70-0 EINECS 208-080-0 REACH	DL-borneol FS 2; EDI 2A; EH C2 H228, H319, H411	1% - 10%
CAS 32210-23-4 EINECS 250-954-9 REACH	4-tert-butylcyclohexyl acetate ATO 5;SS 1B;EH A2,C2 H303,H317,H401,H411	1% - 10%
CAS 97-53-0 EINECS 202-589-1 REACH	Eugenol ATO 5(2000); SCI 2; SS 1; EDI 2A H303, H315, H317, H319	1% - 10%
CAS 91-64-5 EINECS 202-086-7 REACH	Coumarin ATO 3;SS 1B;EH A2,C3 H301,H317,H401,H412	1% - 10%
CAS 5986-55-0 EINECS 227-807-2 REACH	Patchouli alcohol SCI 3;EH A2,C2 H316,H401,H411	1% - 10%
CAS 28219-61-6 EINECS 248-908-8 REACH	2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol FL 4;EDI 2A;EH A1,C1 H227,H319,H400,H410	1% - 10%
CAS 3691-12-1 EINECS - REACH	alpha-Guaiene AH 1;EDI 2A;SCI 2 H304,H315,H319	1% - 10%
CAS 469-61-4 EINECS 207-418-4 REACH	alpha-Cedrene AH 1:SCI 3:EH A1,C1 H304,H316,H400,H410	<1%

Printed on 31 Jul 2024

GHS: According to 2015/830/EU

23696-85-7

CAS

Code Number FM74596 Version 2 Revised 31/07/2024 12:09:56 PM

EINECS 245-833-2 <1% REACH SCI 2: SS 1A: EH A2.C2 H315,H317,H401,H411 Refer to section 16 for the wording of listed classification and hazard statement codes Section 4. First Aid measures Take phrases in section 2 into account 4.1 Description of first aid measures After inhalation If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal. Obtain medical advice if necessary. After skin contact Causes skin irritation, May cause an allergic skin reaction. Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage. After eye contact Causes serious eye irritation. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. After ingestion May be fatal if swallowed and enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with

Printed on 31 Jul 2024

GHS: According to 2015/830/EU

 Code Number
 FM74596

 Version 2 Revised 31/07/2024 12:09:56 PM

water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code •3Z

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 31 Jul 2024

GHS: According to 2015/830/EU

 Code Number
 FM74596

 Version 2 Revised 31/07/2024 12:09:56 PM

8.2 Exposure controls

use of a grounded mechanical exha Individual protection measures Refer to Section 5 for specific fire/c Always wash routinely before break Eye/face protection	ent, however where dusts/vapours are generated the ust ventilation system is recommended. hemical personal protective equipment advice. is, meals and at the end of the work period.	
Hand protection Wear chemically resistant disposable gloves.		
Other skin protection Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of th work period. Respiratory protection Not generally required. Use inhalation protection in poorly ventilated areas.		
Thermal hazards No information.		
Environmental exposure controls Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation. National Exposure Standards No exposure standards have been established for this material by Worksafe Australia.		
Biological Limit Values No biological limit allocated.		
Section 9. Physical and chemical properties		
9.1 Information on basic physical FLASH POINT (°C)	and chemical properties 122°C	
APPEARANCE	Mobile liquid	
COLOUR	Yellow	
ODOUR	Fruity, spicy, plum	
ODOUR THRESHOLD	Not available	

GHS: According to 2015/830/EU	
Code Number FM74596	
Version 2 Revised 31/07/2024 12.	·09:56 PM
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	0.89 - 0.92
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivity	<i>y</i>
10.1 Reactivity No data.	
10.2 Chemical Stability Stable under the recommended sto	orage conditions (see section 7).
10.3 Possibility of hazardous read No hazardous reactions if stored u	
10.4 Conditions to avoid	fignition, and open flame. Avoid exposure to air.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 31 Jul 2024

GHS: According to 2015/830/EU

Code Number FM74596 Version 2 Revised 31/07/2024 12:09:56 PM

10.5 Incompatible materialsKeep away from oxidising agents and from highly alkaline or acidic material.10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity Not classified based on available data.

Skin corrosion / irritation Causes skin irritation.

Serious eye damage / irritation Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity

No data

STO-single exposure No data

STO-repeated exposure

No data

Aspiration hazard

May be fatal if swallowed and enters airways.

Information on likely routes of exposure No data

Symptoms related to the physical, chemical and toxicological characteristics No data

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 31 Jul 2024

GHS: According to 2015/830/EU

Code Number FM74596 Version 2 Revised 31/07/2024 12:09:56 PM

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains (+/-) trans-3,3-dimethyl-5-(2,2,3-trimethyl-cyclopent-3-en-1-yl)pent-4-en-2-ol (Polysantol) (CAS: 107898-54-4)

LC50 (96 h) - Oncorhynchus mykiss (rainbow trout) - 1.2 mg/L

EC50 (48 h) - Daphnia magna - 1.45 mg/L

EC50 (72 h) - Pseudokirchneriella subcapitata (algae) - 5.71 mg/L

- NOEC (72 h) Pseudokirchneriella subcapitata (algae) 0.59 mg/L
- 12.2 Persistence and degradability

No test data available for this substance.

12.3 Bioaccumulative potential

No data.

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment

No data.

12.6 Other adverse effects

See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 31 Jul 2024

GHS: According to 2015/830/EU

 Code Number
 FM74596

 Version 2 Revised 31/07/2024 12:09:56 PM

14.1 UN number			
ADR	3082		
ΙΑΤΑ	3082		
IMDG	3082		
14.2 UN prop	er shipping name		
ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS POLYSANTOL)		
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS POLYSANTOL)		
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS POLYSANTOL)		
14.3 Transpo	rt hazard class(es)		
ADR	9		
ΙΑΤΑ	9		
IMDG	9		
14.4 Packing	group		
ADR	111		
ΙΑΤΑ	111		
IMDG	111		
Tunnel Code	(-)		
14.5 Environr	mental Hazards		
Dangerous for the environment. Marine pollutant.			
14.6 Special	precautions for user		
Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A,S-F Marine Pollutant: Yes			
Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):			
HazChem C	HazChem Code •3Z		
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.			

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 31 Jul 2024

GHS: According to 2015/830/EU

 Code Number
 FM74596

 Version 2 Revised 31/07/2024 12:09:56 PM

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): Not Applicable

HS Tariff Code: 3302.90.00

All the constituents of this material are compliant with AICIS regulation.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

Section 16. Other information

Full list of precautionary phrases

P261	Avoid breathing fumes.		
P264	Wash hands thoroughly after handling		
P272	Contaminated work clothing should not be allowed out of the workplace.		
P273	Avoid release to the environment.		
P280	Wear protective gloves and eye protection		
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.		
P302+P352	IF ON SKIN: Wash with plenty of water.		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P331	Do NOT induce vomiting.		
P333+P313	If skin irritation or rash occurs: Get medical advice.		
P337+P313	If eye irritation persists: Get medical attention.		
P362+P364	Take off contaminated clothing and wash it before reuse.		
P391	Collect spillage.		
P405	Store locked up.		
P501	Dispose of contents/container in accordance to local regulations		
Wording of any hazard classes listed in section 3			
FL 3	Flammable liquid, category 3		
FL 4	Flammable liquid, category 4		
FS 2	Flammable solid, category 2		
ATO 3	Acute toxicity, oral, category 3		
ATO 4	Acute toxicity, oral, category 4		

Printed on 31 Jul 2024

GHS: According to 2015/830/EU

 Code Number
 FM74596

 Version 2 Revised 31/07/2024 12:09:56 PM

ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1A	Skin sensitisation, category 1A
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
ATI 4	Acute toxicity, inhalation, category 4
STO-SE 3(RI)	Specific target organ, single exposure, respiratory irritation
REP 2	Reproductive toxicity, category 2
STO-SE 2	Specific target organ, single exposure, category 2
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3
Wording of any haza	rd statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H228	Flammable solid
H301	Toxic if swallowed
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H361	Suspected of damaging fertility or the unborn child

Printed on 31 Jul 2024

GHS: According to 2015/830/EU

 Code Number
 FM74596

 Version 2 Revised 31/07/2024
 12:09:56 PM

H371	May cause damage to organs
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
References and furth	ner information
AIIC = Australian Inve	the Uniform Scheduling of Medicines and Poisons ntory of Industrial Chemical lustrial Chemicals Introduction Scheme
Version 1: GHS format Version 2: Mandatory r	r, 31/05/2017 revision, RB 31/07/2024