

SAFETY		SHEET
SAFEIT	DATA	SULLI

Printed on 25 Jul 2022

GHS: According to 2015/830/EU

*Code Number FM75176 Version 2 Revised 25/07/2022 12:41:17 PM* 

Section 1. I dentification of the substance/mixture and of the company/undertaking

1.1 Product I dentifier	
Product Name	MINT & MELON NAT
Code Number	FM75176
Alternative Name	INCI Name: Parfum
REACH Reg No	Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against For fragrance use.

1.3 Details of the supplier of the safety data sheet

Australian Botanical Products Ltd 39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529

Telephone NumberTel No. +613 97094800Email Addressinfo@abp.com.au

1.4 Emergency Tel No Emergency No. +61 438196124

Section 2. Hazard Identification

2.1 Classification of the substance or mixture

FL 4	Flammable liquid, category 4
SS 1B	Skin sensitisation, category 1B
EH A2	Aquatic hazard, acute, category 2
EH C2	Aquatic hazard, chronic, category 2

2.2 Label elements

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

HS: According to 2015/8	30/EU	
Code Number Version 2 Revised 2	FM75176 25/07/2022 12:41:17 PM	
GHS classification	according to Regulation (EC) No 127	2/2008
Hazard Pictograr	ns	
	NL	
Signal Word	Warning	
Hazard Statemer	ts	
H227	Combustible liquid	
H317	May cause an allergic skin react	tion
H411	Toxic to aquatic life with long la	sting effects
Precautionary St	atements	
P210	Keep away from heat, hot surfa other ignition sources. No smok	
P261	Avoid breathing fumes.	
P272	Contaminated work clothing she workplace.	ould not be allowed out of the
P273	Avoid release to the environme	nt.
P280	Wear protective gloves and eye	e protection
P302+P352	IF ON SKIN: Wash with plenty of	of water.
P333+P313	If skin irritation or rash occurs:	Get medical advice.
P362+P364	Take off contaminated clothing	and wash it before reuse.
P391	Collect spillage.	
P403+P235	Store in a well-ventilated place.	. Keep cool.
P501	Dispose of contents and contair regulations.	ner in accordance to local
2.3 Other Hazards Contains Citral, Cit allergic reaction	ronellol, Geraniol, Limonene and Lin	alool which may produce an

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 25 Jul 2022

GHS: According to 2015/830/EU

Code Number FM75176

Version 2 Revised 25/07/2022 12:41:17 PM

#### Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

#### 3.2 Mixtures

Complex mixture of ingredients

#### Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4;SS 1B H227,H317	<10%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3; SCI 2; SS 1B; AH 1; EH A1,C1 H226,H304,H315,H317,H400,H410	<10%
CAS 127-91-3 EINECS 204-872-5 REACH	beta-Pinene FL 3;ATO 5(3700);AH 1;SCI 2;SS 1B;EH A1,C1 H226,H303,H304,H315,H317,H400,H410	<10%
CAS 99-49-0 EINECS 202-759-5 REACH	Carvone ATD 5(3800); SS 1B; EH A3 H313, H317, H402	<10%

Refer to section 16 for the wording of listed classification and hazard statement codes

#### Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

May cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY		CLIEFT
SAFEIT	DATA	SULLI

Printed on 25 Jul 2022

GHS: According to 2015/830/EU

Code Number FM75176

Version 2 Revised 25/07/2022 12:41:17 PM

#### After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Z

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 25 Jul 2022

GHS: According to 2015/830/EU

Code Number FM75176 Version 2 Revised 25/07/2022 12:41:17 PM

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

#### 8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 25 Jul 2022

GHS: According to 2015/830/EU

Code Number FM75176

Version 2 Revised 25/07/2022 12:41:17 PM

Thermal hazards No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical a	and chemical properties
-------------------------------------	-------------------------

FLASH POINT (°C)	80°
APPEARANCE	Mobile liquid
COLOUR	Colourless to pale yellow
ODOUR	Fresh, mint, green, melon, floral
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	1.105 to 1.135
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available

SAFETY DATA SHEET HS: According to 2015/830/EU	Printed on 25 Jul 20
Code Number FM75176	
Version 2 Revised 25/07/2022 12	2:41:17 PM
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivit	У
10.1 Reactivity No data.	
10.2 Chemical Stability Stable under the recommended st	torage conditions (see section 7).
10.3 Possibility of hazardous rea No hazardous reactions if stored u	
10.4 Conditions to avoid	
Avoid exposure to heat, sources o	f ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents a	and from highly alkaline or acidic material.
10.6 Hazardous decomposition p	products
During combustion may form carb compounds.	oon monoxide, carbon dioxide and unidentified organic
Section 11. Toxicological informa	tion
11.1 Information on toxicologica	Il effects
Acute toxicity	
No known adverse effects.	
Skin corrosion / irritation No known adverse effects.	
	n
Serious eye damage / irritation No known adverse effects.	

Printed on 25 Jul 2022

GHS: According to 2015/830/EU

 Code Number
 FM75176

 Version 2 Revised 25/07/2022 12:41:17 PM

	Respiratory or skin sensitisation
	May cause an allergic skin reaction.
	Germ cell mutagenicity
	No data
	Carcinogenicity
	No data
	Reproductive toxicity
	No data
	STO-single exposure
	No data
	STO-repeated exposure
	No data
	Aspiration hazard
	No data
	Information on likely routes of exposure
	No data
	Symptoms related to the physical, chemical and toxicological characteristics
	No data
	Delayed and immediate effects as well as chronic effects from short and long-term exposure
	No data
	Interactive effects
	No data
	Other information
	No data
<u> </u>	action 12. Ecological information
	ection 12. Ecological information 2.1 Toxicity
1	Toxic to aquatic life with long lasting effects. Avoid contaminating waterways.
	Contains D-Limonene (5989-27-5):
	LC50 (96 h) - Pimephales promelas (fathead minnow) – 0.72 mg/L

LC50 (96 h) - Pimephales promelas (fathead minnow) – 0.72 mg/L EC50 (48 h) - Daphnia magna – 0.36 mg/L

EC50 (72 h) - Raphidocelis subcapitata – 0.32 mg/L

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

	DATA SHEET 9 to 2015/830/EU	Printed on 25 Jul 20
	ber FM75176 Pevised 25/07/2022 12:41:17 PM	
	stence and degradability ata available for this substance.	
12.3 Bioaco No data	cumulative potential	
12.4 Mobili Avoid soil	ity in soil , surface water and water-bearing stratum co	ontamination.
12.5 Resul <sup>-</sup> No data	ts of PBT and vPvB assessment	
	adverse effects ons 6, 7, 13 and 15.	
Please refer	Disposal considerations to the information in section 8 (Exposure con e treatment methods	ntrols and personal protection)
Dispose ir	n accordance with the law and local regulatio	ns. Treat as trade effluent.
	n accordance with the law and local regulatio Transport information	ns. Treat as trade effluent.
	Transport information	ns. Treat as trade effluent.
Section 14.	Transport information	ns. Treat as trade effluent.
Section 14. 14.1 UN nu	Transport information	ns. Treat as trade effluent.
Section 14. 14.1 UN nu ADR	Transport information umber 3082	ns. Treat as trade effluent.
Section 14. 14.1 UN nu ADR IATA IMDG	Transport information umber 3082 3082 3082	ns. Treat as trade effluent.
Section 14. 14.1 UN nu ADR IATA IMDG	Transport information umber 3082 3082	
Section 14. 14.1 UN nu ADR IATA IMDG 14.2 UN pr	Transport information umber 3082 3082 3082 roper shipping name ENVIRONMENTALLY HAZARDOUS SUBST	TANCE, LIQUID, N.O.S.
Section 14. 14.1 UN nu ADR IATA IMDG 14.2 UN pr ADR	Transport information umber 3082 3082 3082 roper shipping name ENVIRONMENTALLY HAZARDOUS SUBST (CONTAINS D-LIMONENE) ENVIRONMENTALLY HAZARDOUS SUBST	TANCE, LIQUID, N.O.S. TANCE, LIQUID, N.O.S.
Section 14. 14.1 UN nu ADR IATA IMDG 14.2 UN pr ADR IATA IMDG	Transport information umber 3082 3082 3082 coper shipping name ENVIRONMENTALLY HAZARDOUS SUBST (CONTAINS D-LIMONENE) ENVIRONMENTALLY HAZARDOUS SUBST (CONTAINS D-LIMONENE) ENVIRONMENTALLY HAZARDOUS SUBST	TANCE, LIQUID, N.O.S. TANCE, LIQUID, N.O.S.
Section 14. 14.1 UN nu ADR IATA IMDG 14.2 UN pr ADR IATA IMDG	Transport information umber 3082 3082 3082 coper shipping name ENVIRONMENTALLY HAZARDOUS SUBST (CONTAINS D-LIMONENE) ENVIRONMENTALLY HAZARDOUS SUBST (CONTAINS D-LIMONENE) ENVIRONMENTALLY HAZARDOUS SUBST (CONTAINS D-LIMONENE)	TANCE, LIQUID, N.O.S. TANCE, LIQUID, N.O.S.
Section 14. 14.1 UN nu ADR IATA IMDG 14.2 UN pr ADR IATA IMDG 14.3 Trans	Transport information umber 3082 3082 3082 roper shipping name ENVIRONMENTALLY HAZARDOUS SUBST (CONTAINS D-LIMONENE) ENVIRONMENTALLY HAZARDOUS SUBST (CONTAINS D-LIMONENE) ENVIRONMENTALLY HAZARDOUS SUBST (CONTAINS D-LIMONENE) port hazard class(es)	TANCE, LIQUID, N.O.S. TANCE, LIQUID, N.O.S.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 25 Jul 2022

GHS: According to 2015/830/EU

 Code Number
 FM75176

 Version 2 Revised 25/07/2022 12:41:17 PM

14.4 Packing	group		
ADR	III		
ΙΑΤΑ	III		
IMDG	III		
Tunnel Code	(E)		
	nental Hazards r the environment. Marine pollutant.		
14.6 Special precautions for user Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A, S-F Marine Pollutant: Yes			
Road and Rai	I Transport (Australian Dangerous Goods Code (ADG Code)):		
HazChem Co	ode • 3Z		
14.7 Transpor Not applicabl	t in bulk according to Annex II of MARPOL73/78 and the IBC Code e		
Section 15. Reg	gulatory information		
•	15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture		
Poison Schedule (SUSMP): S5 CAUTION HS Tariff Code: 3302.90.00			
15.2 Chemical	15.2 Chemical safety assessment		
A chemical safety assessment has not been carried out			
Section 16. Other information			
Full list of p	Full list of precautionary phrases		
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		
P261	Avoid breathing fumes.		
P272	Contaminated work clothing should not be allowed out of the workplace.		
P273	Avoid release to the environment.		
P280	Wear protective gloves and eye protection		
P302+P352	IF ON SKIN: Wash with plenty of water.		

### Printed on 25 Jul 2022

GHS: According to 2015/830/EU

Code Number FM75176 Version 2 Revised 25/07/2022 12:41:17 PM

P333+P313	If skin irritation or rash occurs: Get medical advice.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents and container in accordance to local regulations.
Wording of any haza	rd classes listed in section 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SS 1B	Skin sensitisation, category 1B
EH A1	Aquatic hazard, acute, category 1
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
Wording of any haza	rd statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H400	Very toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
References and furth	ner information
Key: N/A = Not applicable SUSMP = Standard for	the Uniform Scheduling of Medicines and Poisons
Version 1: GHS format Version 2: Mandatory r	