

SAFETY DATA S		Printed on 01 Aug 2024
GHS: According to 2015/830/	EU	
<i>Code Number Version 3 Revised 1/08</i>	FM75088 1/2024 12:55:45 PM	
Section 1. Identificatio	n of the substance/mixture a	and of the company/undertaking
1.1 Product I dentifier		
Product Name	BONDI	
Code Number	FM75088	
Alternative Name		
REACH Reg No	Not registered	
1.2 Relevant identified	l uses of the substance or mi	xture and uses advised against
For fragrance use.		
1.3 Details of the supp	lier of the safety data sheet	
	Australian Botanical Products L	td
	39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529	
Telephone Number	Tel No. +613 97094800	
Email Address	abpsales@ixom.com	
1.4 Emergency Tel No	Emergency No. +61 1 800 033	3 111
Section 2. Hazard I den	tification	
2.1 Classification of th	e substance or mixture	
FL 4	Flammable liquid, category 4	
AH 1	Aspiration hazard, category 1	
SCI 2	Skin corrosion/irritation, catego	ory 2
SS 1B	Skin sensitisation, category 1B	
EDI 2A	Eye damage/irritation, categor	у 2А
EH A1	Aquatic hazard, acute, categor	у 1
EH C1	Aquatic hazard, chronic, catego	ory 1
2.2 Label elements		

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

FETY DATA		on 01 Aug 2
de Number rsion 3 Revised 1	FM75088 1/08/2024 12:55:45 PM	
GHS classification	according to Regulation (EC) No 1272/2008	
Hazard Pictogram	ms	
	*	
Signal Word	Danger	
Hazard Statemer	-	
H227	Combustible liquid	
H304	May be fatal if swallowed and enters airways	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H400	Very toxic to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
Precautionary St	atements	
P210	Keep away from heat, hot surfaces, sparks, open other ignition sources. No smoking.	flames and
P261	Avoid breathing fumes.	
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye protection	
P301+P310	IF SWALLOWED: Immediately call a POISON CEN	TRE.
P331	Do NOT induce vomiting.	
P333+P313	If skin irritation or rash occurs: Get medical advic	æ.
P337+P313	If eye irritation persists: Get medical attention.	
P362+P364	Take off contaminated clothing and wash it before	e reuse.
P391	Collect spillage.	
P403+P235	Store in a well-ventilated place. Keep cool.	
P405	Store locked up.	

Printed on 01 Aug 2024

GHS: According to 2015/830/EU

Code Number FM75088 Version 3 Revised 1/08/2024 12:55:45 PM

P501

Dispose of contents/container in accordance to local regulations

2.3 Other Hazards

Contains alpha-iso-Methylionone, Citral, Citronellol, Geraniol, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of fragrance ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3; SCI 2; SS 1B; AH 1; EH A1,C1 H226,H304,H315,H317,H400,H410	10% - 30%
CAS 18479-58-8 EINECS 242-362-4 REACH	2,6-dimethyloct-7-en-2-ol FL 4;ATO 5(3600);SCI 2;EDI 2A;EH A3 H227,H303,H315,H319,H402	10% - 30%
CAS 115-95-7 EINECS 204-116-4 REACH	Linalyl acetate FL 4;SCI 2;EDI 2A;EH A3 H227,H315,H319,H402	1% - 10%
CAS 127-51-5 EINECS 204-846-3 REACH	alpha-iso-Methylionone SCI 2; EDI 2A; EH C2 H315,H319,H411	1% - 10%
CAS 24851-98-7 EINECS 246-495-9 REACH	methyl 3-oxo-2-pentylcyclopentaneacetate EH A2 H401	1% - 10%
CAS 32388-55-9 EINECS 251-020-3 REACH	[3R-(3a,3aß,7ß,8aa)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetra ATO 5;SS 1B;EH A1,C1 H303,H317,H400,H410	1% - 10%
CAS 1222-05-5 EINECS 214-946-9 REACH	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran EH A1,C1 H400,H410	1% - 10%
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4;SS 1B H227,H317	1% - 10%

Printed on 01 Aug 2024

GHS: According to 2015/830/EU

Code Number FM75088

Version 3 Revised 1/08/2024 12:55:45 PM

CAS 1506-02-1 EINECS 244-240-6 REACH	1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)etha ATO 4(1000);EH A1,C1 H302,H400,H410	1% - 10%
CAS 67634-00-8 EINECS 266-803-5 REACH	allyl (3-methylbutoxy)acetate FL 4;ATO 4(730);SCI 2 H227,H302,H315	1% - 10%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal. Obtain medical advice if necessary.

After skin contact

Causes skin irritation, May cause an allergic skin reaction. Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

After eye contact

Causes serious eye irritation. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

May be fatal if swallowed and enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 01 Aug 2024

GHS: According to 2015/830/EU

 Code Number
 FM75088

 Version 3 Revised 1/08/2024 12:55:45 PM

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code •3Z

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.

6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 01 Aug 2024

GHS: According to 2015/830/EU
Code Number FM75088

Version 3 Revised 1/08/2024 12:55:45 PM

out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice.

Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties FLASH POINT (°C) 67°C

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 01 Aug 2024

GHS: According to 2015/830/EU

 Code Number
 FM75088

 Version 3 Revised 1/08/2024 12:55:45 PM

APPEARANCE	Mobile liquid
COLOUR	Almost colourless to pale yellow
ODOUR	Fresh, zesty, herbal, green, aromatic
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	0.865 - 0.895
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivity	
10.1 Reactivity No data.	
10.2 Chemical Stability Stable under the recommended sto	prage conditions (see section 7).

Printed on 01 Aug 2024

GHS: According to 2015/830/EU

 Code Number
 FM75088

 Version 3 Revised 1/08/2024 12:55:45 PM

10.3 Possibility of hazardous reactions No hazardous reactions if stored under suitable storage conditions.
10.4 Conditions to avoid Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents and from highly alkaline or acidic material.
10.6 Hazardous decomposition products During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.
Section 11. Toxicological information
11.1 Information on toxicological effects
Acute toxicity Not classified based on available data.
Skin corrosion / irritation Causes skin irritation.
Serious eye damage / irritation Causes serious eye irritation.
Respiratory or skin sensitisation May cause an allergic skin reaction.
Germ cell mutagenicity No data
Carcinogenicity No data
Reproductive toxicity No data
STO-single exposure No data
STO-repeated exposure No data
Aspiration hazard May be fatal if swallowed and enters airways.
The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 01 Aug 2024

GHS: According to 2015/830/EU

Code Number FM75088 Version 3 Revised 1/08/2024 12:55:45 PM

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains D-Limonene (5989-27-5): LC50 (96 h) - Pimephales promelas (fathead minnow) – 0.72 mg/L EC50 (48 h) - Daphnia magna – 0.36 mg/L EC50 (72 h) - Raphidocelis subcapitata – 0.32 mg/L

Contains 1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one (Tonalid/Fixolide) - (CAS no: 21145-77-7) NOEC (21 d) - Daphnia magna - 0.196 mg/L EC50 (72 h) - Pseudokirchneriella subcapitata - 0.612 mg/L

NOEC (72 h) - Pseudokirchneriella subcapitata - 0.278 mg/L

12.2 Persistence and degradability

No test data available for this substance.

12.3 Bioaccumulative potential

No data.

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

- 12.5 Results of PBT and vPvB assessment No data.
- 12.6 Other adverse effects

See sections 6, 7, 13 and 15.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 01 Aug 2024

GHS: According to 2015/830/EU

 Code Number
 FM75088

 Version 3 Revised 1/08/2024 12:55:45 PM

Section 13. Disposal considerations Please refer to the information in section 8 (Exposure controls and personal protection) 13.1 Waste treatment methods Dispose in accordance with the law and local regulations. Treat as trade effluent. Section 14. Transport information 14.1 UN number ADR 3082 IATA 3082 3082 IMDG 14.2 UN proper shipping name ADR ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE, FIXOLIDE) IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE, FIXOLIDE) IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE, FIXOLIDE) 14.3 Transport hazard class(es) ADR 9 IATA 9 IMDG 9 14.4 Packing group ADR Ш Ш ΙΑΤΑ IMDG 111 Tunnel Code (-) 14.5 Environmental Hazards Dangerous for the environment. Marine pollutant. 14.6 Special precautions for user Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A,S-F Marine Pollutant: Yes Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA	SHEET	Printed on 01 Aug 202
GHS: According to 2015/83	0/EU	
Code Number	FM75088	
Version 3 Revised 1/C	08/2024 12:55:45 PM	
HazChem Code	3Z	
14.7 Transport in bu Not applicable.	k according to Annex II	of MARPOL73/78 and the IBC Code
Section 15. Regulator	y information	
15.1 Safety, health a substance or mixture	•	ations/legislation specific for the
Poison Schedule (SU	SMP): Not Applicable	HS Tariff Code: 3302.90.00
All the constituents of	of this material are complia	nt with AICIS regulation.
15.2 Chemical safety	assessment	
•	sessment has not been car	ried out.
Section 16. Other info	rmation	
Section 10. Other init	mation	
Full list of precauti	onary phrases	
P210	Keep away from heat, h other ignition sources. N	ot surfaces, sparks, open flames and Jo smoking.
P261	Avoid breathing fumes.	
P264	Wash hands thoroughly	after handling
P272	Contaminated work clot workplace.	hing should not be allowed out of the
P273	Avoid release to the env	vironment.
P280	Wear protective gloves	and eye protection
P301+P310	IF SWALLOWED: Immed	diately call a POISON CENTRE.
P302+P352	IF ON SKIN: Wash with	plenty of water.
P305+P351+P338		ously with water for several minutes. if present and easy to do. Continue
P331	Do NOT induce vomiting	J.
P333+P313	If skin irritation or rash	occurs: Get medical advice.
P337+P313	If eye irritation persists	Get medical attention.
P362+P364	Take off contaminated of	lothing and wash it before reuse.
P391	Collect spillage.	
P403+P235	Store in a well-ventilate	d place. Keep cool.
P405	Store locked up.	
P501		tainer in accordance to local regulations

SAFETY DATA GHS: According to 2015/83		Printed on 01 Aug 2024
Code Number Version 3 Revised 1/C	FM75088 08/2024 12:55:45 PM	
Wording of any ha	zard classes listed in section 3	
FL 3	Flammable liquid, category 3	
FL 4	Flammable liquid, category 4	
FS 2	Flammable solid, category 2	
ATO 4	Acute toxicity, oral, category 4	
ATO 5	Acute toxicity, oral, category 5	
AH 1	Aspiration hazard, category 1	
ATD 5	Acute toxicity, dermal, category 5	
SCI 1B	Skin corrosion/irritation, category 1B	
SCI 2	Skin corrosion/irritation, category 2	
SCI 3	Skin corrosion/irritation, category 3	
SS 1	Skin sensitisation, category 1	
SS 1B	Skin sensitisation, category 1B	
EDI 1	Eye damage/irritation, category 1	
EDI 2A	Eye damage/irritation, category 2A	
ATI 4	Acute toxicity, inhalation, category 4	
STO-SE 3(RI)	Specific target organ, single exposure,	respiratory irritation
REP 2	Reproductive toxicity, category 2	
STO-SE 2	Specific target organ, single exposure,	category 2
EH A1	Aquatic hazard, acute, category 1	
EH A2	Aquatic hazard, acute, category 2	
EH A3	Aquatic hazard, acute, category 3	
EH C1	Aquatic hazard, chronic, category 1	
EH C2	Aquatic hazard, chronic, category 2	
EH C3	Aquatic hazard, chronic, category 3	
Wording of any ha	zard statements listed in section 3	
H226	Flammable liquid and vapour	
H227	Combustible liquid	
H228	Flammable solid	
H302	Harmful if swallowed	
H303	May be harmful if swallowed	
H304	May be fatal if swallowed and enters a	irways
H313	May be harmful in contact with skin	
H314	Causes severe skin burns and eye dam	nage

Printed on 01 Aug 2024

GHS: According to 2015/830/EU

 Code Number
 FM75088

 Version 3 Revised 1/08/2024 12:55:45 PM

H315	Causes skin irritation		
H316	Causes mild skin irritation		
H317	May cause an allergic skin reaction		
H318	Causes serious eye damage		
H319	Causes serious eye irritation		
H332	Harmful if inhaled		
H335	May cause respiratory irritation		
H361	Suspected of damaging fertility or the unborn child		
H371	May cause damage to organs		
H400	Very toxic to aquatic life		
H401	Toxic to aquatic life		
H402	Harmful to aquatic life		
H410	Very toxic to aquatic life with long lasting effects		
H411	Toxic to aquatic life with long lasting effects		
H412	Harmful to aquatic life with long lasting effects		
References and fur	ther information		
N/A = Not applicable			
SUSMP = Standard for	r the Uniform Scheduling of Medicines and Poisons		
	entory of Industrial Chemical dustrial Chemicals Introduction Scheme		
Version 1-2: GHS forr			
Version 3: Mandatory	revision, RB 01/08/2024		