

| SAFETY DATA S | ИССТ | |
|---------------------------------------|----------------------------------|---------------------------------|
| GHS: According to 2015/830/ | | Printed on 31 Jul 202 |
| Code Number Version 4 Revised 31/C | FM73771 | |
| Section 1. Identificatio | n of the substance/mixture a | and of the company/undertaking |
| 1.1 Product I dentifier | | |
| Product Name | BARK & HERBS | |
| Code Number | FM73771 | |
| Alternative Name | | |
| REACH Reg No | Not registered | |
| 1.2 Relevant identified | uses of the substance or mi | ixture and uses advised against |
| For fragrance use. | | |
| 1.3 Details of the supp | lier of the safety data sheet | |
| | Australian Botanical Products I | Ltd |
| | 39 Melverton Drive, Hallam | |
| | Victoria, 3803 Australia | |
| | ABN: 45006782529 | |
| Telephone Number | Tel No. +613 97094800 | |
| Email Address | abpsales@ixom.com | |
| 1.4 Emergency Tel No | Emergency No. +61 1 800 033 | 3 111 |
| Section 2. Hazard I den | tification | |
| 2.1 Classification of th | e substance or mixture | |
| FL 4 | Flammable liquid, category 4 | |
| SCI 2 | Skin corrosion/irritation, categ | jory 2 |
| SS 1A | Skin sensitisation, category 1A | A |
| EDI 2A | Eye damage/irritation, categor | |
| EH A2 | Aquatic hazard, acute, categor | • |
| EH C2 | Aquatic hazard, chronic, categ | ory 2 |
| 2.2 Label elements | | |
| | | |
| | | |
| | | |

L

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

| SAFETY DATA HS: According to 2015/ | | Printed on 31 Jul 20 |
|---------------------------------------|--|---|
| Code Number | FM73771 | |
| | 21/07/2024 9:31:54 AM | |
| GHS classification | according to Regulation (EC) No 1 | 272/2008 |
| Hazard Pictograr | ns | |
| | XV. | |
| | | |
| | | |
| Signal Word | Warning | |
| Hazard Statemer | nts | |
| H227 | Combustible liquid | |
| H315 | Causes skin irritation | |
| H317 | May cause an allergic skin re | action |
| H319 | Causes serious eye irritation | |
| H411 | Toxic to aquatic life with long | g lasting effects |
| Precautionary St | atements | |
| P210 | Keep away from heat, hot su other ignition sources. No sm | rfaces, sparks, open flames and noking. |
| P261 | Avoid breathing fumes. | |
| P264 | Wash hands thoroughly after | handling |
| P273 | Avoid release to the environr | ment. |
| P280 | Wear protective gloves and e | eye protection |
| P333+P313 | If skin irritation or rash occur | rs: Get medical advice. |
| P337+P313 | If eye irritation persists: Get | medical attention. |
| P362+P364 | Take off contaminated clothin | ng and wash it before reuse. |
| P391 | Collect spillage. | |
| P403+P235 | Store in a well-ventilated pla | ce. Keep cool. |
| P501 | Dispose of contents/containe | r in accordance to local regulations |
| 2.3 Other Hazards | | |
| | enzoate, Cinnamal, Citral, Citronell lool which may produce an allergie | |

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 31 Jul 2024

GHS: According to 2015/830/EU

Code Number FM73771

Version 4 Revised 31/07/2024 9:31:54 AM

No further information available at this time

Section 3. Composition / information on ingredients Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

| ID Numbers | Chemical Name, Classification and Hazards | Conc (%) |
|--|--|-----------|
| CAS 78-70-6 EINECS 201-134-4 REACH | Linalool FL 4;SS 1B H227,H317 | 10% - 30% |
| CAS 76-22-2 EINECS 200-945-0 REACH | Camphor (1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one) FS 2;ATO 4;ATI 4;STO-SE 2;EH A3 H228,H302,H332,H371,H402 | 1% - 10% |
| CAS 87-44-5 EINECS 201-746-1 REACH | Caryophyllene AH 1;SS 1B H304,H317 | 1% - 10% |
| CAS 5986-55-0 EINECS 227-807-2 REACH | Patchouli alcohol SCI 3;EH A2,C2 H316,H401,H411 | 1% - 10% |
| CAS 106-22-9 EINECS 203-375-0 REACH | Citronellol (d,I-Citronellol) SCI 2;SS 1B;EDI 2A H315,H317,H319 | 1% - 10% |
| CAS 77-53-2 EINECS 201-035-6 REACH | Cedrol (alpha-Cedrol) SCI 3;EH A2,C2 H316,H401,H411 | 1% - 10% |
| CAS 97-53-0 EINECS 202-589-1 REACH | Eugenol ATO 5(2000); SCI 2; SS 1; EDI 2A H303, H315, H317, H319 | 1% - 10% |
| CAS 469-61-4 EINECS 207-418-4 REACH | alpha-Cedrene AH 1;SCI 3;EH A1,C1 H304,H316,H400,H410 | 1% - 10% |
| CAS 470-82-6 EINECS 207-431-5 REACH | Cineols (Eucalyptol) FL 3;ATO 5(2480);SS 1B H226,H303,H317 | 1% - 10% |
| CAS 470-40-6 EINECS - REACH | Thujopsene SS 1B;EDI 2A;EH A2 H317,H319,H401 | 1% - 10% |

Printed on 31 Jul 2024

GHS: According to 2015/830/EU

Code Number FM73771

Version 4 Revised 31/07/2024 9:31:54 AM

| CAS 115-95-7 EINECS 204-116-4 REACH | Linalyl acetate FL 4; SCI 2; EDI 2A; EH A3 H227, H315, H319, H402 | 1% - 10% |
|---|--|----------|
| CAS 104-55-2 EINECS 203-213-9 REACH | Cinnamic aldehyde ATO 5(2500);SCI 2;SS 1A;EDI 2A H303,H315,H317,H319 | <1% |
| CAS 80-56-8 EINECS 201-291-9 REACH | Pinenes FL 3; ATO 4; AH 1; SCI 2; SS 1; EH A1, C1 H226, H302, H304, H315, H317, H400, H410 | <1% |
| CAS 127-91-3 EINECS 204-872-5 REACH | beta-Pinene FL 3;ATO 5(3700);AH 1;SCI 2;SS 1B;EH A1,C1 H226,H303,H304,H315,H317,H400,H410 | <1% |
| CAS 5989-54-8 EINECS 227-815-6 REACH | (S)-p-mentha-1,8-diene FL 3;AH 1;SCI 2;SS 1B;EH A1,C1 H226,H304,H315,H317,H400,H410 | <1% |
| CAS 90063-37-9 EINECS 289-995-2 REACH | Lavandula angustifolia FL 4; AH 1; SCI 2; SS 1A; EDI 2A; EH A2,C3 H227,H304,H315,H317,H319,H401,H412 | <1% |
| CAS 106-24-1 EINECS 203-377-1 REACH | Geraniol ATO 5(3600); SCI 2; SS 1; EDI 1; EH A3 H303, H315, H317, H318, H402 | <1% |
| CAS 105-87-3 EINECS 203-341-5 REACH | Geranyl acetate SCI 2;SS 1;EH C3 H315,H317,H412 | <1% |

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal. Obtain medical advice if necessary.

After skin contact

Causes skin irritation, May cause an allergic skin reaction. Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

After eye contact

Causes serious eye irritation. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 31 Jul 2024

GHS: According to 2015/830/EU

Code Number FM73771 Version 4 Revised 31/07/2024 9:31:54 AM

After ingestion

time

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

- 4.2 Most important symptoms and effects, both acute and delayed Take phrases in sections 2 and 11 into account. No further information available at this
- 4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

- 5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.
- 5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code •3Z

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Printed on 31 Jul 2024

GHS: According to 2015/830/EU

 Code Number
 FM73771

 Version 4 Revised 31/07/2024 9:31:54 AM

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 31 Jul 2024

GHS: According to 2015/830/EU

 Code Number
 FM73771

 Version 4 Revised 31/07/2024 9:31:54 AM

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

| FLASH POINT (°C) | 87°C |
|------------------------------------|---|
| APPEARANCE | Mobile liquid |
| COLOUR | Yellow to dark yellow |
| ODOUR | Cedarwood, lavender, cinnamon, geranium |
| ODOUR THRESHOLD | Not available |
| pH @20 DEG C | Not available |
| MELTING/FREEZING POINT | Not available |
| INITIAL BOILING POINT AND RANGE | Not available |
| EVAPORATION RATE | Not available |
| FLAMMABILITY (SOLID/GAS) | Not available |
| UPPER/LOWER FLAMMABILITY LIMITS | Not available |
| VAPOUR PRESSURE | Not available |
| VAPOUR DENSITY | Not available |
| SPECIFIC GRAVITY @ 20°C | 1 - 1.025 |
| SOLUBILITIES | Insoluble in water |
| PARTITION COEFF N-OCTANAL/WATER | Not available |
| | |

Page 7 of 14

| GHS: According to 2015/830/EU | |
|--|---|
| Code Number FM73771 | |
| Version 4 Revised 31/07/2024 9: | 31:54 AM |
| AUTO-IGNITION TEMPERATURE | Not available |
| DECOMPOSITION TEMPERATURE | Not available |
| VISCOSITY @ 20 DEG C | Not available |
| EXPLOSIVE PROPERTIES | Not available |
| OXIDISING PROPERTIES | Not available |
| 9.2 Other information No further information available. | |
| Section 10. Stability and reactivity | У |
| 10.1 Reactivity No data. | |
| 10.2 Chemical Stability Stable under the recommended st | orage conditions (see section 7). |
| 10.3 Possibility of hazardous rea No hazardous reactions if stored u | |
| 10.4 Conditions to avoid Avoid exposure to heat, sources of | f ignition, and open flame. Avoid exposure to air. |
| 10.5 Incompatible materials | and from highly alkaline or acidic material. |
| 10.6 Hazardous decomposition pu During combustion may form carb compounds. | roducts on monoxide, carbon dioxide and unidentified organic |
| Section 11. Toxicological informat | ion |
| 11.1 Information on toxicologica | l effects |
| Acute toxicity | |
| Not classified based on available d | ata. |
| Skin corrosion / irritation Causes skin irritation. | |
| | 1 |

Printed on 31 Jul 2024

GHS: According to 2015/830/EU

FM73771 Code Number Version 4 Revised 31/07/2024 9:31:54 AM

| | Respiratory or skin sensitisation |
|----|---|
| | May cause an allergic skin reaction. |
| | Germ cell mutagenicity |
| | No data |
| | Carcinogenicity |
| | No data |
| | Reproductive toxicity |
| | No data |
| | STO-single exposure |
| | No data |
| | STO-repeated exposure |
| | No data |
| | Aspiration hazard |
| | No data |
| | Information on likely routes of exposure |
| | No data |
| | Symptoms related to the physical, chemical and toxicological characteristics |
| | No data |
| | Delayed and immediate effects as well as chronic effects from short and |
| | long-term exposure No data |
| | |
| | Interactive effects No data |
| | |
| | Other information |
| | No data |
| Se | ection 12. Ecological information |
| 1 | 2.1 Toxicity |
| | Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. |

Contains alpha-Cedrene (469-61-4) EC50 (48 h) - Daphnia pulex (Water flea) - 0.044 mg/L

12.2 Persistence and degradability

No test data available for this substance.

| SAFETY DATA SHEET Printed on 31 Jul 2 GHS: According to 2015/830/EU | | | |
|---|--|--------------------------|--|
| Code Number Version 4 Rev | FM73771 vised 31/07/2024 9:31:54 AM | | |
| 12.3 Bioaccur No data. | 12.3 Bioaccumulative potential No data. | | |
| 12.4 Mobility Avoid soil, si | in soil urface water and water-bearing stratum contamin | nation. | |
| 12.5 Results No data. | of PBT and vPvB assessment | | |
| | dverse effects 6, 7, 13 and 15. | | |
| Please refer to 13.1 Waste tr | sposal considerations the information in section 8 (Exposure controls a reatment methods ccordance with the law and local regulations. Trea | | |
| Section 14. Tr | ansport information | | |
| 14.1 UN num | ber | | |
| ADR | 3082 | | |
| IATA | 3082 | | |
| IMDG | 3082 | | |
| 14.2 UN prop | er shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, | LIQUID NOS (CONTAINS | |
| ADK | ALPHA-CEDRENE) | LIQUID, N.O.S. (CONTAINS | |
| ΙΑΤΑ | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, ALPHA-CEDRENE) | LIQUID, N.O.S. (CONTAINS | |
| IMDG | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, ALPHA-CEDRENE) | LIQUID, N.O.S. (CONTAINS | |
| 14.3 Transport hazard class(es) | | | |
| ADR | 9 | | |
| ΙΑΤΑ | 9 | | |
| IMDG | 9 | | |
| | | | |
| | | | |
| | | | |
| | | | |

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 31 Jul 2024

GHS: According to 2015/830/EU

 Code Number
 FM73771

 Version 4 Revised 31/07/2024 9:31:54 AM

| 14.4 Packing group | | | |
|---|--|--|--|
| ADR | 111 | | |
| ΙΑΤΑ | 111 | | |
| IMDG | 111 | | |
| Tunnel Code | (-) | | |
| | nental Hazards r the environment. Marine pollutant. | | |
| 14.6 Special precautions for user Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A,S-F Marine Pollutant: Yes | | | |
| Road and Rai | I Transport (Australian Dangerous Goods Code (ADG Code)): | | |
| HazChem Co | ode •3Z | | |
| 14.7 Transpor Not applicabl | t in bulk according to Annex II of MARPOL73/78 and the IBC Code e. | | |
| Section 15. Reg | gulatory information | | |
| 15.1 Safety, h substance or r | ealth and environmental regulations/legislation specific for the mixture | | |
| Poison Sched | Poison Schedule (SUSMP): Not Applicable HS Tariff Code: 3302.90.00 | | |
| All the constituents of this material are compliant with AICIS regulation. | | | |
| 15.2 Chemical safety assessment | | | |
| A chemical safety assessment has not been carried out. | | | |
| Section 16. Other information | | | |
| Full list of precautionary phrases | | | |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. | | |
| P261 | Avoid breathing fumes. | | |
| P264 | Wash hands thoroughly after handling | | |
| P272 | Contaminated work clothing should not be allowed out of the workplace. | | |
| P273 | Avoid release to the environment. | | |
| P280 | Wear protective gloves and eye protection | | |

GHS: According to 2015/830/EU

Printed on 31 Jul 2024

| Code Number | FM73771 | |
|---|--|--|
| Version 4 Revised 31/07/2024 9:31:54 AM | | |
| P302+P352 | IF ON SKIN: Wash with plenty of water. | |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. | |
| P333+P313 | If skin irritation or rash occurs: Get medical advice. | |
| P337+P313 | If eye irritation persists: Get medical attention. | |
| P362+P364 | Take off contaminated clothing and wash it before reuse. | |
| P391 | Collect spillage. | |
| P403+P235 | Store in a well-ventilated place. Keep cool. | |
| P501 | Dispose of contents/container in accordance to local regulations | |
| Wording of any haza | ard classes listed in section 3 | |
| FL 3 | Flammable liquid, category 3 | |
| FL 4 | Flammable liquid, category 4 | |
| FS 2 | Flammable solid, category 2 | |
| ATO 3 | Acute toxicity, oral, category 3 | |
| ATO 4 | Acute toxicity, oral, category 4 | |
| ATO 5 | Acute toxicity, oral, category 5 | |
| AH 1 | Aspiration hazard, category 1 | |
| ATD 4 | Acute toxicity, dermal, category 4 | |
| ATD 5 | Acute toxicity, dermal, category 5 | |
| SCI 2 | Skin corrosion/irritation, category 2 | |
| SCI 3 | Skin corrosion/irritation, category 3 | |
| SS 1 | Skin sensitisation, category 1 | |
| SS 1A | Skin sensitisation, category 1A | |
| SS 1B | Skin sensitisation, category 1B | |
| EDI 1 | Eye damage/irritation, category 1 | |
| EDI 2A | Eye damage/irritation, category 2A | |
| ATI 4 | Acute toxicity, inhalation, category 4 | |
| STO-SE 3(RI) | Specific target organ, single exposure, respiratory irritation | |
| MUT 2 | Germ cell mutagenicity, category 2 | |
| CAR 1B | Carcinogenicity, category 1B | |
| REP 2 | Reproductive toxicity, category 2 | |
| STO-SE 2 | Specific target organ, single exposure, category 2 | |
| EH A1 | Aquatic hazard, acute, category 1 | |
| EH A2 | Aquatic hazard, acute, category 2 | |

Printed on 31 Jul 2024

GHS: According to 2015/830/EU

 Code Number
 FM73771

 Version 4 Revised 31/07/2024 9:31:54 AM

| EH A3 | Aquatic hazard, acute, category 3 |
|----------------------|---|
| EH C1 | Aquatic hazard, chronic, category 1 |
| EH C2 | Aquatic hazard, chronic, category 2 |
| EH C3 | Aquatic hazard, chronic, category 3 |
| Wording of any haza | rd statements listed in section 3 |
| H226 | Flammable liquid and vapour |
| H227 | Combustible liquid |
| H228 | Flammable solid |
| H301 | Toxic if swallowed |
| H302 | Harmful if swallowed |
| H303 | May be harmful if swallowed |
| H304 | May be fatal if swallowed and enters airways |
| H312 | Harmful in contact with skin |
| H313 | May be harmful in contact with skin |
| H315 | Causes skin irritation |
| H316 | Causes mild skin irritation |
| H317 | May cause an allergic skin reaction |
| H318 | Causes serious eye damage |
| H319 | Causes serious eye irritation |
| H332 | Harmful if inhaled |
| H335 | May cause respiratory irritation |
| H341 | Suspected of causing genetic defects |
| H350 | May cause cancer |
| H361 | Suspected of damaging fertility or the unborn child |
| H371 | May cause damage to organs |
| H400 | Very toxic to aquatic life |
| H401 | Toxic to aquatic life |
| H402 | Harmful to aquatic life |
| H410 | Very toxic to aquatic life with long lasting effects |
| H411 | Toxic to aquatic life with long lasting effects |
| H412 | Harmful to aquatic life with long lasting effects |
| References and furth | ner information |
| | the Uniform Scheduling of Medicines and Poisons ntory of Industrial Chemical |

Printed on 31 Jul 2024

GHS: According to 2015/830/EU

 Code Number
 FM73771

 Version 4 Revised 31/07/2024 9:31:54 AM

AICIS = Australian Industrial Chemicals Introduction Scheme

Version 1: GHS format, BV 28/05/2018 Version 2: Formula update, BV 31/05/2018 Version 3: System update, BV 11/09/2020 Version 4: Mandatory revision, RB 31/07/2024

Page 14 of 14