

SAFETY DATA SHEET Printed on 30 Jul 2024 GHS: According to 2015/830/EU				
<i>Code Number Version 2 Revised 30/0</i>	FM72855 17/2024 10:15:44 AM			
Section 1. Identification	n of the substance/mixture and of the	e company/undertaking		
1.1 Product I dentifier				
Product Name	COLLINS STREET			
Code Number	FM72855			
Alternative Name				
REACH Reg No	Not registered			
1.2 Relevant identified	l uses of the substance or mixture and	d uses advised against		
For fragrance use in ca	indle products.			
1.3 Details of the supp	lier of the safety data sheet Australian Botanical Products Ltd 39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529			
Telephone Number	Tel No. +613 97094800			
Email Address	abpsales@ixom.com			
1.4 Emergency Tel No	Emergency No. +61 1 800 033 111			
Section 2. Hazard I den	Section 2. Hazard I dentification			
2.1 Classification of th	e substance or mixture			
FL 4	Flammable liquid, category 4			
AH 1	Aspiration hazard, category 1			
SCI 2	Skin corrosion/irritation, category 2			
SS 1A	Skin sensitisation, category 1A			
EDI 2A	Eye damage/irritation, category 2A			
EH A2	Aquatic hazard, acute, category 2			
EH C1	Aquatic hazard, chronic, category 1			
2.2 Label elements				

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

AFETY DATA		Printed on 30 Jul 20
Code Number	FM72855	
Version 2 Revised 3	30/07/2024 10:15:44 AM	
GHS classification	according to Regulation (EC) No 1272/	/2008
Hazard Pictogram	ns	
•	く、人会人気	
Signal Word	Danger	
Hazard Statemer	nts	
H227	Combustible liquid	
H304	May be fatal if swallowed and ent	ters airways
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	on
H319	Causes serious eye irritation	
H410	Very toxic to aquatic life with long	g lasting effects
Precautionary St	atements	
P210	Keep away from heat, hot surface other ignition sources. No smokir	
P261	Avoid breathing fumes.	
P273	Avoid release to the environment	t.
P280	Wear protective gloves and eye p	protection
P301+P310	IF SWALLOWED: Immediately cal	II a POISON CENTRE.
P331	Do NOT induce vomiting.	
P333+P313	If skin irritation or rash occurs: G	Get medical advice.
P337+P313	If eye irritation persists: Get med	dical attention.
P362+P364	Take off contaminated clothing a	nd wash it before reuse.
P391	Collect spillage.	
P403+P235	Store in a well-ventilated place.	Keep cool.
P405	Store locked up.	
P501	Dispose of contents/container in	accordance to local regulations

Printed on 30 Jul 2024

GHS: According to 2015/830/EU

Code Number FM72855

Version 2 Revised 30/07/2024 10: 15: 44 AM

2.3 Other Hazards

Contains Cinnamal, Cinnamyl Alcohol, Citral, Citronellol, Eugenol, Isoeugenol, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4; SS 1B H227,H317	10% - 30%
CAS 115-95-7 EINECS 204-116-4 REACH	Linalyl Acetate FL 4; SCI 2; SS 1B; EDI 2A; EH A3 H227,H315,H317,H319,H402	10% - 30%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3; SCI 2; SS 1B; AH 1; EH A1,C1 H226,H304,H315,H317,H400,H410	10% - 30%
CAS 54464-57-2 EINECS 259-174-3 REACH	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl) SCI 2;SS 1B;EH C1 H315,H317,H410	10% - 30%
CAS 121-33-5 EINECS 204-465-2 REACH	Vanillin ATO 5;EDI 2A;EH A3 H303,H319,H402	1% - 10%
CAS 104-55-2 EINECS 203-213-9 REACH	cinnamaldehyde FL 4; ATO 5; ATD 5; SCI 2; SS 1A; EDI 2A H227, H303, H313, H315, H317, H319	1% - 10%
CAS 60-12-8 EINECS 200-456-2 REACH	2-phenylethanol ATO 4(1609);EDI 2A H302,H319	1% - 10%
CAS 67674-46-8 EINECS 266-885-2 REACH	6,6-dimethoxy-2,5,5-trimethylhex-2-ene FL 4; SCI 2; EDI 2A; EH A3,C3 H227,H315,H319,H402,H412	1% - 10%
CAS 104-67-6 EINECS 203-225-4 REACH	undecan-4-olide EH C3 H412	1% - 10%

Printed on 30 Jul 2024

GHS: According to 2015/830/EU

Code Number FM72855

Version 2 Revised 30/07/2024 10: 15: 44 AM

CAS 121-32-4 EINECS 204-464-7	3-ethoxy-4-hydroxybenzaldehyde	1% - 10%
REACH	EDI 2A;EH A3 H319,H402	
CAS 4940-11-8	2-ethyl-3-hydroxy-4-pyrone	1% - 10%
EINECS 225-582-5 REACH	ATO 4(1200); EH A2 H302, H401	176 - 1076
CAS 104-54-1 EINECS 203-212-3	cinnamyl alcohol	1% - 10%
REACH	ATO 4;SS 1;EH C2 H302,H317,H411	
CAS 98-55-5 EINECS 202-680-6	Terpineol (alpha-Terpineol)	1% - 10%
REACH	FL 4;ATO 5(4300);SCI 2;EDI 2A;EH A2 H227,H303,H315,H319,H401	176 - 1076
CAS 586-62-9 EINECS 209-578-0	Terpinolene	1% - 10%
REACH	FL 4;ATO 5(3850);AH 1;SCI 3;SS 1B;EH A1,C1(M factor 1) H227,H303,H304,H316,H317,H400,H410	
CAS 127-91-3 EINECS 204-872-5	beta-Pinene	<1%
REACH	FL 3;ATO 5(3700);AH 1;SCI 2;SS 1B;EH A1,C1 H226,H303,H304,H315,H317,H400,H410	
CAS 512-13-0 EINECS 208-135-9	endo-Fenchol	<1%
REACH	SS 1;EH C3 H317,H412	
CAS 80-56-8 EINECS 201-291-9	Pinenes	<1%
REACH	FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410	
CAS 141-12-8 EINECS 205-459-2	Neryl acetate	<1%
REACH	SCI 2/SS 1/EH C3 H315,H317,H412	
CAS 79-92-5 EINECS 201-234-8	Camphene	<1%
REACH	FS 2;SCI 3;EDI 2A;EH A1,C1 H228,H316,H319,H400,H410	
CAS 105-87-3 EINECS 203-341-5	Geranyl acetate	<1%
REACH	SCI 2/SS 1/EH C3 H315,H317,H412	
CAS 99-85-4 EINECS 202-794-6	gamma-Terpinene (p-Mentha-1,4-diene)	<1%
REACH	FL 3;ATO 5(3850);AH 1;REP 2;EH A2,C2 H226,H303,H304,H361,H401,H411	
CAS 97-53-0 EINECS 202-589-1	Eugenol	<1%
REACH	ATO 5(2000); SCI 2; SS 1; EDI 2A H303, H315, H317, H319	< 1 20

Printed on 30 Jul 2024

GHS: According to 2015/830/EU

Code Number FM72855 Version 2 Revised 30/07/2024 10:15:44 AM

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal. Obtain medical advice if necessary.

After skin contact

Causes skin irritation, May cause an allergic skin reaction. Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

After eye contact

Causes serious eye irritation. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

May be fatal if swallowed and enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code •3Z

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 30 Jul 2024

GHS: According to 2015/830/EU

 Code Number
 FM72855

 Version 2 Revised 30/07/2024 10: 15: 44 AM

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s) No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

GHS: According to 2015/830/EU

Printed on 30 Jul 2024

Code Number FM72855 Version 2 Revised 30/07/2024 10:15:44 AM Individual protection measures Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period. Eye/face protection Use splash-proof safety glasses and face shield where splashing is possible. Hand protection Wear chemically resistant disposable gloves. Other skin protection Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period. Respiratory protection Not generally required. Use inhalation protection in poorly ventilated areas. Thermal hazards No information. Environmental exposure controls Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation. National Exposure Standards No exposure standards have been established for this material by Worksafe Australia. **Biological Limit Values** No biological limit allocated. Section 9. Physical and chemical properties 9.1 Information on basic physical and chemical properties FLASH POINT (°C) 67°C APPEARANCE Mobile liquid COLOUR Yellow to golden yellow ODOUR Sweet, floral, vanilla ODOUR THRESHOLD Not available Not available pH @20 DEG C MELTING/ERFEZING POINT Not available

GHS: According to 2015/830/EU	
Code Number FM72855	
Version 2 Revised 30/07/2024 10.	· 15:44 AM
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	0.931 - 0.951
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivity	/
10.1 Reactivity No data.	
10.2 Chemical Stability Stable under the recommended sto	prage conditions (see section 7).
10.3 Possibility of hazardous read No hazardous reactions if stored un	
10.4 Conditions to avoid Avoid exposure to heat, sources of	ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents a	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 30 Jul 2024

GHS: According to 2015/830/EU

Code Number FM72855 Version 2 Revised 30/07/2024 10: 15: 44 AM

10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available data.

Skin corrosion / irritation Causes skin irritation.

Serious eye damage / irritation Causes serious eye irritation.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity

No data

STO-single exposure No data

STO-repeated exposure

No data

Aspiration hazard

May be fatal if swallowed and enters airways.

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET GHS: According to 2015/830/EU	Printed on	30 Jul 2024
Code Number FM72855 Version 2 Revised 30/07/2024 10:15:44 AM		
Interactive effects No data		
Other information No data		
 Section 12. Ecological information 12.1 Toxicity Very toxic to aquatic life with long lasting effects. Avoid contamin Contains Tetramethyl acetyloctahydronaphthalenes (54464-57-2 LC50 (96 h) - Lepomis macrochirus - 1.3 mg/L EC50 (48 h) - Daphnia magna - 1.38 mg/L EC50 (72 h) - Scenedesmus subspicatus - 2.6 mg/L NOEC (30 days) - Danio rerio - 0.16 mg/L NOEC (21 days) - Daphnia magna - 0.044 mg/L NOEC (72 h) - Scenedesmus subspicatus - 2.6 mg/L 12.2 Persistence and degradability No test data available for this substance. 		vays.
12.3 Bioaccumulative potentialNo data.12.4 Mobility in soil		
Avoid soil, surface water and water-bearing stratum contamination	on.	
12.5 Results of PBT and vPvB assessment No data.		
12.6 Other adverse effects See sections 6, 7, 13 and 15.		
Section 13. Disposal considerations Please refer to the information in section 8 (Exposure controls and 13.1 Waste treatment methods Dispose in accordance with the law and local regulations. Treat a		
Section 14. Transport information		

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET Printed on 30 Jul 2024 GHS: According to 2015/830/EU Code Number FM72855 Version 2 Revised 30/07/2024 10:15:44 AM 14.1 UN number ADR 3082 IATA 3082 3082 IMDG 14.2 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS ADR TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES) IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES) IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES) 14.3 Transport hazard class(es) 9 ADR ΙΑΤΑ 9 IMDG 9 14.4 Packing group ADR 111 ΙΑΤΑ Ш Ш IMDG Tunnel Code (-) 14.5 Environmental Hazards Dangerous for the environment. Marine pollutant. 14.6 Special precautions for user Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A,S-F Marine Pollutant: Yes Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)): HazChem Code •3Z 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

AFETY DATA	
IS: According to 2015/83	0/EU
Code Number	FM72855
Version 2 Revised 30/	/07/2024 10:15:44 AM
Section 15. Regulator	y information
substance or mixture	
Poison Schedule (SU	SMP): S5 CAUTIONHS Tariff Code: 3302.90.00
All the constituents of	f this material are compliant with AICIS regulation.
15.2 Chemical safety	assessment
A chemical safety as	sessment has not been carried out.
Section 16. Other info	prmation
Full list of precauti	onary phrasos
	5.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance to local regulations
Wording of any ha	zard classes listed in section 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4

GHS: According to 2015/830/EU

 Code Number
 FM72855

 Version 2 Revised 30/07/2024 10:15:44 AM

FS 2	Flammable solid, category 2
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 4	Acute toxicity, dermal, category 4
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1A	Skin sensitisation, category 1A
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
MUT 2	Germ cell mutagenicity, category 2
CAR 1B	Carcinogenicity, category 1B
CAR 2	Carcinogenicity, category 2
REP 2	Reproductive toxicity, category 2
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3
Wording of any haza	rd statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H228	Flammable solid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation

Printed on 30 Jul 2024

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Page 13 of 14

Printed on 30 Jul 2024

GHS: According to 2015/830/EU

 Code Number
 FM72855

 Version 2 Revised 30/07/2024 10:15:44 AM

H350May cause cancerH351Suspected of causing cancerH361Suspected of damaging fertility or the unborn childH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH400Very toxic to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, 5/06/2017Version 2: Mandatory revision, RB 30/07/2024	H341	Suspected of causing genetic defects	
H361Suspected of damaging fertility or the unborn childH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, 5/06/2017	H350	May cause cancer	
H400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, 5/06/2017	H351	Suspected of causing cancer	
H401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, 5/06/2017	H361	Suspected of damaging fertility or the unborn child	
H402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, 5/06/2017	H400	Very toxic to aquatic life	
H410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, 5/06/2017	H401	Toxic to aquatic life	
H411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, 5/06/2017	H402	Harmful to aquatic life	
 H412 Harmful to aquatic life with long lasting effects References and further information N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemical AICIS = Australian Industrial Chemicals Introduction Scheme Version 1: GHS format, 5/06/2017 	H410	Very toxic to aquatic life with long lasting effects	
References and further information N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemical AICIS = Australian Industrial Chemicals Introduction Scheme Version 1: GHS format, 5/06/2017	H411	Toxic to aquatic life with long lasting effects	
N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemical AICIS = Australian Industrial Chemicals Introduction Scheme Version 1: GHS format, 5/06/2017	H412	Harmful to aquatic life with long lasting effects	
SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemical AICIS = Australian Industrial Chemicals Introduction Scheme Version 1: GHS format, 5/06/2017	References and furth	ner information	
	SUSMP = Standard for AIIC = Australian Inve	ntory of Industrial Chemical	