

SAFETY DATA S GHS: According to 2015/830/		Printed on	12 Aug 2024
<i>Code Number Version 4 Revised 30/C</i>	FM73526 07/2024 1:16:44 PM		
Section 1. Identification	n of the substance/mixture and of t	the company/	'undertaking
1.1 Product I dentifier			
Product Name	KAFFIR LIME & COCO		
Code Number	FM73526		
Alternative Name			
REACH Reg No	Not registered		
1.2 Relevant identified	l uses of the substance or mixture a	and uses advis	sed against
For fragrance use.			
1.3 Details of the supp	lier of the safety data sheet		
	Australian Botanical Products Ltd		
	39 Melverton Drive, Hallam		
	Victoria, 3803 Australia		
	ABN: 45006782529		
Telephone Number	Tel No. +613 97094800		
Email Address	abpsales@ixom.com		
1.4 Emergency Tel No	Emergency No. +61 1 800 033 111		
Section 2. Hazard I den	tification		
2.1 Classification of th	e substance or mixture		
FL 4	Flammable liquid, category 4		
AH 1	Aspiration hazard, category 1		
SCI 2	Skin corrosion/irritation, category 2		
SS 1B	Skin sensitisation, category 1B		
EH A2	Aquatic hazard, acute, category 2		
EH C2	Aquatic hazard, chronic, category 2		
2.2 Label elements			

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

AFETY DATA S: According to 2015/	5
ode Number	FM73526
ersion 4 Revised 3	30/07/2024 1:16:44 PM
GHS classification	according to Regulation (EC) No 1272/2008
Hazard Pictogram	ns
	NK.
•	
Signal Word	Danger
Hazard Statemer	nts
H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H411	Toxic to aquatic life with long lasting effects
Precautionary St	atements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance to local regulations

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 12 Aug 2024

GHS: According to 2015/830/EU

Code Number FM73526

Version 4 Revised 30/07/2024 1:16:44 PM

2.3 Other Hazards

Contains Benzyl Benzoate, Citral, Coumarin, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 99-85-4 EINECS 202-794-6 REACH	gamma-Terpinene (p-Mentha-1,4-diene) FL 3; ATO 5(3850); AH 1; REP 2; EH A2, C2 H226, H303, H304, H361, H401, H411	1% - 10%
CAS 127-91-3 EINECS 204-872-5 REACH	beta-Pinene FL 3; ATO 5(3700); AH 1; SCI 2; SS 1B; EH A1,C1 H226,H303,H304,H315,H317,H400,H410	1% - 10%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	1% - 10%
CAS 120-51-4 EINECS 204-402-9 REACH	Benzyl benzoate ATO 4(1500); ATD 5(4000); EH C2 H302, H313, H411	1% - 10%
CAS 65405-77-8 EINECS 265-745-8 REACH	(Z)-3-hexenyl salicylate ATO 5;EH A1,C1 H303,H400,H410	<1%
CAS 1222-05-5 EINECS 214-946-9 REACH	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran EH A1,C1 H400,H410	<1%
CAS 128-37-0 EINECS 204-881-4 REACH	2,6-di-tert-butyl-p-cresol EH A1,C1 H400,H410	<1%
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410	<1%

Printed on 12 Aug 2024

GHS: According to 2015/830/EU

 Code Number
 FM73526

 Version 4 Revised 30/07/2024 1:16:44 PM

Section 4. First Aid measures

Take phrases in section 2 into account

- 4.1 Description of first aid measures
 - After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal. Obtain medical advice if necessary.

After skin contact

Causes skin irritation, May cause an allergic skin reaction. Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

After eye contact

Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

May be fatal if swallowed and enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code •3Z

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 12 Aug 2024

GHS: According to 2015/830/EU

Code Number FM73526 Version 4 Revised 30/07/2024 1:16:44 PM

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s) No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

GHS: According to 2015/830/EU

Printed on 12 Aug 2024

Code Number FM7.3.526 Version 4 Revised 30/07/2024 1:16:44 PM Individual protection measures Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period. Eye/face protection Use splash-proof safety glasses and face shield where splashing is possible. Hand protection Wear chemically resistant disposable gloves. Other skin protection Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period. Respiratory protection Not generally required. Use inhalation protection in poorly ventilated areas. Thermal hazards No information. Environmental exposure controls Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation. National Exposure Standards No exposure standards have been established for this material by Worksafe Australia. **Biological Limit Values** No biological limit allocated. Section 9. Physical and chemical properties 9.1 Information on basic physical and chemical properties FLASH POINT (°C) 82°C APPEARANCE Mobile liquid COLOUR Colourless to pale yellow ODOUR Fresh, zesty, lime, coco ODOUR THRESHOLD Not available Not available pH @20 DEG C MELTING/FREEZING POINT Not available

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

GHS: According to 2015/830/EU			
Code Number FM73526			
Version 4 Revised 30/07/2024 1:1	16:44 PM		
INITIAL BOILING POINT AND RANGE	Not available		
EVAPORATION RATE	Not available		
FLAMMABILITY (SOLID/GAS)	Not available		
UPPER/LOWER FLAMMABILITY LIMITS	Not available		
VAPOUR PRESSURE	Not available		
VAPOUR DENSITY	Not available		
SPECIFIC GRAVITY @ 20°C	0.853 - 0.873		
SOLUBILITIES	Insoluble in water		
PARTITION COEFF N-OCTANAL/WATER	Not available		
AUTO-IGNITION TEMPERATURE	Not available		
DECOMPOSITION TEMPERATURE	Not available		
VISCOSITY @ 20 DEG C	Not available		
EXPLOSIVE PROPERTIES	Not available		
OXIDISING PROPERTIES	Not available		
9.2 Other information No further information available.			
Section 10. Stability and reactivity	/		
10.1 Reactivity No data.			
10.2 Chemical Stability Stable under the recommended sto	brage conditions (see sectio	n 7).	
10.3 Possibility of hazardous read No hazardous reactions if stored ur		ions.	
10.4 Conditions to avoid Avoid exposure to heat, sources of	ignition, and open flame. A	void exposure	to air.
10.5 Incompatible materials Keep away from oxidising agents a			

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 12 Aug 2024

GHS: According to 2015/830/EU

Code Number FM73526 Version 4 Revised 30/07/2024 1:16:44 PM

10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

Section 11. Toxicological information

11.1 Information on toxicological effects
Acute toxicity

Not classified based on available data.

Skin corrosion / irritation Causes skin irritation.

Serious eye damage / irritation Not classified based on available data.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity

No data

STO-single exposure No data

STO-repeated exposure

No data

Aspiration hazard

May be fatal if swallowed and enters airways.

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY D GHS: According to	ATA SHEET 2015/830/EU	Printed on 12 Aug 2024	
Code Number Version 4 Revi	FM73526 ised 30/07/2024 1:16:44 PM		
Interactive No data	effects		
Other inform No data	mation		
Section 12. Eco 12.1 Toxicity	ological information		
Contains D-L LC50 (96 h) EC50 (48 h)	atic life with long lasting effects. Avoid cor imonene (5989-27-5): - Pimephales promelas (fathead minnow) - Daphnia magna – 0.36 mg/L - Raphidocelis subcapitata – 0.32 mg/L		
12.2 Persister	12.2 Persistence and degradability		
No test data	No test data available for this substance.		
12.3 Bioaccur No data.	nulative potential		
12.4 Mobility Avoid soil, su	in soil Irface water and water-bearing stratum co	ontamination.	
12.5 Results of PBT and vPvB assessment No data.			
12.6 Other ad See sections	verse effects 6, 7, 13 and 15.		
	sposal considerations the information in section 8 (Exposure co	ntrols and personal protection)	
	eatment methods ccordance with the law and local regulation	ns. Treat as trade effluent.	
Section 14. Tra	ansport information		
14.1 UN numb	ber		
ADR	3082		
	3082		
IMDG	3082		
14.2 UN prope ADR	er shipping name ENVIRONMENTALLY HAZARDOUS SUBST	TANCE, LIQUID, N.O.S. (CONTAINS	

SAFETY DATA SH	1

Printed on 12 Aug 2024

GHS: According to 2015/830/EU

 Code Number
 FM73526

 Version 4 Revised 30/07/2024 1:16:44 PM

	D-LIMONENE)	
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, I D-LIMONENE)	LIQUID, N.O.S. (CONTAINS
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, I D-LIMONENE)	LIQUID, N.O.S. (CONTAINS
14.3 Transpo	ort hazard class(es)	
ADR	9	
ΙΑΤΑ	9	
IMDG	9	
14.4 Packing	group	
ADR		
ΙΑΤΑ	111	
IMDG	111	
Tunnel Code	(-)	
14.5 Environr	mental Hazards	
Dangerous for	for the environment. Marine pollutant.	
14.6 Special p	precautions for user	
	ansport (International Maritime Dangerous Goods (-F	Code (IMDG Code)):
Road and Ra	ail Transport (Australian Dangerous Goods Code (A	DG Code)):
HazChem C	Code •3Z	
14.7 Transpo Not applicab	ort in bulk according to Annex II of MARPOL73	3/78 and the IBC Code
Section 15. Re	egulatory information	
15.1 Safety, h substance or	health and environmental regulations/legisla mixture	tion specific for the
Poison Scheo	dule (SUSMP): Not Applicable HS Tar	iff Code: 3302.90.00

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 12 Aug 2024

GHS: According to 2015/830/EU

 Code Number
 FM73526

 Version 4 Revised 30/07/2024 1:16:44 PM

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

All the constituents of this material are compliant with AICIS regulation.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

Section 16. Other information

Full list of precautionary phrases

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		
P261	Avoid breathing fumes.		
P264	Wash hands thoroughly after handling		
P272	Contaminated work clothing should not be allowed out of the workplace.		
P273	Avoid release to the environment.		
P280	Wear protective gloves and eye protection		
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.		
P302+P352	IF ON SKIN: Wash with plenty of water.		
P331	Do NOT induce vomiting.		
P333+P313	If skin irritation or rash occurs: Get medical advice.		
P362+P364	Take off contaminated clothing and wash it before reuse.		
P391	Collect spillage.		
P403+P235	Store in a well-ventilated place. Keep cool.		
P405	Store locked up.		
P501	Dispose of contents/container in accordance to local regulations		
Wording of any hazard classes listed in section 3			
FL 3	Flammable liquid, category 3		
FL 4	Flammable liquid, category 4		
FS 2	Flammable solid, category 2		
ATO 3	Acute toxicity, oral, category 3		
ATO 4	Acute toxicity, oral, category 4		
ATO 5	Acute toxicity, oral, category 5		

GHS: According to 2015/830/EU

 Code Number
 FM73526

 Version 4 Revised 30/07/2024 1:16:44 PM

AH 1	Aspiration hazard, category 1
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 1	Eye damage/irritation, category 1
EDI 2A	Eye damage/irritation, category 2A
REP 2	Reproductive toxicity, category 2
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3
Wording of any h	azard statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H228	Flammable solid
H301	Toxic if swallowed
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H361	Suspected of damaging fertility or the unborn child
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

Printed on 12 Aug 2024

Printed on 12 Aug 2024

GHS: According to 2015/830/EU

Code Number FM73526 Version 4 Revised 30/07/2024 1:16:44 PM

H412

Harmful to aquatic life with long lasting effects

References and further information

N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemical AICIS = Australian Industrial Chemicals Introduction Scheme

Version 1: GHS format, BV 13/08/2020 Version 2: Minor changes, BV 17/08/2020 Version 3-4: Mandatory revision, RB 30/07/2024

Page 13 of 13