

SAFETY DATA S GHS: According to 2015/830/		Printed on 01 Aug 2024
Code Number Version 3 Revised 1/08	FM75069	
Section 1. I dentificatio	n of the substance/mixt	ure and of the company/undertaking
Product Name Code Number	U2 HER SW FM75069	
Alternative Name REACH Reg No	Not registered	
1.2 Relevant identified	l uses of the substance	or mixture and uses advised against
For fragrance use.		
1.3 Details of the supp	lier of the safety data s	heet
	Australian Botanical Prod 39 Melverton Drive, Halla Victoria, 3803 Australia ABN: 45006782529	
Telephone Number	Tel No. +613 97094800	
Email Address	abpsales@ixom.com	
1.4 Emergency Tel No	Emergency No. +61 1 80	0 033 111
Section 2. Hazard I den	tification	
2.1 Classification of th	e substance or mixture	
SCI 2	Skin corrosion/irritation,	
SS 1B	Skin sensitisation, catego	-
EH A2 EH C2	Aquatic hazard, acute, ca Aquatic hazard, chronic,	0
2.2 Label elements		5

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Cada Number	
Code Number Version 3 Revised 1	FM75069 1/08/2024 12:51:59 PM
GHS classification	according to Regulation (EC) No 1272/2008
Hazard Pictogra	ms
	Xr.
•	
Signal Word	Warning
Hazard Stateme	nts
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H411	Toxic to aquatic life with long lasting effects
Precautionary St	tatements
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P333+P313	If skin irritation or rash occurs: Get medical advice.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P501	Dispose of contents/container in accordance to local regulations
2.3 Other Hazards	
	Icohol, Benzyl Benzoate, Benzyl Salicylate, Citral, Citronellol, Geraniol, Iydroxycitronellal, Limonene and Linalool which may produce an allergic
No further informa	ation available at this time
•	tion / information on ingredients ed here for hazardous components are for illustrative purposes only
3.2 Mixtures	

Printed on 01 Aug 2024

GHS: According to 2015/830/EU

Code Number FM75069

Version 3 Revised 1/08/2024 12:51:59 PM

D Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 54464-57-2 EINECS 259-174-3 REACH	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl) SCI 2:SS 1B:EH C1 H315,H317,H410	1% - 10%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3; SCI 2; SS 1B; AH 1; EH A1, C1 H226, H304, H315, H317, H400, H410	1% - 10%
CAS 24851-98-7 EINECS 246-495-9 REACH	methyl 3-oxo-2-pentylcyclopentaneacetate EH A2 H401	1% - 10%
CAS 1222-05-5 EINECS 214-946-9 REACH	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran EH A1,C1 H400,H410	1% - 10%
CAS 120-51-4 EINECS 204-402-9 REACH	benzyl benzoate ATO 4(1500);ATD 5(4000);EH C2 H302,H313,H411	1% - 10%
CAS 1506-02-1 EINECS 244-240-6 REACH	1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)etha ATO 4(1000);EH A1,C1 H302,H400,H410	<1%
CAS 70788-30-6 EINECS 274-892-7 REACH	2,2,6-trimethyl-a-propylcyclohexanepropanol SS 1;EH A1,C1 H317,H400,H410	<1%
CAS 4707-47-5 EINECS 225-193-0 REACH	methyl 2,4-dihydroxy-3,6-dimethylbenzoate SS 1;EH A2 H317,H401	<1%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

- 4.1 Description of first aid measures
 - After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal. Obtain medical advice if necessary.

After skin contact

Causes skin irritation, May cause an allergic skin reaction. Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 01 Aug 2024

GHS: According to 2015/830/EU

Code Number FM75069 Version 3 Revised 1/08/2024 12:51:59 PM

After eye contact

Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code •3Z

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.

6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 01 Aug 2024

GHS: According to 2015/830/EU

 Code Number
 FM75069

 Version 3 Revised 1/08/2024 12:51:59 PM

accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 01 Aug 2024

GHS: According to 2015/830/EU
Code Number FM75069

Version 3 Revised 1/08/2024 12:51:59 PM

Other skin protection Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period. Respiratory protection Not generally required. Use inhalation protection in poorly ventilated areas.			
Thermal hazards No information.			
Emissions from ventilation and pr compliance with environmental pr National Exposure Standards	Environmental exposure controls Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation. National Exposure Standards No exposure standards have been established for this material by Worksafe Australia.		
Biological Limit Values No biological limit allocated.			
Section 9. Physical and chemical properties			
9.1 Information on basic physical and chemical properties			
FLASH POINT (°C)	116°C		
APPEARANCE	Mobile liquid		
COLOUR	Colourless to pale yellow		
ODOUR	Grapefruit, bergamot, floral, ambery, cedar, vanilla		
ODOUR THRESHOLD	Not available		
pH @20 DEG C	Not available		
MELTING/FREEZING POINT	Not available		
INITIAL BOILING POINT AND RANGE	Not available		
EVAPORATION RATE	Not available		
FLAMMABILITY (SOLID/GAS)	Not available		
UPPER/LOWER FLAMMABILITY LIMITS	Not available		
VAPOUR PRESSURE	Not available		

SPECIFIC GRAVITY @ 20°C SOLUBILITIES PARTITION COEFF N-OCTANAL/WATER AUTO-IGNITION TEMPERATURE DECOMPOSITION TEMPERATURE VISCOSITY @ 20 DEG C EXPLOSIVE PROPERTIES	Not available 0.87 - 0.9 Insoluble in water Not available Not available Not available Not available Not available Not available Not available
SPECIFIC GRAVITY @ 20°C SOLUBILITIES PARTITION COEFF N-OCTANAL/WATER AUTO-IGNITION TEMPERATURE DECOMPOSITION TEMPERATURE VISCOSITY @ 20 DEG C EXPLOSIVE PROPERTIES OXIDISING PROPERTIES 9.2 Other information	0.87 - 0.9 Insoluble in water Not available Not available Not available Not available
SOLUBILITIES PARTITION COEFF N-OCTANAL/WATER AUTO-IGNITION TEMPERATURE DECOMPOSITION TEMPERATURE VISCOSITY @ 20 DEG C EXPLOSIVE PROPERTIES OXIDISING PROPERTIES 9.2 Other information	Insoluble in water Not available Not available Not available Not available Not available
PARTITION COEFF N-OCTANAL/WATER AUTO-IGNITION TEMPERATURE DECOMPOSITION TEMPERATURE VISCOSITY @ 20 DEG C EXPLOSIVE PROPERTIES OXIDISING PROPERTIES 9.2 Other information	Not available Not available Not available Not available Not available
N-OCTANAL/WATER AUTO-IGNITION TEMPERATURE DECOMPOSITION TEMPERATURE VISCOSITY @ 20 DEG C EXPLOSIVE PROPERTIES OXIDISING PROPERTIES 9.2 Other information	Not available Not available Not available Not available
DECOMPOSITION TEMPERATURE VISCOSITY @ 20 DEG C EXPLOSIVE PROPERTIES OXIDISING PROPERTIES 9.2 Other information	Not available Not available Not available
VISCOSITY @ 20 DEG C EXPLOSIVE PROPERTIES OXIDISING PROPERTIES 9.2 Other information	Not available Not available
EXPLOSIVE PROPERTIES OXIDISING PROPERTIES 9.2 Other information	Not available
OXIDISING PROPERTIES 9.2 Other information	
9.2 Other information	Not available
Section 10. Stability and reactivity	
10.1 Reactivity No data.	
10.2 Chemical Stability Stable under the recommended stora	age conditions (see section 7).
10.3 Possibility of hazardous react No hazardous reactions if stored und	
10.4 Conditions to avoid Avoid exposure to heat, sources of ic	gnition, and open flame. Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents and	d from highly alkaline or acidic material.
10.6 Hazardous decomposition pro- During combustion may form carbon compounds.	n monoxide, carbon dioxide and unidentified organic
Section 11. Toxicological informatio	on
11.1 Information on toxicological e	effects
Acute toxicity	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

GHS: According to 2015/830/EU

Code Number FM75069 Version 3 Revised 1/08/2024 12:51:59 PM

Skin corrosion / irritation Causes skin irritation. Serious eye damage / irritation Not classified based on available data. Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity No data Carcinogenicity No data Reproductive toxicity No data STO-single exposure No data STO-repeated exposure No data Aspiration hazard No data Information on likely routes of exposure No data Symptoms related to the physical, chemical and toxicological characteristics No data Delayed and immediate effects as well as chronic effects from short and long-term exposure No data Interactive effects No data Other information No data Section 12. Ecological information

Printed on 01 Aug 2024

Printed on 01 Aug 2024

GHS: According to 2015/830/EU

Code Number FM75069 Version 3 Revised 1/08/2024 12:51:59 PM

12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains Tetramethyl acetyloctahydronaphthalenes (54464-57-2): LC50 (96 h) - Lepomis macrochirus - 1.3 mg/L EC50 (48 h) - Daphnia magna - 1.38 mg/L EC50 (72 h) - Scenedesmus subspicatus - 2.6 mg/L NOEC (30 days) - Danio rerio - 0.16 mg/L NOEC (21 days) - Daphnia magna – 0.044 mg/L NOEC (72 h) - Scenedesmus subspicatus - 2.6 mg/L

12.2 Persistence and degradability

No test data available for this substance.

12.3 Bioaccumulative potential No data.

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment

No data.

12.6 Other adverse effects

See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

14.1 UN number

14.1 UN nur	mber
ADR	3082
ΙΑΤΑ	3082
IMDG	3082
14.2 UN pro	per shipping name
ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS

Printed on 01 Aug 2024

GHS: According to 2015/830/EU

 Code Number
 FM75069

 Version 3 Revised 1/08/2024 12:51:59 PM

TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)

14.3 Transport hazard class(es)

	p 0. t
ADR	9
IATA	9
IMDG	9

14.4 Packing group

ADR	111
ΙΑΤΑ	111
IMDG	111
Tunnel Code	(-)

14.5 Environmental Hazards

Dangerous for the environment. Marine pollutant.

14.6 Special precautions for user

Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A,S-F Marine Pollutant: Yes

Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

HazChem Code •3Z

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): Not Applicable HS Tariff Code: 3302.90.00

All the constituents of this material are compliant with AICIS regulation.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

Section 16. Other information

Full list of precautionary phrases

P261Avoid breathing fumes.P264Wash hands thoroughly after handling

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 01 Aug 2024

GHS: According to 2015/830/EU

 Code Number
 FM75069

 Version 3 Revised 1/08/2024 12:51:59 PM

P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P302+P352	IF ON SKIN: Wash with plenty of water.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P501	Dispose of contents/container in accordance to local regulations
Wording of any haza	ard classes listed in section 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
FS 2	Flammable solid, category 2
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 1	Eye damage/irritation, category 1
EDI 2A	Eye damage/irritation, category 2A
ATI 4	Acute toxicity, inhalation, category 4
ATI 5	Acute toxicity, inhalation, category 5
STO-SE 3(NE)	Specific target organ, single exposure, narcotic effects
MUT 2	Germ cell mutagenicity, category 2
CAR 2	Carcinogenicity, category 2
REP 2	Reproductive toxicity, category 2
STO-SE 2	Specific target organ, single exposure, category 2
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2

GHS: According to 2015/830/EU

Printed on 01 Aug 2024

Code Number	FM75069
Version 3 Revise	d 1/08/2024 12:51:59 PM
EH C3	Aquatic hazard, chronic, category 3
Wording of an	ny hazard statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H228	Flammable solid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H333	May be harmful if inhaled
H336	May cause drowsiness or dizziness
H341	Suspected of causing genetic defects
H351	Suspected of causing cancer
H361	Suspected of damaging fertility or the unborn child
H371	May cause damage to organs
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
References ar	nd further information
AIIC = Australia	icable lard for the Uniform Scheduling of Medicines and Poisons an Inventory of Industrial Chemical lian Industrial Chemicals Introduction Scheme
Version 1: GHS Version 2: Syst	format, BV 15/08/2017 em update, BV 22/07/2020 datory revision, RB 01/08/2024