# SAFETY DATA SHEET

Revision date: 14-Aug-2024



Revision Number 1

Section 1: Identification	
Product identifier	
Product Name	PHENYL ETHYL ACETATE 10% DPG
Product Code(s)	00000027694
Other means of identification	
Synonyms	SOL10DPGAAPHE53200
Recommended use of the chemical	and restrictions on use
Recommended use	Fragrance intermediate.
Uses advised against	No information available.
Details of manufacturer or importer	
Supplier Ixom Operations Pty Ltd (Bronson & Ja ABN:51 600 546 512 70 Marple Avenue Villawood NSW 2163 Australia	acobs division) - incorporated in Australia
Telephone Number: +61 2 8717 2929 Facsimile: +61 2 9755 9611	
Emergency telephone number	

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

# Section 2: Hazard identification

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

# GHS Classification

Serious eye damage/eye irritation

Category 1

Label elements Corrosion



Signal word DANGER

Hazard statements H318 - Causes serious eye damage

Precautionary Statements - Prevention Wear eye protection/ face protection. Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Precautionary Statements - Storage No storage statements.

Other hazards which do not result in classification

# Section 3: Composition and information on ingredients

Chemical name	CAS No.	Weight-%
Propanol, oxybis-	25265-71-8	>60
Acetic acid, 2-phenylethyl ester	103-45-7	1-10

Soction	A. Eiret	t aid measures	
Section	4: <b>FI</b> (S)	t ald measures	

# Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.
Inhalation	Remove to fresh air. (Call a physician if symptoms occur).
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. (Call a physician if symptoms occur).
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed

Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes.
Effects of Exposure	No information available.

### Indication of any immediate medical attention and special treatment needed

**Note to physicians** Can cause corneal burns. Treat symptomatically.

Section 5: Firefighting measures		
Suitable Extinguishing Media		
Suitable extinguishing media	Dry chemical, CO2, water spray or alcohol-resistant foam.	
Unavitable autionuiabien madia		
Unsuitable extinguishing media	No information available.	
Specific hazards arising from the chemical		
Specific hazards arising from the chemical	Combustible liquid. On burning will emit toxic fumes, including those of oxides of carbon. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.	
Hazardous combustion products	Oxides of carbon.	
Special protective actions for fire-fighters		
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	

# Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Do not touch or walk through spilled material. Wash thoroughly after handling. Remove all sources of ignition.
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.
Environmental precautions	
Environmental precautions	See Section 12 for additional Ecological Information.
Methods and material for containm	ent and cleaning up
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Remove ignition sources. Provide adequate ventilation.
Methods for cleaning up	Dam up. Soak up with inert absorbent material. Use personal protective equipment as required. Pick up and transfer to properly labeled containers. After cleaning, flush away traces with water.

# Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling	Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly after handling. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
General hygiene considerations	Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.	
Conditions for safe storage, includ	ing any incompatibilities	
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place. Protect from sunlight. Keep container closed when not in use.	
	Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.	
Incompatible materials	Oxidizing agent.	

# Section 8: Exposure controls and personal protection

#### Control parameters

**Exposure Limits** No value assigned for this specific material by Safe Work Australia.

Chemical name	European Union	United Kingdom	Germany DFG
Propanol, oxybis-	-	-	TWA: 100 mg/m <sup>3</sup>
25265-71-8			Peak: 200 mg/m <sup>3</sup>


#### Appropriate engineering controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas. Eyewash stations.

# Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

# OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.



Environmental exposure controls No information available.

Thermal hazards No information available.

# Section 9: Physical and chemical properties

# Information on basic physical and chemical properties

Physical state	Liquid
Appearance	No information available
Color	Colourless to Pale Yellow
Odor	No information available
Odor threshold	No information available

Property	<u>Values</u>	Remarks • Method
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash point	>100°C	CC (closed cup)
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	1.0110 - 1.0310 @ 25°C	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

# Other information

# Section 10: Stability and reactivity

Reactivity	
Reactivity	No information available.
Chemical stability	
Stability	Stable under normal conditions.
Explosion data Sensitivity to mechanical impac Sensitivity to static discharge	t None. Yes.
Possibility of hazardous reactions	-
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	

 Conditions to avoid
 Heat, flames and sparks. static discharge (electrostatic discharge). Avoid contact with combustible substances. Direct sunlight.

 Incompatible materials
 Oxidizing agent.

Hazardous decomposition products

Hazardous decomposition products Carbon dioxide (CO2).

# Section 11: Toxicological information

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation.
Eye contact	Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	May cause irritation.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes.

Acute toxicity \_.

#### Numerical measures of toxicity - Product Information No information available

# Numerical measures of toxicity - Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Propanol, oxybis-	= 14850 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	> 2.34 mg/L (Rat)4 h
Acetic acid, 2-phenylethyl ester	= 3670 mg/kg (Rat)	= 6210 mg/kg (Rabbit)	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Non-irritating to the skin. Classification is based on mixture calculation methods based on component data.
Serious eye damage/eye irritation	Causes serious eye damage. Classification is based on mixture calculation methods based on component data.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.

Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

# Section 12: Ecological information

# **Ecotoxicity**

Aquatic ecotoxicity

Avoid contaminating waterways.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Propanol, oxybis-	EC50: >100mg/L (72h, Desmodesmus subspicatus)	-	-	EC50: >100mg/L (48h, Daphnia magna)

Terrestrial ecotoxicity	There is no data for this product.
Persistence and degradability	
Persistence and degradability	No information available.
Bioaccumulative potential	
Bioaccumulation	There is no data for this product.
Component Information	

#### Component Information

Chemical name	Partition coefficient
Propanol, oxybis-	-0.462
Acetic acid, 2-phenylethyl ester	2.4

# Mobility

Mobility

No information available.

Other adverse effects

Other adverse effects

No information available.

# Section 13: Disposal considerations

#### Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations.
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Dispose of in accordance with federal, state and local regulations.

See section 8 for more information

Section 14: Transport information		
ADG	Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.	
ΙΑΤΑ	Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.	
IMDG	Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

# Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

### <u>Australia</u>

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

See section 8 for national exposure control parameters

### Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

### Australian Industrial Chemicals Introduction Scheme (AICIS)

	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Propanol, oxybis 25265-71-8	Present	-
Acetic acid, 2-phenylethyl ester - 103-45-7	Present	-

### **Illicit Drug Precursors/Reagents**

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

#### National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
Propanol, oxybis 25265-71-8	20 MW Threshold category 2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total

International Inventories	
AIIC	All the constituents of this material are listed on the Australian Inventory of Industrial
	Chemicals.
NZIOC	Contact supplier for inventory compliance status.
TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.

Legend:

AllC- Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Section 16: Other information			
Reason(s) For Issue:	First Issue Primary SDS		
Prepared By	This Safety Data Sheet has been prepared by IXOM Operations Pty Ltd (Toxicology and SDS Services).		
Revision date:	14-Aug-2024		
Revision Note:			
The symbol (*) in the margin of this SDS indicates that this line has been revised.			

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Legend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose

#### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
С	Carcinogen		

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) Environmental Protection Agency Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

### **Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

End of Safety Data Sheet