

GHS: According to 2015/830/	EU	
<i>Code Number Version 3 Revised 2/08</i>	FM75924 V/2024 12:42:10 PM	
Section 1. Identificatio	n of the substance/mixture an	nd of the company/undertaking
1.1 Product I dentifier Product Name Code Number	CARAMEL & BANANA FM75924	
Alternative Name REACH Reg No	Not registered	
1.2 Relevant identified	uses of the substance or mix	ture and uses advised against
For fragrance use.		
1.3 Details of the supp	lier of the safety data sheet	
	Australian Botanical Products Lto	d
	39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529	
Telephone Number	Tel No. +613 97094800	
Email Address	abpsales@ixom.com	
1.4 Emergency Tel No	Emergency No. +61 1 800 033 7	111
Section 2. Hazard I den	tification	
2.1 Classification of th	e substance or mixture	
FL 4	Flammable liquid, category 4	
ATO 5	Acute toxicity, oral, category 5	
EDI 2A	Eye damage/irritation, category	
EH A3	Aquatic hazard, acute, category	
EH C2	Aquatic hazard, chronic, categor	y 2
2.2 Label elements		

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

ode Number	FM75924	
	2/08/2024 12:42:10 PM	
GHS classification	according to Regulation (EC) No 12	272/2008
Hazard Pictogra	ms	
	NV	
•		
Signal Word	Warning	
Hazard Stateme	nts	
H227	Combustible liquid	
H319	Causes serious eye irritation	
H411	Toxic to aquatic life with long	asting effects
Precautionary S	tatements	
P210	Keep away from heat, hot su other ignition sources. No sm	rfaces, sparks, open flames and noking.
P264	Wash hands thoroughly after	handling
P273	Avoid release to the environr	nent.
P280	Wear protective gloves and e	eye protection
P312	Call a POISON CENTRE if you	I feel unwell.
P337+P313	If eye irritation persists: Get	medical attention.
P391	Collect spillage.	
P403+P235	Store in a well-ventilated pla-	ce. Keep cool.
P501	Dispose of contents/containe	r in accordance to local regulations
.3 Other Hazards		
Contains Benzyl B	enzoate which may produce an alle	ergic reaction
No further informa	ation available at this time	
•	tion / information on ingredien ed here for hazardous components are for illustrativ	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 02 Aug 2024

GHS: According to 2015/830/EU

Code Number FM75924

Version 3 Revised 2/08/2024 12:42:10 PM

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 120-51-4 EINECS 204-402-9 REACH	benzyl benzoate ATO 4(1500);ATD 5(4000);EH C2 H302,H313,H411	>60%
CAS 4940-11-8 EINECS 225-582-5 REACH	2-ethyl-3-hydroxy-4-pyrone ATO 4(1200);EH A2 H302,H401	1% - 10%
CAS 123-92-2 EINECS 204-662-3 REACH	isopentyl acetate FL 3; EH A3 H226,H402	1% - 10%
CAS 121-33-5 EINECS 204-465-2 REACH	Vanillin ATO 5; EDI 2A; EH A3 H303, H319, H402	1% - 10%
CAS 705-86-2 EINECS 211-889-1 REACH	decan-5-olide EH A3,C2 H402,H411	1% - 10%
CAS 121-32-4 EINECS 204-464-7 REACH	3-ethoxy-4-hydroxybenzaldehyde EDI 2A;EH A3 H319,H402	1% - 10%
CAS 77-83-8 EINECS 201-061-8 REACH	ethyl 2,3-epoxy-3-phenylbutyrate SS 1;EH A2,C2 H317,H401,H411	<1%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal. Obtain medical advice if necessary.

After skin contact

Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

After eye contact

Causes serious eye irritation. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 02 Aug 2024

GHS: According to 2015/830/EU

Code Number FM75924

Version 3 Revised 2/08/2024 12:42:10 PM

After ingestion

May be harmful if swallowed. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

- 4.2 Most important symptoms and effects, both acute and delayed
- Take phrases in sections 2 and 11 into account. No further information available at this time.
- 4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

- 5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.
- 5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code •3Z

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Printed on 02 Aug 2024

GHS: According to 2015/830/EU

 Code Number
 FM75924

 Version 3 Revised 2/08/2024
 12:42:10 PM

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET Printed on 02 Aug 2024 GHS: According to 2015/830/EU FM75924 Code Number Version 3 Revised 2/08/2024 12:42:10 PM Thermal hazards No information. Environmental exposure controls Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation. National Exposure Standards No exposure standards have been established for this material by Worksafe Australia. **Biological Limit Values** No biological limit allocated. Section 9. Physical and chemical properties 9.1 Information on basic physical and chemical properties 81°C FLASH POINT (°C) **APPEARANCE** Mobile liquid COLOUR Colourless to yellow ODOUR Banana, creamy, sweet, vanilla **ODOUR THRESHOLD** Not available Not available pH @20 DEG C MELTING/FREEZING POINT Not available INITIAL BOILING POINT AND Not available RANGE EVAPORATION RATE Not available FLAMMABILITY (SOLID/GAS) Not available UPPER/LOWER FLAMMABILITY Not available LIMITS VAPOUR PRESSURE Not available VAPOUR DENSITY Not available SPECIFIC GRAVITY @ 20°C 1.075 - 1.105 SOLUBILITIES Insoluble in water PARTITION COEFF Not available N-OCTANAL/WATER

GHS: According to 2015/830/EU	
Code Number FM75924 Version 3 Revised 2/08/2024 12:-	
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivit	у
10.1 Reactivity No data.	
10.2 Chemical Stability Stable under the recommended st	orage conditions (see section 7).
10.3 Possibility of hazardous rea No hazardous reactions if stored u	
10.4 Conditions to avoid	
	f ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents	and from highly alkaline or acidic material.
10.6 Hazardous decomposition p	
	on monoxide, carbon dioxide and unidentified organic
Section 11. Toxicological informa	tion
11.1 Information on toxicologica	leffects
Acute toxicity	
May be harmful if swallowed.	
Skin corrosion / irritation	lata.
Not classified based on available c	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 02 Aug 2024

GHS: According to 2015/830/EU

Code Number FM75924 Version 3 Revised 2/08/2024 12:42:10 PM

Respiratory or skin sensitisation No data
Germ cell mutagenicity No data
Carcinogenicity No data
Reproductive toxicity No data
STO-single exposure No data
STO-repeated exposure No data
Aspiration hazard No data
Information on likely routes of exposure No data
Symptoms related to the physical, chemical and toxicological characteristics No data
Delayed and immediate effects as well as chronic effects from short and long-term exposure No data
Interactive effects No data
Other information No data
Section 12. Ecological information 12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains Benzyl benzoate (120-51-4) LC50 (96 h) - Danio rerio (Zebrafish) - 2.32 mg/L EC50 (48 h) - Daphnia magna - 3.09 mg/L EC50 (72 h) - Freshwater algae - 0.475 mg/L EC10 (35 d) - Danio rerio (Zebrafish) - 0.032 mg/L

_	DATA SHEET to 2015/830/EU	Printed on 02 Aug 2024
Code Numb	er FM75924	
Version 3 Revised 2/08/2024 12:42:10 PM		
NOEC (72 12.2 Persis	d) - Daphnia magna - 0.258 mg, h) - Freshwater algae - 0.247 m tence and degradability ata available for this substance.	
12.3 Bioaccumulative potential No data.		
12.4 Mobility in soil		
Avoid soil	Avoid soil, surface water and water-bearing stratum contamination.	
12.5 Results of PBT and vPvB assessment No data.		it
12.6 Other adverse effects See sections 6, 7, 13 and 15.		
Please refer 13.1 Waste	e treatment methods	Exposure controls and personal protection) al regulations. Treat as trade effluent.
Section 14.	Transport information	
14.1 UN nu		
ADR	3082	
ΙΑΤΑ	3082	
IMDG	3082	
14.2 UN pr	oper shipping name	
ADR	ENVIRONMENTALLY HAZARD BENZYL BENZOATE)	OOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS
IATA	BENZYL BENZOATE)	OOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS
IMDG	ENVIRONMENTALLY HAZARD BENZYL BENZOATE)	OOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 02 Aug 2024

GHS: According to 2015/830/EU

 Code Number
 FM75924

 Version 3 Revised 2/08/2024
 12:42:10 PM

14.3 Transport hazard class(es) ADR 9 IATA 9 IMDG 9		
IATA 9		
IMDG 9		
14.4 Packing group		
ADR III		
IATA III		
IMDG III		
Tunnel Code (-)		
14.5 Environmental Hazards		
Dangerous for the environment. Marine pollutant.		
14.6 Special precautions for user		
Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)):		
EmS: F-A,S-F Marine Pollutant: Yes		
Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):		
HazChem Code •3Z		
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code		
Not applicable.		
Section 15. Regulatory information		
15.1 Safety, health and environmental regulations/legislation specific for the		
substance or mixture		
Poison Schedule (SUSMP): Not Applicable HS Tariff Code: 3302.90.00		
All the constituents of this material are compliant with AICIS regulation.		
15.2 Chemical safety assessment		
A chemical safety assessment has not been carried out.		
Section 16. Other information		
Full list of precautionary phrases		
P210 Keep away from heat, hot surfaces, sparks, open flames and		
other ignition sources. No smoking.		
P264 Wash hands thoroughly after handling		

GHS: According to 2015/830/EU

Printed on 02 Aug 2024

Code Number FM75924 Version 3 Revised 2/08/2024 12:42:10 PM P273 Avoid release to the environment. P280 Wear protective gloves and eye protection P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTRE if you feel unwell. If eye irritation persists: Get medical attention. P337+P313 P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance to local regulations Wording of any hazard classes listed in section 3 FL 3 Flammable liquid, category 3 FL 4 Flammable liquid, category 4 ATO 4 Acute toxicity, oral, category 4 Acute toxicity, oral, category 5 ATO 5 ATD 5 Acute toxicity, dermal, category 5 SCI 3 Skin corrosion/irritation, category 3 SS 1 Skin sensitisation, category 1 EDI 1 Eye damage/irritation, category 1 EDI 2A Eye damage/irritation, category 2A EH A2 Aquatic hazard, acute, category 2 EH A3 Aquatic hazard, acute, category 3 EH C2 Aquatic hazard, chronic, category 2 EH C3 Aquatic hazard, chronic, category 3 Wording of any hazard statements listed in section 3 Flammable liquid and vapour H226 H227 Combustible liquid H302 Harmful if swallowed H303 May be harmful if swallowed H313 May be harmful in contact with skin Causes mild skin irritation H316 May cause an allergic skin reaction H317 H318 Causes serious eye damage H319 Causes serious eye irritation H401 Toxic to aquatic life

Printed on 02 Aug 2024

GHS: According to 2015/830/EU

 Code Number
 FM75924

 Version 3 Revised 2/08/2024
 12:42:10 PM

H402	Harmful to aquatic life	
H411	Toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	
References and further information		
N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemical AICIS = Australian Industrial Chemicals Introduction Scheme		
Version 1: GHS format Version 2: System upd Version 3: GHS hazard		

Page 12 of 12