

SAFETY DATA S GHS: According to 2015/830/		Printed on 02 Aug 202
<i>Code Number Version 3 Revised 2/08</i>	FM75939 1/2024 12:46:32 PM	
Section 1. Identification	n of the substance/mixture an	d of the company/undertaking
1.1 Product I dentifier Product Name Code Number Alternative Name REACH Reg No	CINNAMON COOKIES FM75939 Not registered	
	-	
	l uses of the substance or mixt	ture and uses advised against
For fragrance use.		
1.3 Details of the supp	lier of the safety data sheet	
	Australian Botanical Products Lto	ł
	39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529	
Telephone Number	Tel No. +613 97094800	
Email Address	abpsales@ixom.com	
1.4 Emergency Tel No	Emergency No. +61 1 800 033 1	11
Section 2. Hazard I den	tification	
2.1 Classification of th	e substance or mixture	
ATO 4	Acute toxicity, oral, category 4	
SCI 2	Skin corrosion/irritation, categor	y 2
SS 1A	Skin sensitisation, category 1A	
EDI 2A	Eye damage/irritation, category	2A
EH A3	Aquatic hazard, acute, category	3
EH C2	Aquatic hazard, chronic, categor	y 2
2.2 Label elements		

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA	-	Printed on 02 Aug 20
Code Number	FM75939	
Version 3 Revised 2	2/08/2024 12:46:32 PM	
GHS classification	according to Regulation (EC) No 1272/200	8
Hazard Pictograr	ns	
	SK.	
	\mathbf{v} \mathbf{v}	
Signal Word	Warning	
Hazard Statemer	nts	
H302	Harmful if swallowed	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H411	Toxic to aquatic life with long lasting	effects
Precautionary St	atements	
P261	Avoid breathing fumes.	
P264	Wash hands thoroughly after handling)
P270	Do not eat, drink or smoke when usin	g this product.
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye prote	ction
P301+P312	IF SWALLOWED: Call a POISON CENT	RE if you feel unwell.
P330	Rinse mouth.	
P333+P313	If skin irritation or rash occurs: Get m	nedical advice.
P337+P313	If eye irritation persists: Get medical	attention.
P362+P364	Take off contaminated clothing and w	ash it before reuse.
P391	Collect spillage.	
P501	Dispose of contents/container in acco	rdance to local regulations

Printed on 02 Aug 2024

GHS: According to 2015/830/EU

Code Number FM75939

Version 3 Revised 2/08/2024 12:46:32 PM

allergic reaction

Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 120-51-4 EINECS 204-402-9 REACH	Benzyl benzoate ATO 4(1500); EH C2 H302, H411	30% - 60%
CAS 104-55-2 EINECS 203-213-9 REACH	Cinnamic aldehyde ATO 5(2500); SCI 2; SS 1A; EDI 2A H303, H315, H317, H319	10% - 30%
CAS 121-32-4 EINECS 204-464-7 REACH	3-ethoxy-4-hydroxybenzaldehyde EDI 2A;EH A3 H319,H402	1% - 10%
CAS 104-54-1 EINECS 203-212-3 REACH	cinnamyl alcohol ATO 4; SS 1; EH C2 H302, H317, H411	1% - 10%
CAS 100-51-6 EINECS 202-859-9 REACH	benzyl alcohol ATO 4; ATD 5; EDI 2A; ATI 4 H302, H313, H319, H332	1% - 10%
CAS 121-33-5 EINECS 204-465-2 REACH	Vanillin ATO 5;EDI 2A;EH A3 H303,H319,H402	1% - 10%
CAS 4940-11-8 EINECS 225-582-5 REACH	2-ethyl-3-hydroxy-4-pyrone ATO 4(1200);EH A2 H302,H401	1% - 10%
CAS 91-64-5 EINECS 202-086-7 REACH	Coumarin ATO 3; SS 1B; EH A2,C3 H301,H317,H401,H412	1% - 10%
CAS 97-53-0 EINECS 202-589-1 REACH	Eugenol ATO 5(2000); SCI 2; SS 1; EDI 2A H303,H315,H317,H319	1% - 10%
CAS 3658-77-3 EINECS 222-908-8 REACH	4-hydroxy-2,5-dimethylfuran-2(3H)-one ATO 4(1660); SS 1A;EDI 2A H302,H317,H319	<1%

GHS: According to 2015/830/EU

Printed on 02 Aug 2024

Code Number FM7.59.39

Version 3 Revised 2/08/2024 12:46:32 PM

EINECS 227-813-5		<1%
	FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

- 4.1 Description of first aid measures
 - After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal. Obtain medical advice if necessary.

After skin contact

Causes skin irritation, May cause an allergic skin reaction. Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

After eye contact

Causes serious eye irritation. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

Harmful if swallowed. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with

Printed on 02 Aug 2024

GHS: According to 2015/830/EU

Version 3 Revised 2/08/2024 12:46:32 PM

water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code •3Z

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET GHS: According to 2015/830/EU

Printed on 02 Aug 2024

Code Number FM75939 Version 3 Revised 2/08/2024 12:46:32 PM

8.2 Exposure controls

8.2 Exposure controis	
Engineering controls	
	ent, however where dusts/vapours are generated the ust ventilation system is recommended.
Individual protection measures	
Refer to Section 5 for specific fire/c	hemical personal protective equipment advice.
5	s, meals and at the end of the work period.
Eye/face protection	
Use splash-proof safety glasses and	I face shield where splashing is possible.
Hand protection	
Wear chemically resistant disposabl	e gloves.
Other skin protection	
should be considered. Always wash	ions in the workplace, additional body protection routinely before breaks, meals and at the end of the
work period. Respiratory protection	
Not generally required. Use inhalation protection in poorly ventilated areas.	
Thermal hazards	
No information.	
Environmental exposure control	S
Emissions from ventilation and proc	ess equipment should be checked to ensure
compliance with environmental prot	tection legislation.
National Exposure Standards	
No exposure standards have been established for this material by Worksafe Australia.	
Biological Limit Values	
No biological limit allocated.	
Section 9. Physical and chemical pr	roperties
9.1 Information on basic physical	and chemical properties
FLASH POINT (°C)	122°C
APPEARANCE	Mobile liquid
COLOUR	Pale yellow to yellow
ODOUR	Biscuit, fruity, anise, cinnamon, sweet, vanilla
ODOUR THRESHOLD	Not available

SAFETY DATA SHEET GHS: According to 2015/830/EU	Printed on 02 Aug 20
Code Number FM75939	,
Version 3 Revised 2/08/2024 12:4	
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	1.09 - 1.12
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivity	У
10.1 Reactivity No data.	
10.2 Chemical Stability Stable under the recommended sto	orage conditions (see section 7).
10.3 Possibility of hazardous read No hazardous reactions if stored u	
10.4 Conditions to avoid Avoid exposure to heat, sources of	f ignition, and open flame. Avoid exposure to air.

Printed on 02 Aug 2024

GHS: According to 2015/830/EU
Code Number FM75939

Version 3 Revised 2/08/2024 12:46:32 PM

10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic material.

10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity Harmful if swallowed.

Skin corrosion / irritation Causes skin irritation.

Serious eye damage / irritation Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity No data

STO-single exposure

No data

STO-repeated exposure No data

Aspiration hazard No data

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 02 Aug 2024

GHS: According to 2015/830/EU

Code Number FM75939

Version 3 Revised 2/08/2024 12:46:32 PM

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains Benzyl benzoate (120-51-4) LC50 (96 h) - Danio rerio (Zebrafish) - 2.32 mg/L EC50 (48 h) - Daphnia magna - 3.09 mg/L EC50 (72 h) - Freshwater algae - 0.475 mg/L

EC10 (35 d) - Danio rerio (Zebrafish) - 0.032 mg/L

NOEC (21 d) - Daphnia magna - 0.258 mg/L

NOEC (72 h) - Freshwater algae - 0.247 mg/L

12.2 Persistence and degradability

No test data available for this substance.

12.3 Bioaccumulative potential

No data.

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment

No data.

12.6 Other adverse effects

See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 02 Aug 2024

GHS: According to 2015/830/EU

Code Number FM75939 Version 3 Revised 2/08/2024 12:46:32 PM

14.1 UN number			
ADR	3082		
ΙΑΤΑ	3082		
IMDG	3082		
14.2 UN prop	er shipping name		
ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS BENZYL BENZOATE)		
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS BENZYL BENZOATE)		
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS BENZYL BENZOATE)		
14.3 Transpo	rt hazard class(es)		
ADR	9		
ΙΑΤΑ	9		
IMDG	9		
14.4 Packing	group		
ADR	111		
ΙΑΤΑ	111		
IMDG			
Tunnel Code	(-)		
14.5 Environmental Hazards			
Dangerous for the environment. Marine pollutant.			
14.6 Special precautions for user			
Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A,S-F Marine Pollutant: Yes			
Road and Ra	Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):		
HazChem C	Code •3Z		
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.			

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

GHS: According to 2015/830/EU

Code Number

Printed on 02 Aug 2024

 Version 3 Revised 2/08/2024 12:46:32 PM

 Section 15. Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

 Poison Schedule (SUSMP): Not Applicable
 HS Tariff Code: 3302.90.00

 All the constituents of this material are compliant with AICIS regulation.

 15.2 Chemical safety assessment

FM75939

A chemical safety assessment has not been carried out.

Section 16. Other information

Full list of precautionary phrases

P261	Avoid breathing fumes.		
P264	Wash hands thoroughly after handling		
P270	Do not eat, drink or smoke when using this product.		
P272	Contaminated work clothing should not be allowed out of the workplace.		
P273	Avoid release to the environment.		
P280	Wear protective gloves and eye protection		
P301+P312	IF SWALLOWED: Call a POISON CENTRE if you feel unwell.		
P302+P352	IF ON SKIN: Wash with plenty of water.		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P330	Rinse mouth.		
P333+P313	If skin irritation or rash occurs: Get medical advice.		
P337+P313	If eye irritation persists: Get medical attention.		
P362+P364	Take off contaminated clothing and wash it before reuse.		
P391	Collect spillage.		
P501	Dispose of contents/container in accordance to local regulations		
Wording of any hazard classes listed in section 3			
FL 3	Flammable liquid, category 3		
FL 4	Flammable liquid, category 4		
ATO 3	Acute toxicity, oral, category 3		
ATO 4	Acute toxicity, oral, category 4		
ATO 5	Acute toxicity, oral, category 5		

Printed on 02 Aug 2024

GHS: According to 2015/830/EU

 Code Number
 FM75939

 Version 3 Revised 2/08/2024
 12:46:32 PM

AH 1	Aspiration hazard, category 1
ATD 3	Acute toxicity, dermal, category 3
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1A	Skin sensitisation, category 1A
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
ATI 3	Acute toxicity, inhalation, category 3
ATI 4	Acute toxicity, inhalation, category 4
ATI 5	Acute toxicity, inhalation, category 5
STO-SE 3(RI)	Specific target organ, single exposure, respiratory irritation
MUT 2	Germ cell mutagenicity, category 2
CAR 1B	Carcinogenicity, category 1B
CAR 2	Carcinogenicity, category 2
REP 2	Reproductive toxicity, category 2
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3
Wording of any haza	rd statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H301	Toxic if swallowed
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Page 12 of 13

Printed on 02 Aug 2024

GHS: According to 2015/830/EU

 Code Number
 FM75939

 Version 3 Revised 2/08/2024
 12:46:32 PM

H319	Causes serious eye irritation
H331	Toxic if inhaled
H332	Harmful if inhaled
H333	May be harmful if inhaled
H335	May cause respiratory irritation
H341	Suspected of causing genetic defects
H350	May cause cancer
H351	Suspected of causing cancer
H361	Suspected of damaging fertility or the unborn child
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
References and furth	er information
N/A = Not applicable	
	the Uniform Scheduling of Medicines and Poisons
	ntory of Industrial Chemical
AICIS = Australian Inde	ustrial Chemicals Introduction Scheme
Version 1: GHS format	BV 11/09/2018
Version 2: Minor chang	es, JR 09/08/2021
Version 3: GHS hazard	update, RB 02/08/2024