

SAFETY DATA SHEET       Printed on 06 Aug         GHS: According to 2015/830/EU       Printed on 06 Aug		
<i>Code Number Version 2 Revised 5/08</i>	FM77062 2/2024 2:59:31 PM	
	n of the substance/mixture and of	the company/undertaking
1.1 Product I dentifier Product Name Code Number Alternative Name	MANDARIN & HERBS FM77062	
REACH Reg No	Not registered	
1.2 Relevant identified	l uses of the substance or mixture a	and uses advised against
Concentrated material	for manufacturing purposes only.	
1.3 Details of the supp	lier of the safety data sheet Australian Botanical Products Ltd 39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529	
Telephone Number	Tel No. +613 97094800	
Email Address	abpsales@ixom.com	
1.4 Emergency Tel No	Emergency No. +61 1 800 033 111	
Section 2. Hazard I den	tification	
2.1 Classification of th	e substance or mixture	
FL 4 AH 1 SCI 2 SS 1B EH A2 EH C2 2.2 Label elements	Flammable liquid, category 4 Aspiration hazard, category 1 Skin corrosion/irritation, category 2 Skin sensitisation, category 1B Aquatic hazard, acute, category 2 Aquatic hazard, chronic, category 2	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

S: According to 2015/8	330/EU	Printed on 06 Aug 2
ode Number	FM77062	
ersion 2 Revised 5	5/08/2024 2:59:31 PM	
	according to Regulation (EC) No 1272/2	2008
Hazard Pictograr	ns	
Signal Word	Danger	
Hazard Statemer	nts	
H227	Combustible liquid	
H304	May be fatal if swallowed and ente	ers airways
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	n
H411	Toxic to aquatic life with long lasti	ing effects
Precautionary St	atements	
P210	Keep away from heat, hot surface other ignition sources. No smoking	
P261	Avoid breathing fumes.	
P264	Wash hands thoroughly after hand	dling
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye pr	rotection
P301+P310	IF SWALLOWED: Immediately call	a POISON CENTRE.
P331	Do NOT induce vomiting.	
P333+P313	If skin irritation or rash occurs: Ge	et medical advice.
P362+P364	Take off contaminated clothing an	d wash it before reuse.
P391	Collect spillage.	
P403+P235	Store in a well-ventilated place. K	eep cool.
	Store locked up.	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 06 Aug 2024

GHS: According to 2015/830/EU

Code Number FM77062

Version 2 Revised 5/08/2024 2:59:31 PM

#### 2.3 Other Hazards

Contains Citral, Citronellol, Eugenol, Geraniol, Hydroxycitronellal, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

#### Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

#### 3.2 Mixtures

Complex mixture of fragrance ingredients

#### Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	10% - 30%
CAS 54464-57-2 EINECS 259-174-3 REACH	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl) SCI 2;SS 1B;EH C1 H315,H317,H410	1% - 10%
CAS 24851-98-7 EINECS 246-495-9 REACH	methyl 3-oxo-2-pentylcyclopentaneacetate EH A2 H401	1% - 10%
CAS 115-95-7 EINECS 204-116-4 REACH	Linalyl Acetate FL 4;SCI 2;SS 1B;EDI 2A;EH A3 H227,H315,H317,H319,H402	1% - 10%
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4; SS 1B H227,H317	1% - 10%
CAS 140-67-0 EINECS 205-427-8 REACH	Estragole (Methyl chavicol) FL 4;ATO 4(1230);SCI 3;SS 1B;CAR 2;MUT 2 H227,H302,H316,H317,H341,H351	<1%
CAS 79-92-5 EINECS 201-234-8 REACH	Camphene FS 2; SCI 3; EDI 2A; EH A1, C1 H228, H316, H319, H400, H410	<1%
CAS 99-85-4 EINECS 202-794-6 REACH	gamma-Terpinene (p-Mentha-1,4-diene) FL 3;ATO 5(3850);AH 1;REP 2;EH A2,C2 H226,H303,H304,H361,H401,H411	<1%
CAS 127-91-3 EINECS 204-872-5 REACH	beta-Pinene FL 3;ATO 5(3700);AH 1;SCI 2;SS 1B;EH A1,C1 H226,H303,H304,H315,H317,H400,H410	<1%

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

### Printed on 06 Aug 2024

GHS: According to 2015/830/EU

### Code Number FM77062

Version 2 Revised 5/08/2024 2:59:31 PM

CAS 128-37-0 EINECS 204-881-4 REACH	2,6-di-tert-butyl-p-cresol EH A1,C1 H400,H410	<1%
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410	<1%

Refer to section 16 for the wording of listed classification and hazard statement codes

#### Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

#### After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal. Obtain medical advice if necessary.

#### After skin contact

Causes skin irritation, May cause an allergic skin reaction. Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

#### After eye contact

Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

#### After ingestion

May be fatal if swallowed and enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 06 Aug 2024

GHS: According to 2015/830/EU

 Code Number
 FM77062

 Version 2 Revised 5/08/2024 2:59:31 PM

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code •3Z

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.

6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 06 Aug 2024

GHS: According to 2015/830/EU
Code Number
FM77062

Version 2 Revised 5/08/2024 2:59:31 PM

out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.
8.2 Exposure controls Engineering controls
Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.
Individual protection measures Refer to Section 5 for specific fire/chemical personal protective equipment advice.
Always wash routinely before breaks, meals and at the end of the work period. Eye/face protection
Use splash-proof safety glasses and face shield where splashing is possible.
Hand protection Wear chemically resistant disposable gloves.
Other skin protection
Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.
Respiratory protection Not generally required. Use inhalation protection in poorly ventilated areas.
Thermal hazards
No information.
Environmental exposure controls Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.
National Exposure Standards No exposure standards have been established for this material by Worksafe Australia.
Biological Limit Values
No biological limit allocated.
Section 9. Physical and chemical properties
9.1 Information on basic physical and chemical properties
FLASH POINT (°C) 73°C
The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.
Page 6 of 13

#### Printed on 06 Aug 2024

GHS: According to 2015/830/EU

Code Number FM77062 Version 2 Revised 5/08/2024 2:59:31 PM

APPEARANCE	Mobile liquid	
COLOUR	Golden yellow to orange	
ODOUR	Mint, rosemary, basil, mandarin, woody, amber	
ODOUR THRESHOLD	Not available	
pH @20 DEG C	Not available	
MELTING/FREEZING POINT	Not available	
INITIAL BOILING POINT AND RANGE	Not available	
EVAPORATION RATE	Not available	
FLAMMABILITY (SOLID/GAS)	Not available	
UPPER/LOWER FLAMMABILITY LIMITS	Not available	
VAPOUR PRESSURE	Not available	
VAPOUR DENSITY	Not available	
SPECIFIC GRAVITY @ 20°C	0.85 - 0.88	
SOLUBILITIES	Insoluble in water	
PARTITION COEFF N-OCTANAL/WATER	Not available	
AUTO-IGNITION TEMPERATURE	Not available	
DECOMPOSITION TEMPERATURE	Not available	
VISCOSITY @ 20 DEG C	Not available	
EXPLOSIVE PROPERTIES	Not available	
OXIDISING PROPERTIES	Not available	
9.2 Other information No further information available.		
Section 10. Stability and reactivity		
10.1 Reactivity No data.		
10.2 Chemical Stability Stable under the recommended storage conditions (see section 7).		

Printed on 06 Aug 2024

GHS: According to 2015/830/EU

Code Number FM77062 Version 2 Revised 5/08/2024 2:59:31 PM

10.3 Possibility of hazardous reactions No hazardous reactions if stored under suitable storage conditions.
10.4 Conditions to avoid Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents and from highly alkaline or acidic material.

10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available data.

Skin corrosion / irritation Causes skin irritation.

Serious eye damage / irritation Not classified based on available data.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity No data

Carcinogenicity

No data

Reproductive toxicity

No data

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

May be fatal if swallowed and enters airways.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 06 Aug 2024

GHS: According to 2015/830/EU

Code Number FM77062 Version 2 Revised 5/08/2024 2:59:31 PM

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains D-Limonene (5989-27-5): LC50 (96 h) - Pimephales promelas (fathead minnow) – 0.72 mg/L EC50 (48 h) - Daphnia magna – 0.36 mg/L EC50 (72 h) - Raphidocelis subcapitata – 0.32 mg/L

12.2 Persistence and degradability

No test data available for this substance.

12.3 Bioaccumulative potential No data.

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment No data.

12.6 Other adverse effects See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 06 Aug 2024

GHS: According to 2015/830/EU

Code Number FM77062 Version 2 Revised 5/08/2024 2:59:31 PM

Section 14. Transport information				
14.1 UN num	14.1 UN number			
ADR	3082			
ΙΑΤΑ	3082			
IMDG	3082			
14.2 UN prop	er shipping name			
ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)			
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (CONTAINS D-LIMONENE)			
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (CONTAINS D-LIMONENE)			
14.3 Transpo	rt hazard class(es)			
ADR	9			
ΙΑΤΑ	9			
IMDG	9			
14.4 Packing	group			
ADR	III			
ΙΑΤΑ	III			
IMDG	III			
Tunnel Code	(-)			
14.5 Environi	mental Hazards			
Dangerous for the environment. Marine pollutant.				
14.6 Special precautions for user Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A,S-F Marine Pollutant: Yes				
Road and Ra	Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):			
HazChem Code •3Z				
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.				
1				

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DAT	A SHEET	Printed on 06 Aug 2024
GHS: According to 2015	5/830/EU	
<i>Code Number Version 2 Revised</i>	FM77062 5/08/2024 2:59:31 PM	
Section 15. Regula	itory information	
15.1 Safety, healt substance or mixt	8	ulations/legislation specific for the
Poison Schedule	(SUSMP): Not Applicable	HS Tariff Code: 3302.90.00
All the constituen	ts of this material are comp	liant with AICIS regulation.
15.2 Chemical saf	ety assessment	
A chemical safety	assessment has not been o	arried out.
Section 16. Other i	information	
Full list of preca	autionary phrases	
P210	other ignition sources	;, hot surfaces, sparks, open flames and s. No smoking.
P261	Avoid breathing fume	-
P264	Wash hands thorough	וץ after handling
P272	Contaminated work c workplace.	lothing should not be allowed out of the
P273	Avoid release to the	environment.
P280	Wear protective glove	es and eye protection
P301+P310	IF SWALLOWED: Imr	nediately call a POISON CENTRE.
P302+P352	IF ON SKIN: Wash w	th plenty of water.
P331	Do NOT induce vomit	ing.
P333+P313	If skin irritation or ra	sh occurs: Get medical advice.
P362+P364	Take off contaminate	d clothing and wash it before reuse.
P391	Collect spillage.	
P403+P235	Store in a well-ventil	ated place. Keep cool.
P405	Store locked up.	
P501	Dispose of contents/c	container in accordance to local regulations
Wording of any	hazard classes listed in s	section 3
FL 3	Flammable liquid, cat	egory 3
FL 4	Flammable liquid, cat	egory 4
FS 2	Flammable solid, cate	egory 2
ATO 4	Acute toxicity, oral, c	
ATO 5	Acute toxicity, oral, c	ategory 5
AH 1	Aspiration hazard, ca	

Printed on 06 Aug 2024

GHS: According to 2015/830/EU

Code Number FM77062 Version 2 Revised 5/08/2024 2:59:31 PM

ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 1	Eye damage/irritation, category 1
EDI 2A	Eye damage/irritation, category 2A
ATI 4	Acute toxicity, inhalation, category 4
STO-SE 3(RI)	Specific target organ, single exposure, respiratory irritation
MUT 2	Germ cell mutagenicity, category 2
CAR 2	Carcinogenicity, category 2
REP 2	Reproductive toxicity, category 2
STO-SE 2	Specific target organ, single exposure, category 2
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3
Wording of any haza	rd statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H228	Flammable solid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H341	Suspected of causing genetic defects

Printed on 06 Aug 2024

GHS: According to 2015/830/EU

Code Number FM77062 Version 2 Revised 5/08/2024 2:59:31 PM

H351Suspected of causing cancerH361Suspected of damaging fertility or the unborn childH371May cause damage to organsH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalAICTS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, 17/11/2022Version 2: GHS hazard update, RB 05/08/2024		
H371May cause damage to organsH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412References and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, 17/11/2022	H351	Suspected of causing cancer
H400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, 17/11/2022	H361	Suspected of damaging fertility or the unborn child
H401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, 17/11/2022	H371	May cause damage to organs
H402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, 17/11/2022	H400	Very toxic to aquatic life
H410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, 17/11/2022	H401	Toxic to aquatic life
H411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, 17/11/2022	H402	Harmful to aquatic life
<ul> <li>H412 Harmful to aquatic life with long lasting effects</li> <li>References and further information</li> <li>N/A = Not applicable</li> <li>SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons</li> <li>AIIC = Australian Inventory of Industrial Chemical</li> <li>AICIS = Australian Industrial Chemicals Introduction Scheme</li> <li>Version 1: GHS format, 17/11/2022</li> </ul>	H410	Very toxic to aquatic life with long lasting effects
References and further information N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemical AICIS = Australian Industrial Chemicals Introduction Scheme Version 1: GHS format, 17/11/2022	H411	Toxic to aquatic life with long lasting effects
N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemical AICIS = Australian Industrial Chemicals Introduction Scheme Version 1: GHS format, 17/11/2022	H412	Harmful to aquatic life with long lasting effects
SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemical AICIS = Australian Industrial Chemicals Introduction Scheme Version 1: GHS format, 17/11/2022	References and furth	ner information
	SUSMP = Standard for AIIC = Australian Inve	ntory of Industrial Chemical