

SAFETY DATA S GHS: According to 2015/830/		Printed on 06 Aug 2024
Code Number Version 2 Revised 6/08	FM77680	
Section 1. Identificatio	n of the substance/mixture a	and of the company/undertaking
1.1 Product I dentifier		
Product Name	SUMMER TIME	
Code Number	FM77680	
Alternative Name		
REACH Reg No	Not registered	
1.2 Relevant identified	uses of the substance or mi	xture and uses advised against
For fragrance use.		
1.3 Details of the supp	lier of the safety data sheet	
	Australian Botanical Products L	td
	39 Melverton Drive, Hallam	
	Victoria, 3803 Australia	
	ABN: 45006782529	
Telephone Number	Tel No. +613 97094800	
Email Address	abpsales@ixom.com	
1.4 Emergency Tel No	Emergency No. +61 1 800 033	3 111
Section 2. Hazard I den	tification	
2.1 Classification of th	e substance or mixture	
ATO 5	Acute toxicity, oral, category 5	
SS 1B	Skin sensitisation, category 1B	
EH A2	Aquatic hazard, acute, categor	-
EH C2	Aquatic hazard, chronic, catego	ory 2
2.2 Label elements		

SAFETY DATA	-	Printed on 06 Aug 202
GHS: According to 2015/	'830/EU	
Code Number	FM77680 6/08/2024 1:01:44 PM	
	according to Regulation (EC	No 1272/2009
Hazard Pictogra		) NO 127272008
	$\wedge$	
•	¥~3	
Signal Word	Warping	
Signal Word	Warning	
Hazard Stateme		
H317	May cause an allergic	
H411	Toxic to aquatic life w	th long lasting effects
Precautionary St	tatements	
P261	Avoid breathing fumes	).
P273	Avoid release to the e	nvironment.
P280	Wear protective glove	s and eye protection
P312	Call a POISON CENTRI	E if you feel unwell.
P333+P313	If skin irritation or ras	h occurs: Get medical advice.
P362+P364	Take off contaminated	clothing and wash it before reuse.
P391	Collect spillage.	
P501	Dispose of contents/co	ontainer in accordance to local regulations
2.3 Other Hazards		
Contains Benzyl A may produce an a		ral, Coumarin, Limonene and Linalool which
No further informa	ation available at this time	
	tion / information on ing	
3.2 Mixtures		
Complex mixture	of ingredients	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

### Printed on 06 Aug 2024

GHS: According to 2015/830/EU

Code Number FM77680

Version 2 Revised 6/08/2024 1:01:44 PM

Hazardous components		
ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 120-51-4 EINECS 204-402-9 REACH	Benzyl benzoate ATO 4(1500);ATD 5(4000);EH C2 H302,H313,H411	10% - 30%
CAS 2705-87-5 EINECS 220-292-5 REACH	allyl 3-cyclohexylpropionate ATO 4(585); ATD 4(1600); SS 1B; EH A1,C2 H302,H312,H317,H400,H411	1% - 10%
CAS 123-68-2 EINECS 204-642-4 REACH	allyl hexanoate FL 4; ATO 3(218); ATD 3(820); ATI 3; EH A1,C3 H227,H301,H311,H331,H400,H412	1% - 10%
CAS 121-32-4 EINECS 204-464-7 REACH	3-ethoxy-4-hydroxybenzaldehyde EDI 2A;EH A3 H319,H402	1% - 10%
CAS 77-83-8 EINECS 201-061-8 REACH	ethyl 2,3-epoxy-3-phenylbutyrate SS 1;EH A2,C2 H317,H401,H411	1% - 10%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	<1%

Refer to section 16 for the wording of listed classification and hazard statement codes

### Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

#### After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal. Obtain medical advice if necessary.

#### After skin contact

May cause an allergic skin reaction. Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

### After eye contact

Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

### After ingestion

May be harmful if swallowed. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice

GHS: According to 2015/830/EU

Printed on 06 Aug 2024

*Code Number FM77680 Version 2 Revised 6/08/2024 1:01:44 PM* 

immediately. Never give anything by the mouth to an unconscious patient.

- 4.2 Most important symptoms and effects, both acute and delayed Take phrases in sections 2 and 11 into account. No further information available at this time.
- 4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

- 5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.
- 5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code •3Z

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.

6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 06 Aug 2024

GHS: According to 2015/830/EU

Code Number FM77680 Version 2 Revised 6/08/2024 1:01:44 PM

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

### 8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 06 Aug 2024

GHS: According to 2015/830/EU

Code Number FM77680 Version 2 Revised 6/08/2024 1:01:44 PM

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

FLASH POINT (°C)	>100°C
APPEARANCE	Mobile liquid
COLOUR	Colourless to yellow
ODOUR	Pineapple, juicy, coconut, creamy, vanilla
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	0.925 - 0.955
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available

GHS: According to 2015/830/EU	Printed on 06 Aug 20.
Code Number FM77680 Version 2 Revised 6/08/2024 1:0	
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivit	У
10.1 Reactivity No data.	
10.2 Chemical Stability Stable under the recommended st	orage conditions (see section 7).
10.3 Possibility of hazardous rea No hazardous reactions if stored u	
10.4 Conditions to avoid Avoid exposure to heat, sources o	f ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents	and from highly alkaline or acidic material.
10.6 Hazardous decomposition p	roducts
During combustion may form carb compounds.	on monoxide, carbon dioxide and unidentified organic
Section 11. Toxicological informa	tion
11.1 Information on toxicologica	l effects
Acute toxicity	
May be harmful if swallowed.	
Skin corrosion / irritation Not classified based on available c	lata.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 06 Aug 2024

GHS: According to 2015/830/EU

Code Number FM77680 Version 2 Revised 6/08/2024 1:01:44 PM

Respiratory or skin sensitisation
May cause an allergic skin reaction.
Germ cell mutagenicity
No data
Carcinogenicity
No data
Reproductive toxicity
No data
STO-single exposure
No data
STO-repeated exposure
No data
Aspiration hazard
No data
Information on likely routes of exposure
No data
Symptoms related to the physical, chemical and toxicological characteristics No data
Delayed and immediate effects as well as chronic effects from short and long-term exposure
No data
Interactive effects
No data
Other information
No data
Section 12. Ecological information
12.1 Toxicity
Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains Benzyl benzoate (120-51-4) LC50 (96 h) - Danio rerio (Zebrafish) - 2.32 mg/L EC50 (48 h) - Daphnia magna - 3.09 mg/L EC50 (72 h) - Freshwater algae - 0.475 mg/L

EC10 (35 d) - Danio rerio (Zebrafish) - 0.032 mg/L

Printed on 06 Aug 2024

GHS: According to 2015/830/EU

 Code Number
 FM77680

 Version 2 Revised 6/08/2024 1:01:44 PM

NOEC (21 d) - Daphnia magna - 0.258 mg/L NOEC (72 h) - Freshwater algae - 0.247 mg/L

12.2 Persistence and degradability No test data available for this substance.

- 12.3 Bioaccumulative potential No data.
- 12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

- 12.5 Results of PBT and vPvB assessment No data.
- 12.6 Other adverse effects See sections 6, 7, 13 and 15.

### Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

14.1 UN number

ADR	3082
ΙΑΤΑ	3082
IMDG	3082

14.2 UN proper shipping name

ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE)
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE)

IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE)

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 06 Aug 2024

GHS: According to 2015/830/EU

Code Number FM77680 Version 2 Revised 6/08/2024 1:01:44 PM

14.3 Transpo	rt hazard class(es)	
ADR	9	
IATA	9	
IMDG	9	
14.4 Packing	group	
ADR	111	
IATA	111	
IMDG	111	
Tunnel Code	(-)	
14.5 Environr	mental Hazards	
Dangerous f	or the environment. Marine pollu	tant.
14.6 Special p	precautions for user	
Maritime Tra	ansport (International Maritime D	angerous Goods Code (IMDG Code)):
EmS: F-A,S- Marine Pollu		
Road and Ra	ail Transport (Australian Dangero	us Goods Code (ADG Code)):
HazChem C	ode •3Z	
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code		
Not applicab	le.	
Section 15. Re	egulatory information	
15.1 Safety, ł	nealth and environmental reg	ulations/legislation specific for the
substance or	mixture	
Poison Schee	dule (SUSMP): Not Applicable	HS Tariff Code: 3302.90.00
All the const	ituents of this material are comp	liant with AICIS regulation.
15.2 Chemica	al safety assessment	
A chemical safety assessment has not been carried out.		
Section 16 Ot	ther information	
Full list of p	precautionary phrases	
P261	Avoid breathing fume	2S.
P272		lothing should not be allowed out of the
	workplace.	

GHS: According to 2015/830/EU

Printed on 06 Aug 2024

Code Number FM77680 Version 2 Revised 6/08/2024 1:01:44 PM P273 Avoid release to the environment. P280 Wear protective gloves and eye protection P302+P352 IF ON SKIN: Wash with plenty of water. Call a POISON CENTRE if you feel unwell. P312 If skin irritation or rash occurs: Get medical advice. P333+P313 P362+P364 Take off contaminated clothing and wash it before reuse. P391 Collect spillage. P501 Dispose of contents/container in accordance to local regulations Wording of any hazard classes listed in section 3 FL 3 Flammable liquid, category 3 FL 4 Flammable liquid, category 4 ATO 3 Acute toxicity, oral, category 3 ATO 4 Acute toxicity, oral, category 4 ATO 5 Acute toxicity, oral, category 5 AH 1 Aspiration hazard, category 1 ATD 3 Acute toxicity, dermal, category 3 Acute toxicity, dermal, category 4 ATD 4 ATD 5 Acute toxicity, dermal, category 5 Skin corrosion/irritation, category 2 SCI 2 SCI 3 Skin corrosion/irritation, category 3 SS 1 Skin sensitisation, category 1 SS 1B Skin sensitisation, category 1B EDI 2A Eye damage/irritation, category 2A ATI 3 Acute toxicity, inhalation, category 3 Acute toxicity, inhalation, category 4 ATI 4 ATI 5 Acute toxicity, inhalation, category 5 Aquatic hazard, acute, category 1 EH A1 EH A2 Aquatic hazard, acute, category 2 EH A3 Aquatic hazard, acute, category 3 EH C1 Aquatic hazard, chronic, category 1 EH C2 Aquatic hazard, chronic, category 2 EH C3 Aquatic hazard, chronic, category 3

Printed on 06 Aug 2024

GHS: According to 2015/830/EU

Code Number FM77680 Version 2 Revised 6/08/2024 1:01:44 PM

Wording of a	ny hazard statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H301	Toxic if swallowed
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H312	Harmful in contact with skin
H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H331	Toxic if inhaled
H332	Harmful if inhaled
H333	May be harmful if inhaled
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
References a	nd further information
N/A = Not app	licable
SUSMP = Stan	dard for the Uniform Scheduling of Medicines and Poisons
	ian Inventory of Industrial Chemical alian Industrial Chemicals Introduction Scheme
AIGIS - AUSIIG	
	S format, BV 23/11/2020
version 2: Mar	ndatory revision, RB 06/08/2024