

SAFETY DATA S GHS: According to 2015/830/		Printed on O6 Aug 2024
<i>Code Number Version 3 Revised 6/08</i>	FM77697 V2024 12:23:21 PM	
Section 1. Identification	n of the substance/mixture and of	the company/undertaking
1.1 Product I dentifier		
Product Name	HAITIAN VETIVER & LEATHER	
Code Number	FM77697	
Alternative Name	<b>N</b>	
REACH Reg No	Not registered	
1.2 Relevant identified	uses of the substance or mixture	and uses advised against
For fragrance use.		
1.3 Details of the supp	lier of the safety data sheet	
	Australian Botanical Products Ltd	
	39 Melverton Drive, Hallam Victoria, 3803	
	Australia	
	ABN: 45006782529	
Telephone Number	Tel No. +613 97094800	
Email Address	abpsales@ixom.com	
1.4 Emergency Tel No	Emergency No. +61 1 800 033 111	
Section 2. Hazard I dent	ification	
2.1 Classification of th	e substance or mixture	
ATO 5	Acute toxicity, oral, category 5	
SCI 2	Skin corrosion/irritation, category 2	
SS 1B	Skin sensitisation, category 1B	
EH A2	Aquatic hazard, acute, category 2	
EH C2	Aquatic hazard, chronic, category 2	
2.2 Label elements		

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET Printed on 06 Aug 2024 GHS: According to 2015/830/EU		
Code Number Version 3 Revised d	FM77697 5/08/2024 12:23:21 PM	
GHS classification Hazard Pictograr	according to Regulation (EC) ns	No 1272/2008
Signal Word	Warning	
Hazard Statemer	nts	
H315	Causes skin irritation	
H317	May cause an allergic sk	in reaction
H411	Toxic to aquatic life with	n long lasting effects
Precautionary St	atements	
P261	Avoid breathing fumes.	
P264	Wash hands thoroughly	after handling
P273	Avoid release to the env	vironment.
P280	Wear protective gloves	and eye protection
P312	Call a POISON CENTRE	if you feel unwell.
P333+P313	If skin irritation or rash	occurs: Get medical advice.
P362+P364	Take off contaminated of	lothing and wash it before reuse.
P391	Collect spillage.	
P501	Dispose of contents/con	tainer in accordance to local regulations
2.3 Other Hazards Contains alpha-iso-Methylionone, Benzyl Benzoate, Cinnamal, Cinnamyl Alcohol, Eugenol, Geraniol, Limonene and Linalool which may produce an allergic reaction		
No further information available at this time		
Section 3. Composition / information on ingredients Any percentage values listed here for hazardous components are for illustrative purposes only		
3.2 Mixtures Complex mixture of ingredients		

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

#### Printed on 06 Aug 2024

GHS: According to 2015/830/EU

Code Number FM77697

Version 3 Revised 6/08/2024 12:23:21 PM

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 120-51-4 EINECS 204-402-9 REACH	Benzyl benzoate	20% ( 0%
	ATO 4(1500); EH C2 H302,H411	30% - 60%
CAS 24851-98-7 EINECS 246-495-9	methyl 3-oxo-2-pentylcyclopentaneacetate	10% - 30%
REACH	EH A2 H401	
CAS 127-51-5 EINECS 204-846-3	alpha-iso-Methylionone	1% - 10%
REACH	SCI 2; EDI 2A; EH C2 H315, H319, H411	178 - 1078
CAS 60-12-8 EINECS 200-456-2	2-phenylethanol	1% - 10%
REACH	ATO 4(1609);EDI 2A H302,H319	
CAS 1222-05-5 EINECS 214-946-9	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	1% - 10%
REACH	EH A1,C1 H400,H410	
CAS 58567-11-6 EINECS 261-332-1	(ethoxymethoxy)cyclododecane	1% - 10%
EINECS 261-332-1 REACH	SCI 2;SS 1B;EH C2 H315,H317,H411	170 - 1070
CAS 54464-57-2 EINECS 259-174-3	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)	1% - 10%
REACH	SCI 2;SS 1B;EH C1 H315,H317,H410	176 - 1076
CAS 121-32-4 EINECS 204-464-7	3-ethoxy-4-hydroxybenzaldehyde	1% - 10%
REACH	EDI 2A:EH A3 H319,H402	
CAS 23696-85-7 EINECS 245-833-2	1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	<1%
REACH	SCI 2;SS 1A;EH A2,C2 H315,H317,H401,H411	
CAS 28219-61-6 EINECS 248-908-8 REACH	2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	<1%
	FL 4; EDI 2A; EH A1, C1 H227, H319, H400, H410	
CAS 469-61-4 EINECS 207-418-4 REACH	alpha-Cedrene	<1%
	AH 1; SCI 3; EH A1, C1 H304, H316, H400, H410	
CAS 104-55-2 EINECS 203-213-9 REACH	Cinnamic aldehyde	<1%
	ATO 5(2500); SCI 2; SS 1A; EDI 2A H303, H315, H317, H319	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 06 Aug 2024

GHS: According to 2015/830/EU

Code Number FM77697 Version 3 Revised 6/08/2024 12:23:21 PM

#### Section 4. First Aid measures

Take phrases in section 2 into account

- 4.1 Description of first aid measures
  - After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal. Obtain medical advice if necessary.

After skin contact

Causes skin irritation, May cause an allergic skin reaction. Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

After eye contact

Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

#### After ingestion

May be harmful if swallowed. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code •3Z

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 06 Aug 2024

GHS: According to 2015/830/EU

 Code Number
 FM77697

 Version 3 Revised 6/08/2024 12:23:21 PM

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper

ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.

6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s) No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

GHS: According to 2015/830/EU

Printed on 06 Aug 2024

Code Number FM77697 Version 3 Revised 6/08/2024 12:23:21 PM Individual protection measures Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period. Eye/face protection Use splash-proof safety glasses and face shield where splashing is possible. Hand protection Wear chemically resistant disposable gloves. Other skin protection Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period. Respiratory protection Not generally required. Use inhalation protection in poorly ventilated areas. Thermal hazards No information. Environmental exposure controls Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation. National Exposure Standards No exposure standards have been established for this material by Worksafe Australia. **Biological Limit Values** No biological limit allocated. Section 9. Physical and chemical properties 9.1 Information on basic physical and chemical properties FLASH POINT (°C) >100°C **APPEARANCE** Mobile liquid COLOUR Colourless to pale yellow ODOUR Leather, violet, plum, raspberry, vanilla, amber, musk ODOUR THRESHOLD Not available pH @20 DEG C Not available MELTING/FREEZING POINT Not available

GHS: According to 2015/830/EU	
Code Number FM77697	
Version 3 Revised 6/08/2024 12:2	23:21 PM
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	1.035 - 1.065
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivity	/
10.1 Reactivity No data.	
10.2 Chemical Stability Stable under the recommended sto	prage conditions (see section 7).
10.3 Possibility of hazardous read No hazardous reactions if stored un	
10.4 Conditions to avoid Avoid exposure to heat, sources of	ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents a	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 06 Aug 2024

GHS: According to 2015/830/EU

Code Number FM77697 Version 3 Revised 6/08/2024 12:23:21 PM

10.6 Hazardous decomposition products During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity May be harmful if swallowed.

Skin corrosion / irritation Causes skin irritation.

Serious eye damage / irritation Not classified based on available data.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity

No data

STO-single exposure No data

STO-repeated exposure No data

Aspiration hazard

No data

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure No data

SAFETY DATA SHEET GHS: According to 2015/830/EU	Printed on 06 Aug 2024
Code Number FM77697 Version 3 Revised 6/08/2024 12:23:21 PM	
Interactive effects No data Other information	
No data	
<ul> <li>Section 12. Ecological information</li> <li>12.1 Toxicity</li> <li>Toxic to aquatic life with long lasting effects. Avoid contaminat Contains Tetramethyl acetyloctahydronaphthalenes (54464-57- LC50 (96 h) - Lepomis macrochirus - 1.3 mg/L EC50 (48 h) - Daphnia magna - 1.38 mg/L EC50 (72 h) - Scenedesmus subspicatus - 2.6 mg/L NOEC (30 days) - Danio rerio - 0.16 mg/L NOEC (21 days) - Daphnia magna – 0.044 mg/L NOEC (72 h) - Scenedesmus subspicatus - 2.6 mg/L</li> <li>12.2 Persistence and degradability No test data available for this substance.</li> <li>12.3 Bioaccumulative potential No data.</li> </ul>	
12.4 Mobility in soil Avoid soil, surface water and water-bearing stratum contamina	ation.
12.5 Results of PBT and vPvB assessment No data.	
12.6 Other adverse effects See sections 6, 7, 13 and 15.	
Section 13. Disposal considerations Please refer to the information in section 8 (Exposure controls an 13.1 Waste treatment methods Dispose in accordance with the law and local regulations. Treat Section 14. Transport information	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 06 Aug 2024

GHS: According to 2015/830/EU

 Code Number
 FM77697

 Version 3 Revised 6/08/2024 12:23:21 PM

14.1 UN num	ber	
ADR	3082	
ΙΑΤΑ	3082	
IMDG	3082	
14.2 UN prop	er shipping name	
ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)	
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)	
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)	
14.3 Transpo	rt hazard class(es)	
ADR	9	
ΙΑΤΑ	9	
IMDG	9	
14.4 Packing	group	
ADR	III	
ΙΑΤΑ	III	
IMDG	III	
Tunnel Code	(-)	
14.5 Environr	mental Hazards	
Dangerous for the environment. Marine pollutant.		
14.6 Special p	precautions for user	
Maritime Tra EmS: F-A,S- Marine Pollu		
Road and Ra	Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):	
HazChem C	code •3Z	
14.7 Transpo Not applicab	rt in bulk according to Annex II of MARPOL73/78 and the IBC Code le.	

GHS: According to 2015/830/EU

Printed on 06 Aug 2024

Code Number FM77697 Version 3 Revised 6/08/2024 12:23:21 PM

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): Not Applicable

HS Tariff Code: 3302.90.00

All the constituents of this material are compliant with AICIS regulation.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

Section 16. Other information

Full list of precautionary phrases

P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P302+P352	IF ON SKIN: Wash with plenty of water.
P312	Call a POISON CENTRE if you feel unwell.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P501	Dispose of contents/container in accordance to local regulations
Wording of any haz	ard classes listed in section 3
Wording of any haz FL 3	ard classes listed in section 3 Flammable liquid, category 3
0 0	
FL 3	Flammable liquid, category 3
FL 3 FL 4	Flammable liquid, category 3 Flammable liquid, category 4
FL 3 FL 4 FS 2	Flammable liquid, category 3 Flammable liquid, category 4 Flammable solid, category 2
FL 3 FL 4 FS 2 ATO 4	Flammable liquid, category 3 Flammable liquid, category 4 Flammable solid, category 2 Acute toxicity, oral, category 4
FL 3 FL 4 FS 2 ATO 4 ATO 5	Flammable liquid, category 3 Flammable liquid, category 4 Flammable solid, category 2 Acute toxicity, oral, category 4 Acute toxicity, oral, category 5
FL 3 FL 4 FS 2 ATO 4 ATO 5 AH 1	Flammable liquid, category 3 Flammable liquid, category 4 Flammable solid, category 2 Acute toxicity, oral, category 4 Acute toxicity, oral, category 5 Aspiration hazard, category 1
FL 3 FL 4 FS 2 ATO 4 ATO 5 AH 1 SCI 2	Flammable liquid, category 3 Flammable liquid, category 4 Flammable solid, category 2 Acute toxicity, oral, category 4 Acute toxicity, oral, category 5 Aspiration hazard, category 1 Skin corrosion/irritation, category 2
FL 3 FL 4 FS 2 ATO 4 ATO 5 AH 1 SCI 2 SCI 3	Flammable liquid, category 3 Flammable liquid, category 4 Flammable solid, category 2 Acute toxicity, oral, category 4 Acute toxicity, oral, category 5 Aspiration hazard, category 1 Skin corrosion/irritation, category 2 Skin corrosion/irritation, category 3

Printed on 06 Aug 2024

GHS: According to 2015/830/EU

Code Number FM77697 Version 3 Revised 6/08/2024 12:23:21 PM

SS 1B	Skin sensitisation, category 1B
EDI 1	Eye damage/irritation, category 1
EDI 2A	Eye damage/irritation, category 2A
STO-SE 3(RI)	Specific target organ, single exposure, respiratory irritation
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3
Wording of any haza	rd statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H228	Flammable solid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
References and furth	ner information
AIIC = Australian Inver	the Uniform Scheduling of Medicines and Poisons ntory of Industrial Chemical ustrial Chemicals Introduction Scheme
Version 1: GHS format	, BV 30/06/2021

Printed on 06 Aug 2024

GHS: According to 2015/830/EU

 Code Number
 FM77697

 Version 3 Revised 6/08/2024 12:23:21 PM

Version 2: Minor changes, JR 13/07/2021 Version 3: GHS hazard update, RB 06/08/2024

Page 13 of 13