

| SAFETY DATA S GHS: According to 2015/830/ | | Printed on 06 Aug 2024 |
|--|---------------------------------------|--------------------------|
| <i>Code Number Version 2 Revised 6/08</i> | FM77843 8/2024 12:30:13 PM | |
| Section 1. Identificatio | n of the substance/mixture and of | the company/undertaking |
| 1.1 Product I dentifier | | |
| Product Name | GREEN TEA PURIFYING SOLUTION | |
| Code Number | FM77843 | |
| Alternative Name REACH Reg No | Not registered | |
| | | |
| | l uses of the substance or mixture a | and uses advised against |
| For fragrance use. | | |
| 1.3 Details of the supplier of the safety data sheet | | |
| | Australian Botanical Products Ltd | |
| | 39 Melverton Drive, Hallam | |
| | Victoria, 3803 Australia | |
| | ABN: 45006782529 | |
| Telephone Number | Tel No. +613 97094800 | |
| Email Address | abpsales@ixom.com | |
| 1.4 Emergency Tel No | Emergency No. +61 1 800 033 111 | |
| Section 2. Hazard I den | tification | |
| 2.1 Classification of th | e substance or mixture | |
| SCI 2 | Skin corrosion/irritation, category 2 | |
| SS 1B | Skin sensitisation, category 1B | |
| EH A2 | Aquatic hazard, acute, category 2 | |
| EH C2 | Aquatic hazard, chronic, category 2 | |
| 2.2 Label elements | | |
| | | |
| | | |
| | | |
| | | |
| | | |

| SAFETY DATA SHEET Printed on 06 Aug 202 GHS: According to 2015/830/EU Printed on 06 Aug 202 | | |
|--|---|---------------------------------|
| <i>Code Number Version 2 Revised 6</i> | FM77843 /08/2024_12:30:13 PM | |
| GHS classification a Hazard Pictogran | according to Regulation (EC) No 1272, ns | /2008 |
| Signal Word | Warning | |
| Hazard Statemen | ts | |
| H315 | Causes skin irritation | |
| H317 | May cause an allergic skin reaction | on |
| H411 | Toxic to aquatic life with long las | sting effects |
| Precautionary Sta | atements | |
| P261 | Avoid breathing fumes. | |
| P264 | Wash hands thoroughly after har | ndling |
| P273 | Avoid release to the environmen | t. |
| P280 | Wear protective gloves and eye p | protection |
| P333+P313 | If skin irritation or rash occurs: (| Get medical advice. |
| P362+P364 | Take off contaminated clothing a | ind wash it before reuse. |
| P391 | Collect spillage. | |
| P501 | Dispose of contents/container in | accordance to local regulations |
| | cohol, Benzyl Benzoate, Benzyl Salicy namal, Limonene and Linalool which | |
| No further information available at this time | | |
| Section 3. Composition / information on ingredients Any percentage values listed here for hazardous components are for illustrative purposes only | | |
| 3.2 Mixtures Complex mixture of ingredients | | |

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 06 Aug 2024

GHS: According to 2015/830/EU

Code Number FM77843

Version 2 Revised 6/08/2024 12:30:13 PM

| ID Numbers | Chemical Name, Classification and Hazards | Conc (%) |
|---|--|----------|
| CAS 18479-58-8 EINECS 242-362-4 REACH | 2,6-dimethyloct-7-en-2-ol FL 4;ATO 5(3600);SCI 2;EDI 2A;EH A3 H227,H303,H315,H319,H402 | 1% - 10% |
| CAS 54464-57-2 EINECS 259-174-3 REACH | 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl) SCI 2:SS 1B:EH C1 H315,H317,H410 | 1% - 10% |
| CAS 105-87-3 EINECS 203-341-5 REACH | Geranyl acetate SCI 2;SS 1;EH C3 H315,H317,H412 | 1% - 10% |
| CAS 78-70-6 EINECS 201-134-4 REACH | Linalool FL 4;SS 1B H227,H317 | 1% - 10% |
| CAS 115-95-7 EINECS 204-116-4 REACH | Linalyl acetate FL 4;SCI 2;EDI 2A;EH A3 H227,H315,H319,H402 | 1% - 10% |
| CAS 24851-98-7 EINECS 246-495-9 REACH | methyl 3-oxo-2-pentylcyclopentaneacetate EH A2 H401 | 1% - 10% |
| CAS 106-22-9 EINECS 203-375-0 REACH | Citronellol (d,I-Citronellol) SCI 2;SS 1B;EDI 2A H315,H317,H319 | 1% - 10% |
| CAS 5989-27-5 EINECS 227-813-5 REACH | d-Limonene (p-Mentha-1,8-diene) FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410 | 1% - 10% |
| CAS 88-41-5 EINECS 201-828-7 REACH | 2-tert-butylcyclohexyl acetate FL 4;ATO 5;SCI 3;EH A2,C2 H227,H303,H316,H401,H411 | 1% - 10% |
| CAS 128-37-0 EINECS 204-881-4 REACH | 2,6-di-tert-butyl-p-cresol EH A1,C1 H400,H410 | <1% |
| CAS 127-91-3 EINECS 204-872-5 REACH | beta-Pinene FL 3;ATO 5(3700);AH 1;SCI 2;SS 1B;EH A1,C1 H226,H303,H304,H315,H317,H400,H410 | <1% |
| CAS 1506-02-1 EINECS 244-240-6 REACH | 1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)etha ATO 4(1000);EH A1,C1 H302,H400,H410 | <1% |

Printed on 06 Aug 2024

GHS: According to 2015/830/EU

Code Number FM77843 Version 2 Revised 6/08/2024 12:30:13 PM

Section 4. First Aid measures

Take phrases in section 2 into account

- 4.1 Description of first aid measures
 - After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal. Obtain medical advice if necessary.

After skin contact

Causes skin irritation, May cause an allergic skin reaction. Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

After eye contact

Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code •3Z

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 06 Aug 2024

GHS: According to 2015/830/EU

 Code Number
 FM77843

 Version 2 Revised 6/08/2024 12:30:13 PM

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.

6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s) No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

GHS: According to 2015/830/EU

Printed on 06 Aug 2024

Code Number FM7784.3 Version 2 Revised 6/08/2024 12:30:13 PM Individual protection measures Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period. Eye/face protection Use splash-proof safety glasses and face shield where splashing is possible. Hand protection Wear chemically resistant disposable gloves. Other skin protection Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period. Respiratory protection Not generally required. Use inhalation protection in poorly ventilated areas. Thermal hazards No information. Environmental exposure controls Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation. National Exposure Standards No exposure standards have been established for this material by Worksafe Australia. **Biological Limit Values** No biological limit allocated. Section 9. Physical and chemical properties 9.1 Information on basic physical and chemical properties FLASH POINT (°C) 98°C APPEARANCE Mobile liquid COLOUR Yellow to greenish-yellow ODOUR Fresh, green tea, jasmine, musk ODOUR THRESHOLD Not available Not available pH @20 DEG C MELTING/FREEZING POINT Not available

| GHS: According to 2015/830/EU | | |
|---|--|--|
| Code Number FM77843 | | |
| Version 2 Revised 6/08/2024 12:3 | 30: 13 PM | |
| INITIAL BOILING POINT AND RANGE | Not available | |
| EVAPORATION RATE | Not available | |
| FLAMMABILITY (SOLID/GAS) | Not available | |
| UPPER/LOWER FLAMMABILITY LIMITS | Not available | |
| VAPOUR PRESSURE | Not available | |
| VAPOUR DENSITY | Not available | |
| SPECIFIC GRAVITY @ 20°C | 0.86 - 0.89 | |
| SOLUBILITIES | Insoluble in water | |
| PARTITION COEFF N-OCTANAL/WATER | Not available | |
| AUTO-IGNITION TEMPERATURE | Not available | |
| DECOMPOSITION TEMPERATURE | Not available | |
| VISCOSITY @ 20 DEG C | Not available | |
| EXPLOSIVE PROPERTIES | Not available | |
| OXIDISING PROPERTIES | Not available | |
| 9.2 Other information No further information available. | | |
| Section 10. Stability and reactivity | / | |
| 10.1 Reactivity No data. | | |
| 10.2 Chemical Stability Stable under the recommended sto | prage conditions (see section 7). | |
| 10.3 Possibility of hazardous read No hazardous reactions if stored ur | | |
| 10.4 Conditions to avoid Avoid exposure to heat, sources of | ignition, and open flame. Avoid exposure to air. | |
| 10.5 Incompatible materials Keep away from oxidising agents a | | |

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 06 Aug 2024

GHS: According to 2015/830/EU

Code Number FM77843 Version 2 Revised 6/08/2024 12:30:13 PM

10.6 Hazardous decomposition products During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available data.

Skin corrosion / irritation Causes skin irritation.

Serious eye damage / irritation Not classified based on available data.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity

No data

STO-single exposure No data

STO-repeated exposure No data

Aspiration hazard

No data

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

| SAFETY DATA SHEET GHS: According to 2015/830/EU | Printed on 06 Aug 2024 |
|---|------------------------|
| Code Number FM77843 Version 2 Revised 6/08/2024 12:30:13 PM | |
| Interactive effects No data Other information | |
| No data | |
| Section 12. Ecological information 12.1 Toxicity Toxic to aquatic life with long lasting effects. Avoid contamina Contains Tetramethyl acetyloctahydronaphthalenes (54464-57 LC50 (96 h) - Lepomis macrochirus - 1.3 mg/L EC50 (48 h) - Daphnia magna - 1.38 mg/L EC50 (72 h) - Scenedesmus subspicatus - 2.6 mg/L NOEC (30 days) - Danio rerio - 0.16 mg/L NOEC (21 days) - Daphnia magna - 0.044 mg/L NOEC (72 h) - Scenedesmus subspicatus - 2.6 mg/L 12.2 Persistence and degradability No test data available for this substance. | |
| 12.3 Bioaccumulative potential No data. | |
| 12.4 Mobility in soil Avoid soil, surface water and water-bearing stratum contamin | nation. |
| 12.5 Results of PBT and vPvB assessment No data. | |
| 12.6 Other adverse effects See sections 6, 7, 13 and 15. | |
| Section 13. Disposal considerations Please refer to the information in section 8 (Exposure controls a 13.1 Waste treatment methods Dispose in accordance with the law and local regulations. Trea | |
| Section 14. Transport information | |

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 06 Aug 2024

GHS: According to 2015/830/EU

 Code Number
 FM77843

 Version 2 Revised 6/08/2024 12:30:13 PM

| 14.1 UN number | | | |
|--|--|--|--|
| ADR | 3082 | | |
| ΙΑΤΑ | 3082 | | |
| IMDG | 3082 | | |
| 14.2 UN prop | er shipping name | | |
| ADR | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES) | | |
| ΙΑΤΑ | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES) | | |
| IMDG | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES) | | |
| 14.3 Transpo | rt hazard class(es) | | |
| ADR | 9 | | |
| ΙΑΤΑ | 9 | | |
| IMDG | 9 | | |
| 14.4 Packing | group | | |
| ADR | III | | |
| ΙΑΤΑ | III | | |
| IMDG | III | | |
| Tunnel Code | (-) | | |
| 14.5 Environr | mental Hazards | | |
| Dangerous f | or the environment. Marine pollutant. | | |
| 14.6 Special | precautions for user | | |
| Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A,S-F Marine Pollutant: Yes | | | |
| Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)): | | | |
| HazChem Code •3Z | | | |
| 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. | | | |
| | | | |
| | | | |
| | | | |

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 06 Aug 2024

HS Tariff Code: 3302.90.00

GHS: According to 2015/830/EU

 Code Number
 FM77843

 Version 2 Revised 6/08/2024 12:30:13 PM

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): Not Applicable

All the constituents of this material are compliant with AICIS regulation.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

Section 16. Other information

Full list of precautionary phrases

| P261 | Avoid breathing fumes. | | |
|---|--|--|--|
| P264 | Wash hands thoroughly after handling | | |
| P272 | Contaminated work clothing should not be allowed out of the workplace. | | |
| P273 | Avoid release to the environment. | | |
| P280 | Wear protective gloves and eye protection | | |
| P302+P352 | IF ON SKIN: Wash with plenty of water. | | |
| P333+P313 | If skin irritation or rash occurs: Get medical advice. | | |
| P362+P364 | Take off contaminated clothing and wash it before reuse. | | |
| P391 | Collect spillage. | | |
| P501 | Dispose of contents/container in accordance to local regulations | | |
| Wording of any hazard classes listed in section 3 | | | |
| FL 3 | Flammable liquid, category 3 | | |
| FL 4 | Flammable liquid, category 4 | | |
| FS 2 | Flammable solid, category 2 | | |
| ATO 3 | Acute toxicity, oral, category 3 | | |
| ATO 4 | Acute toxicity, oral, category 4 | | |
| ATO 5 | Acute toxicity, oral, category 5 | | |
| AH 1 | Aspiration hazard, category 1 | | |
| ATD 3 | Acute toxicity, dermal, category 3 | | |
| ATD 5 | Acute toxicity, dermal, category 5 | | |
| SCI 1B | Skin corrosion/irritation, category 1B | | |
| SCI 2 | Skin corrosion/irritation, category 2 | | |
| | | | |

Printed on 06 Aug 2024

GHS: According to 2015/830/EU

 Code Number
 FM77843

 Version 2 Revised 6/08/2024
 12:30:13 PM

| SCI 3 | Skin corrosion/irritation, category 3 |
|---------------------|--|
| SS 1 | Skin sensitisation, category 1 |
| SS 1B | Skin sensitisation, category 1B |
| EDI 1 | Eye damage/irritation, category 1 |
| EDI 2A | Eye damage/irritation, category 2A |
| ATI 4 | Acute toxicity, inhalation, category 4 |
| ATI 5 | Acute toxicity, inhalation, category 5 |
| STO-SE 3(RI) | Specific target organ, single exposure, respiratory irritation |
| REP 2 | Reproductive toxicity, category 2 |
| EH A1 | Aquatic hazard, acute, category 1 |
| EH A2 | Aquatic hazard, acute, category 2 |
| EH A3 | Aquatic hazard, acute, category 3 |
| EH C1 | Aquatic hazard, chronic, category 1 |
| EH C2 | Aquatic hazard, chronic, category 2 |
| EH C3 | Aquatic hazard, chronic, category 3 |
| Wording of any haza | rd statements listed in section 3 |
| H226 | Flammable liquid and vapour |
| H227 | Combustible liquid |
| H228 | Flammable solid |
| H301 | Toxic if swallowed |
| H302 | Harmful if swallowed |
| H303 | May be harmful if swallowed |
| H304 | May be fatal if swallowed and enters airways |
| H311 | Toxic in contact with skin |
| H313 | May be harmful in contact with skin |
| H314 | Causes severe skin burns and eye damage |
| H315 | Causes skin irritation |
| H316 | Causes mild skin irritation |
| H317 | May cause an allergic skin reaction |
| H318 | Causes serious eye damage |
| H319 | Causes serious eye irritation |
| H332 | Harmful if inhaled |
| H333 | May be harmful if inhaled |
| H335 | May cause respiratory irritation |
| H361 | Suspected of damaging fertility or the unborn child |
| | |

Printed on 06 Aug 2024

GHS: According to 2015/830/EU

 Code Number
 FM77843

 Version 2 Revised 6/08/2024
 12:30:13 PM

| H400 | Very toxic to aquatic life | | |
|--|---|--|--|
| H401 | Toxic to aquatic life | | |
| H402 | Harmful to aquatic life | | |
| H410 | Very toxic to aquatic life with long lasting effects | | |
| H411 | Toxic to aquatic life with long lasting effects | | |
| H412 | Harmful to aquatic life with long lasting effects | | |
| References and furth | ner information | | |
| AIIC = Australian Inve | N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemical AICIS = Australian Industrial Chemicals Introduction Scheme | | |
| Version 1: GHS format Version 2: GHS hazard | , BV 19/02/2021 I update, RB 06/08/2024 | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

