

SAFETY DATA S GHS: According to 2015/830/		Printed on 07 Aug 2024
<i>Code Number Version 2 Revised 6/08</i>	FM78270 8/2024 3:49:56 PM	
Section 1. Identificatio	n of the substance/mixture and of t	he company/undertaking
1.1 Product I dentifier		
Product Name	PEONY BAMBOO LOTUS	
Code Number	FM78270	
Alternative Name		
REACH Reg No	Not registered	
1.2 Relevant identified	l uses of the substance or mixture a	nd uses advised against
For fragrance use.		
1.3 Details of the supp	lier of the safety data sheet	
	Australian Botanical Products Ltd	
	39 Melverton Drive, Hallam Victoria, 3803	
	Australia	
	ABN: 45006782529	
Telephone Number	Tel No. +613 97094800	
Email Address	abpsales@ixom.com	
1.4 Emergency Tel No	Emergency No. +61 1 800 033 111	
Section 2. Hazard I den	tification	
2.1 Classification of th	e substance or mixture	
SCI 2	Skin corrosion/irritation, category 2	
SS 1B	Skin sensitisation, category 1B	
EDI 2A	Eye damage/irritation, category 2A	
EH A2	Aquatic hazard, acute, category 2	
EH C2	Aquatic hazard, chronic, category 2	
2.2 Label elements		

ode Number ersion 2 Revised d	FM78270 6/08/2024 3: 49: 56 PM
	according to Regulation (EC) No 1272/2008
Signal Word	Warning
Hazard Stateme	nts
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H411	Toxic to aquatic life with long lasting effects
Precautionary S	tatements
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P501	Dispose of contents/container in accordance to local regulations
.3 Other Hazards	
Contains Citronello produce an allergi	ol, Eugenol, Hydroxycitronellal, Limonene and Linalool which may c reaction
No further informa	ation available at this time
	tion / information on ingredients ed here for hazardous components are for illustrative purposes only

Printed on 07 Aug 2024

GHS: According to 2015/830/EU

Code Number FM78270

Version 2 Revised 6/08/2024 3: 49: 56 PM

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 54464-57-2 EINECS 259-174-3 REACH	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl) SCI 2; SS 1B;EH C1 H315,H317,H410	10% - 30%
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4;ATO 5;SCI 2;SS 1B;EDI 2A;EH A3 H227,H303,H315,H317,H319,H402	10% - 30%
CAS 24851-98-7 EINECS 246-495-9 REACH	methyl 3-oxo-2-pentylcyclopentaneacetate EH A2 H401	10% - 30%
CAS 14901-07-6 EINECS 238-969-9 REACH	4-(2,6,6-trimethylcyclohex-1-ene-1-yl)-but-3-ene-2-one ATO 5; SCI 3; EH A2,C2 H303,H316,H401,H411	10% - 30%
CAS 106-22-9 EINECS 203-375-0 REACH	citronellol ATO 5;ATD 5;SCI 2;SS 1B;EDI 2A;EH A2 H303,H313,H315,H317,H319,H401	1% - 10%
CAS 106-02-5 EINECS 203-354-6 REACH	pentadecan-15-olide SCI 3;EH C2 H316,H411	1% - 10%
CAS 63500-71-0 EINECS 405-040-6 REACH	A mixture of: cis-tetrahydro-2-isobutyl-4-methylpyran-4-ol; EDI 2A H319	1% - 10%
CAS 22029-76-1 EINECS 244-735-7 REACH	4-(2,6,6-trimethyl-1-cyclohexen-1-yl)-3-buten-2-ol ATO 4 H302	1% - 10%
CAS 1222-05-5 EINECS 214-946-9 REACH	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran EH A1,C1 H400,H410	1% - 10%
CAS 1205-17-0 EINECS 214-881-6 REACH	a-methyl-1,3-benzodioxole-5-propionaldehyde ATO 5(3550):SS 1B;EH A2,C2 H303,H317,H401,H411	1% - 10%
CAS 23696-85-7 EINECS 245-833-2 REACH	1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one SCI 2; SS 1A; EH A2,C2 H315,H317,H401,H411	<1%
CAS 128-37-0 EINECS 204-881-4 REACH	2,6-di-tert-butyl-p-cresol EH A1,C1 H400,H410	<1%

Printed on 07 Aug 2024

GHS: According to 2015/830/EU

Code Number FM78270

Version 2 Revised 6/08/2024 3:49:56 PM

Version 2 Revised 6/08/2024 3:49:56 PM			
CAS 1506-02-1 EINECS 244-240-6 REACH	1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)etha	<1%	
	ATO 4(1000); EH A1, C1	< 1%	
Pofor to soction 16 for	H302,H400,H410 the wording of listed classification and hazard statement codes		
	the wording of listed classification and hazard statement codes		
Section 4. First Aid	measures		
Take phrases in section 2 into account			
4.1 Description of	first aid measures		
After inhalation			
If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal. Obtain medical advice if necessary.			
After skin conta	ct		
Causes skin irritation, May cause an allergic skin reaction. Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.			
After eye contac	ct		
Causes serious eye irritation. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.			
After ingestion			
Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.			
4.2 Most important symptoms and effects, both acute and delayed			
Take phrases in sections 2 and 11 into account. No further information available at this time.			
4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.			
Section 5. Fire-fighting measures			
5.1 Extinguishing Media			
Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.			
5.2 Special hazards arising from the substance or mixture			
	May produce Carbon dioxide and unidentified organic compounds.		
5.3 Advice for fire	-fighters		
Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with			

Printed on 07 Aug 2024

GHS: According to 2015/830/EU

Code Number FM78270 Version 2 Revised 6/08/2024 3:49:56 PM

water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code •3Z

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 07 Aug 2024

GHS: According to 2015/830/EU
Code Number FM78270

Version 2 Revised 6/08/2024 3:49:56 PM

8.2 Exposure controls

use of a grounded mechanical exha Individual protection measures Refer to Section 5 for specific fire/c Always wash routinely before break Eye/face protection	Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended. I ndividual protection measures Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.	
Hand protection Wear chemically resistant disposabl	Hand protection Wear chemically resistant disposable gloves.	
Other skin protection Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period. Respiratory protection Not generally required. Use inhalation protection in poorly ventilated areas.		
Thermal hazards No information.		
Environmental exposure controls Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation. National Exposure Standards No exposure standards have been established for this material by Worksafe Australia.		
Biological Limit Values No biological limit allocated.		
Section 9. Physical and chemical properties		
9.1 Information on basic physical FLASH POINT (°C)	and chemical properties 110°C	
APPEARANCE	Mobile liquid	
COLOUR	Colourless to pale yellow	
ODOUR	Green, peony, bamboo, chamomile, amber, musk	
ODOUR THRESHOLD	Not available	

GHS: According to 2015/830/EU	Printed on 07 Aug 20
Code Number FM78270	
Version 2 Revised 6/08/2024 3:49	
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	0.895 - 0.925
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivity	/
10.1 Reactivity No data.	
10.2 Chemical Stability Stable under the recommended sto	prage conditions (see section 7).
10.3 Possibility of hazardous read No hazardous reactions if stored up	
10.4 Conditions to avoid	ignition, and open flame. Avoid exposure to air.

Printed on 07 Aug 2024

GHS: According to 2015/830/EU

Code Number FM78270 Version 2 Revised 6/08/2024 3:49:56 PM

10.5 Incompatible materialsKeep away from oxidising agents and from highly alkaline or acidic material.10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity Not classified based on available data.

Skin corrosion / irritation Causes skin irritation.

Serious eye damage / irritation Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity No data

STO-single exposure

No data

STO-repeated exposure No data

Aspiration hazard

No data

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 07 Aug 2024

GHS: According to 2015/830/EU

Code Number FM78270 Version 2 Revised 6/08/2024 3: 49: 56 PM

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains Tetramethyl acetyloctahydronaphthalenes (54464-57-2): LC50 (96 h) - Lepomis macrochirus - 1.3 mg/L EC50 (48 h) - Daphnia magna - 1.38 mg/L EC50 (72 h) - Scenedesmus subspicatus - 2.6 mg/L NOEC (30 days) - Danio rerio - 0.16 mg/L NOEC (21 days) - Daphnia magna – 0.044 mg/L NOEC (72 h) - Scenedesmus subspicatus - 2.6 mg/L

12.2 Persistence and degradability

No test data available for this substance.

12.3 Bioaccumulative potential

No data.

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment

No data.

12.6 Other adverse effects

See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 07 Aug 2024

GHS: According to 2015/830/EU

 Code Number
 FM78270

 Version 2 Revised 6/08/2024 3:49:56 PM

14.1 UN number		
ADR	3082	
ΙΑΤΑ	3082	
IMDG	3082	
14.2 UN prop	er shipping name	
ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)	
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)	
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)	
14.3 Transpo	ort hazard class(es)	
ADR	9	
ΙΑΤΑ	9	
IMDG	9	
14.4 Packing	group	
ADR	111	
ΙΑΤΑ	111	
IMDG	111	
Tunnel Code	(-)	
14.5 Environ	mental Hazards	
Dangerous for the environment. Marine pollutant.		
14.6 Special precautions for user		
Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A,S-F Marine Pollutant: Yes		
Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):		
HazChem Code •3Z		
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

GHS: According to 2015/830/EU

Printed on 07 Aug 2024

Code Number FM78270 Version 2 Revised 6/08/2024 3:49:56 PM Section 15. Regulatory information 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture HS Tariff Code: 3302.90.00 Poison Schedule (SUSMP): Not Applicable All the constituents of this material are compliant with AICIS regulation. 15.2 Chemical safety assessment A chemical safety assessment has not been carried out. Section 16. Other information Full list of precautionary phrases P261 Avoid breathing fumes. P264 Wash hands thoroughly after handling P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves and eye protection P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice.

P337+P313 If eye irritation persists: Get medical attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.P501 Dispose of contents/container in accordance to local regulations

Wording of any hazard classes listed in section 3FL 3Flammable liquid, category 3

ATD 3

FL 4Flammable liquid, category 4FS 2Flammable solid, category 2ATO 4Acute toxicity, oral, category 4ATO 5Acute toxicity, oral, category 5AH 1Aspiration hazard, category 1AH 2Aspiration hazard, category 2

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Acute toxicity, dermal, category 3

Page 11 of 13

Printed on 07 Aug 2024

GHS: According to 2015/830/EU

 Code Number
 FM78270

 Version 2 Revised 6/08/2024 3:49:56 PM

ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1A	Skin sensitisation, category 1A
SS 1B	Skin sensitisation, category 1B
EDI 1	Eye damage/irritation, category 1
EDI 2A	Eye damage/irritation, category 2A
ATI 5	Acute toxicity, inhalation, category 5
STO-SE 3(RI)	Specific target organ, single exposure, respiratory irritation
MUT 2	Germ cell mutagenicity, category 2
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3
Wording of any haza	rd statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H228	Flammable solid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H305	May be harmful if swallowed and enters airways
H311	Toxic in contact with skin
H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H335	May cause respiratory irritation
H341	Suspected of causing genetic defects

SAFETY DATA SHEET GHS: According to 2015/830/EU

Printed on 07 Aug 2024

Code Number FM78270 Version 2 Revised 6/08/2024 3:49:56 PM Very toxic to aquatic life H400 H401 Toxic to aquatic life H402 Harmful to aquatic life Very toxic to aquatic life with long lasting effects H410 H411 Toxic to aquatic life with long lasting effects Harmful to aquatic life with long lasting effects H412 References and further information N/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemical AICIS = Australian Industrial Chemicals Introduction Scheme Version 1: GHS format, RB 3/11/2021 Version 2: GHS hazard update, RB 06/08/2024

