

SAFETY DATA SHEETPrinted on 07 Aug 20GHS: According to 2015/830/EU		
<i>Code Number Version 2 Revised 6/08</i>	FM78459 8/2024 3:52:41 PM	
Section 1. Identificatio	n of the substance/mixture and of	the company/undertaking
1.1 Product I dentifier		
Product Name	FRESH CUCUMBER & GREEN TEA	
Code Number	FM78459	
Alternative Name REACH Reg No	Not registered	
_	-	
	l uses of the substance or mixture	and uses advised against
For fragrance use.		
1.3 Details of the supp	lier of the safety data sheet	
	Australian Botanical Products Ltd	
	39 Melverton Drive, Hallam Victoria, 3803	
	Australia	
	ABN: 45006782529	
Telephone Number	Tel No. +613 97094800	
Email Address	abpsales@ixom.com	
1.4 Emergency Tel No	Emergency No. +61 1 800 033 111	
Section 2. Hazard I dentification		
2.1 Classification of th	e substance or mixture	
SS 1B	Skin sensitisation, category 1B	
EH A2	Aquatic hazard, acute, category 2	
EH C2	Aquatic hazard, chronic, category 2	
2.2 Label elements		
1		

GHS: According to 2015/	830/EU		
<i>Code Number Version 2 Revised d</i>	FM78459 5/08/2024 3:52:41 PM		
	according to Regulation (EC) No	1272/2008	
Hazard Pictogram			
•			
	\vee \vee		
Signal Word	Warning		
Hazard Statemer	nts		
H317	May cause an allergic skin	reaction	
H411	Toxic to aquatic life with lo	ng lasting effects	
Precautionary St	atements		
P261	Avoid breathing fumes.		
P273	Avoid release to the enviro	nment.	
P280	Wear protective gloves and	l eye protection	
P333+P313	If skin irritation or rash occ	curs: Get medical advice.	
P362+P364	Take off contaminated clot	hing and wash it before re	euse.
P391	Collect spillage.		
P501	Dispose of contents/contain	ner in accordance to local	regulations
2.3 Other Hazards			
	cohol, Benzyl Benzoate, Citral, (Limonene and Linalool which m		
No further informa	tion available at this time		
	tion / information on ingredie d here for hazardous components are for illustra		
3.2 Mixtures			
Complex mixture of	of ingredients		
Hazardous compor	nents		
	Chemical Name, Classification and I		

Printed on 07 Aug 2024

GHS: According to 2015/830/EU

Code Number FM78459

Version 2 Revised 6/08/2024 3:52:41 PM

CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	1% - 10%
CAS 115-95-7 EINECS 204-116-4 REACH	Linalyl acetate FL 4; SCI 2; EDI 2A; EH A3 H227, H315, H319, H402	1% - 10%
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410	<1%
CAS 99-85-4 EINECS 202-794-6 REACH	gamma-Terpinene (p-Mentha-1,4-diene) FL 3;ATO 5(3850);AH 1;REP 2;EH A2,C2 H226,H303,H304,H361,H401,H411	<1%
CAS 79-92-5 EINECS 201-234-8 REACH	Camphene FS 2; SCI 3; EDI 2A; EH A1, C1 H228, H316, H319, H400, H410	<1%
CAS 127-91-3 EINECS 204-872-5 REACH	beta-Pinene FL 3;ATO 5(3700);AH 1;SCI 2;SS 1B;EH A1,C1 H226,H303,H304,H315,H317,H400,H410	<1%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal. Obtain medical advice if necessary.

After skin contact

May cause an allergic skin reaction. Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

After eye contact

Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 07 Aug 2024

GHS: According to 2015/830/EU

Code Number FM78459 Version 2 Revised 6/08/2024 3:52:41 PM

- 4.2 Most important symptoms and effects, both acute and delayed Take phrases in sections 2 and 11 into account. No further information available at this time.
- 4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code •3Z

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 07 Aug 2024

GHS: According to 2015/830/EU

Code Number FM78459 Version 2 Revised 6/08/2024 3:52:41 PM

and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Printed on 07 Aug 2024

GHS: According to 2015/830/EU

Code Number FM78459 Version 2 Revised 6/08/2024 3:52:41 PM

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values No biological limit allocated.

Section 9. Physical and chemical properties

FLASH POINT (°C)	>100°C
APPEARANCE	Mobile liquid
COLOUR	Colourless to almost colourless
ODOUR	Fresh, fruity, cucumber, tea, sandalwood
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	1.105 - 1.135
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available

SAFETY DATA SHEET GHS: According to 2015/830/EU	Printed on 07 Aug 202
Code Number FM78459 Version 2 Revised 6/08/2024 3:5	
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivit	ty
10.1 Reactivity No data.	
10.2 Chemical Stability Stable under the recommended st	torage conditions (see section 7).
10.3 Possibility of hazardous rea No hazardous reactions if stored u	
10.4 Conditions to avoid	
Avoid exposure to heat, sources of	of ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents	and from highly alkaline or acidic material.
10.6 Hazardous decomposition p	products
During combustion may form cark compounds.	oon monoxide, carbon dioxide and unidentified organic
Section 11. Toxicological informa	ition
11.1 Information on toxicologica	al effects
Acute toxicity Not classified based on available o	data.
Skin corrosion / irritation Not classified based on available o	data.
Serious eye damage / irritatio Not classified based on available o	
Respiratory or skin sensitisatio May cause an allergic skin reactio	
Germ cell mutagenicity No data	

Printed on O7 Aug 2024

GHS: According to 2015/830/EU

Code Number FM78459 Version 2 Revised 6/08/2024 3:52:41 PM

Carcinogenicity No data
Reproductive toxicity No data
STO-single exposure No data
STO-repeated exposure No data
Aspiration hazard No data
Information on likely routes of exposure No data
Symptoms related to the physical, chemical and toxicological characteristics No data
Delayed and immediate effects as well as chronic effects from short and long-term exposure No data
Interactive effects No data
Other information No data
Section 12. Ecological information 12.1 Toxicity
Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains D-Limonene (5989-27-5): LC50 (96 h) - Pimephales promelas (fathead minnow) – 0.72 mg/L EC50 (48 h) - Daphnia magna – 0.36 mg/L EC50 (72 h) - Raphidocelis subcapitata – 0.32 mg/L
12.2 Persistence and degradability
No test data available for this substance.
12.3 Bioaccumulative potential

12.3 Bioaccumulative potential

No data.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 07 Aug 2024

GHS: According to 2015/830/EU

 Code Number
 FM78459

 Version 2 Revised 6/08/2024 3:52:41 PM

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment

No data.

12.6 Other adverse effects

See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

Section 14. Transport information			
14.1 UN number			
ADR	3082		
ΙΑΤΑ	3082		
IMDG	3082		
14.2 UN prop	er shipping name		
ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)		
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)		
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)		
14.3 Transport hazard class(es)			
ADR	9		
ΙΑΤΑ	9		
IMDG	9		
14.4 Packing group			
ADR	III		
ΙΑΤΑ	III		
IMDG	III		
Tunnel Code	(-)		

SAFETY DATA SHEETPrinted on 07 Aug 20GHS: According to 2015/830/EU			
Code Number FM78459 Version 2 Revised 6/08/2024 3:52:41 PM			
	14.5 Environmental Hazards Dangerous for the environment. Marine pollutant.		
Maritime Transpo EmS: F-A,S-F	14.6 Special precautions for user Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A,S-F Marine Pollutant: Yes		
Road and Rail Tr	ansport (Australian Danger	ous Goods Code (ADG Code)):	
HazChem Code	•3Z		
14.7 Transport in Not applicable.	bulk according to Anne	KII of MARPOL73/78 and the IBC Code	
Section 15. Regula	atory information		
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Poison Schedule (SUSMP): Not Applicable HS Tariff Code: 3302.90.00			
All the constituents of this material are compliant with AICIS regulation.			
15.2 Chemical sa A chemical safety	y assessment has not been	carried out.	
Section 16. Other	-		
Section 10. Other	mormation		
Full list of prec	autionary phrases		
P261	Avoid breathing fum	ies.	
P272	Contaminated work workplace.	clothing should not be allowed out of the	
P273	Avoid release to the	environment.	
P280	Wear protective glov	ves and eye protection	
P302+P352	IF ON SKIN: Wash v	vith plenty of water.	
P333+P313	If skin irritation or r	ash occurs: Get medical advice.	
P362+P364	Take off contaminat	ed clothing and wash it before reuse.	
P391	Collect spillage.		
P501	Dispose of contents,	container in accordance to local regulations	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

HS: According to 2015/	/830/EU	
Code Number	FM78459	
Version 2 Revised of	6/08/2024 3:52:41 PM	
Wording of any	hazard classes listed in section 3	
FL 3	Flammable liquid, category 3	
FL 4	Flammable liquid, category 4	
FS 2	Flammable solid, category 2	
ATO 3	Acute toxicity, oral, category 3	
ATO 4	Acute toxicity, oral, category 4	
ATO 5	Acute toxicity, oral, category 5	
AH 1	Aspiration hazard, category 1	
AH 2	Aspiration hazard, category 2	
ATD 5	Acute toxicity, dermal, category 5	
SCI 2	Skin corrosion/irritation, category 2	
SCI 3	Skin corrosion/irritation, category 3	
SS 1	Skin sensitisation, category 1	
SS 1B	Skin sensitisation, category 1B	
EDI 1	Eye damage/irritation, category 1	
EDI 2A	Eye damage/irritation, category 2A	
ATI 4	Acute toxicity, inhalation, category 4	
REP 2	Reproductive toxicity, category 2	
EH A1	Aquatic hazard, acute, category 1	
EH A2	Aquatic hazard, acute, category 2	
EH A3	Aquatic hazard, acute, category 3	
EH C1	Aquatic hazard, chronic, category 1	
EH C2	Aquatic hazard, chronic, category 2	
EH C3	Aquatic hazard, chronic, category 3	
Wording of any	hazard statements listed in section 3	
H226	Flammable liquid and vapour	
H227	Combustible liquid	
H228	Flammable solid	
H301	Toxic if swallowed	
H302	Harmful if swallowed	
H303	May be harmful if swallowed	
H304	May be fatal if swallowed and enters air	ways
H305	May be harmful if swallowed and enters	•
H313	May be harmful in contact with skin	2

Printed on 07 Aug 2024

GHS: According to 2015/830/EU

Code Number FM78459 Version 2 Revised 6/08/2024 3:52:41 PM

H315	Causes skin irritation	
H316	Causes mild skin irritation	
H317	May cause an allergic skin reaction	
H318	Causes serious eye damage	
H319	Causes serious eye irritation	
H332	Harmful if inhaled	
H361	Suspected of damaging fertility or the unborn child	
H400	Very toxic to aquatic life	
H401	Toxic to aquatic life	
H402	Harmful to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
H411	Toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	
References and furth	ner information	
 H412 Harmful to aquatic life with long lasting effects References and further information N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemical AICIS = Australian Industrial Chemicals Introduction Scheme Version 1: GHS format, RB 17/03/2022 Version 2: GHS hazard update, RB 06/08/2024 		

Page 12 of 12