

SAFETY DATA S GHS: According to 2015/830/1		Printed on	10 Sep 2024	
Code Number Version 1 Revised 10/0	FM78523			
Section 1. Identification	n of the substance/mixture and of th	ne company/	undertaking	
1.1 Product I dentifier				
Product Name	SISSI LC SW			
Code Number	FM78523			
Alternative Name				
REACH Reg No	Not registered			
1.2 Relevant identified	uses of the substance or mixture a	nd uses advis	sed against	
For fragrance use.				
1.3 Details of the supplier of the safety data sheet				
	Australian Botanical Products Ltd			
	39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529			
Telephone Number	Tel No. +613 97094800			
Email Address	abpsales@ixom.com			
1.4 Emergency Tel No	Emergency No. +61 1 800 033 111			
Section 2. Hazard I dent	tification			
2.1 Classification of the	e substance or mixture			
SCI 2	Skin corrosion/irritation, category 2			
SS 1B	Skin sensitisation, category 1B			
EDI 2A	Eye damage/irritation, category 2A			
EH A2	Aquatic hazard, acute, category 2			
EH C2	Aquatic hazard, chronic, category 2			
2.2 Label elements				

IS: According to 2015/	
Code Number Version 1 Revised 3	FM78523 10/09/2024 12:13:00 PM
	according to Regulation (EC) No 1272/2008
Hazard Pictogra	
	\wedge \wedge
	\mathbf{v}
Signal Word	Warning
Hazard Statemer	nts
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H411	Toxic to aquatic life with long lasting effects
Precautionary St	tatements
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P501	Dispose of contents/container in accordance to local regulations
2.3 Other Hazards	
Contains Geraniol	and Hydroxycitronellal which may produce an allergic reaction
No further informa	ation available at this time
	tion / information on ingredients ed here for hazardous components are for illustrative purposes only
8.2 Mixtures	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 10 Sep 2024

GHS: According to 2015/830/EU

Code Number FM78523

Version 1 Revised 10/09/2024 12:13:00 PM

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 54464-57-2 EINECS 259-174-3 REACH	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl) SCI 2;SS 1B;EH C1 H315,H317,H410	10% - 30%
CAS 105-95-3 EINECS 203-347-8 REACH	1,4-dioxacycloheptadecane-5,17-dione EH A1,C3 H400,H412	10% - 30%
CAS 24851-98-7 EINECS 246-495-9 REACH	methyl 3-oxo-2-pentylcyclopentaneacetate EH A2 H401	10% - 30%
CAS 34902-57-3 EINECS 422-320-3 REACH	oxacylohexadecen-2-one ATO 5; ATD 5; EH A1, C1 H303, H313, H400, H410	1% - 10%
CAS 60-12-8 EINECS 200-456-2 REACH	2-phenylethanol ATO 4(1609);EDI 2A H302,H319	1% - 10%
CAS 65113-99-7 EINECS 265-453-0 REACH	a,B,2,2,3-pentamethylcyclopent-3-ene-1-butanol SCI 3;EDI 2A;EH A2,C2 H316,H319,H401,H411	1% - 10%
CAS 10339-55-6 EINECS 233-732-6 REACH	3,7-dimethylnona-1,6-dien-3-ol FL 4;SCI 2;SS 1B;EDI 2A;EH A3 H227,H315,H317,H319,H402	1% - 10%
CAS 106-24-1 EINECS 203-377-1 REACH	Geraniol ATO 5; SCI 2; SS 1; EDI 1; EH A3 H303, H315, H317, H318, H402	<1%
CAS 70788-30-6 EINECS 274-892-7 REACH	2,2,6-trimethyl-a-propylcyclohexanepropanol SS 1;EH A1,C1 H317,H400,H410	<1%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal. Obtain medical advice if necessary.

After skin contact

Causes skin irritation, May cause an allergic skin reaction. Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists

Printed on 10 Sep 2024

GHS: According to 2015/830/EU

 Code Number
 FM78523

 Version 1 Revised 10/09/2024 12:13:00 PM

or there is any sign of tissue damage.

After eye contact

Causes serious eye irritation. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code •3Z

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.

6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 10 Sep 2024

GHS: According to 2015/830/EU

 Code Number
 FM78523

 Version 1 Revised 10/09/2024 12:13:00 PM

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 10 Sep 2024

GHS: According to 2015/830/EU

 Code Number
 FM78523

 Version 1 Revised 10/09/2024 12:13:00 PM

Other skin protection Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period. Respiratory protection Not generally required. Use inhalation protection in poorly ventilated areas.				
Thermal hazards No information.				
Environmental exposure controls Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation. National Exposure Standards No exposure standards have been established for this material by Worksafe Australia.				
Biological Limit Values No biological limit allocated.				
Section 9. Physical and chemical	Section 9. Physical and chemical properties			
9.1 Information on basic physical and chemical properties FLASH POINT (°C) >100°C				
APPEARANCE	Mobile liquid			
COLOUR	Colourless to pale yellow			
ODOUR	Grapefruit, rhubarb, citrus, green, fresh, musk			
ODOUR THRESHOLD	Not available			
pH @20 DEG C	Not available			
MELTING/FREEZING POINT	Not available			
INITIAL BOILING POINT AND RANGE	Not available			
EVAPORATION RATE	Not available			
FLAMMABILITY (SOLID/GAS)	Not available			
UPPER/LOWER FLAMMABILITY LIMITS	Not available			
VAPOUR PRESSURE	Not available			

GHS: According to 2015/830/EU			
Code Number FM78523 Version 1 Revised 10/09/2024 12.	- 13:00 PM		
VAPOUR DENSITY	Not available		
SPECIFIC GRAVITY @ 20°C	0.9 - 0.92		
SOLUBILITIES	Insoluble in water		
PARTITION COEFF N-OCTANAL/WATER	Not available		
AUTO-IGNITION TEMPERATURE	Not available		
DECOMPOSITION TEMPERATURE	Not available		
VISCOSITY @ 20 DEG C	Not available		
EXPLOSIVE PROPERTIES	Not available		
OXIDISING PROPERTIES	Not available		
9.2 Other information No further information available.			
Section 10. Stability and reactivity	,		
10.1 Reactivity No data.			
10.2 Chemical Stability Stable under the recommended sto	rage conditions (see section	n 7).	
10.3 Possibility of hazardous read No hazardous reactions if stored u		ions.	
10.4 Conditions to avoid Avoid exposure to heat, sources of	ignition, and open flame. A	void exposure	to air.
10.5 Incompatible materials Keep away from oxidising agents a	nd from highly alkaline or a	cidic material.	
10.6 Hazardous decomposition pr During combustion may form carbo compounds.		e and unidenti	fied organic
Section 11. Toxicological informat	ion		
11.1 Information on toxicological	effects		
Acute toxicity Not classified based on available da	ata.		

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 10 Sep 2024

GHS: According to 2015/830/EU
Code Number FM78523

Version 1 Revised 10/09/2024 12:13:00 PM

Skin corrosion / irritation Causes skin irritation. Serious eye damage / irritation Causes serious eye irritation. Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity No data Carcinogenicity No data Reproductive toxicity No data STO-single exposure No data STO-repeated exposure No data Aspiration hazard No data Information on likely routes of exposure No data Symptoms related to the physical, chemical and toxicological characteristics No data Delayed and immediate effects as well as chronic effects from short and long-term exposure No data Interactive effects No data Other information No data Section 12. Ecological information

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 10 Sep 2024

GHS: According to 2015/830/EU

 Code Number
 FM78523

 Version 1 Revised 10/09/2024 12: 13:00 PM

12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains Tetramethyl acetyloctahydronaphthalenes (54464-57-2): LC50 (96 h) - Lepomis macrochirus - 1.3 mg/L EC50 (48 h) - Daphnia magna - 1.38 mg/L EC50 (72 h) - Scenedesmus subspicatus - 2.6 mg/L NOEC (30 days) - Danio rerio - 0.16 mg/L NOEC (21 days) - Daphnia magna - 0.044 mg/L NOEC (72 h) - Scenedesmus subspicatus - 2.6 mg/L

12.2 Persistence and degradability

No test data available for this substance.

12.3 Bioaccumulative potential No data.

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment

No data.

12.6 Other adverse effects See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

14.1 UN number

ADR	3082	
ΙΑΤΑ	3082	
IMDG	3082	

14.2 UN proper shipping name

ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS

Printed on 10 Sep 2024

GHS: According to 2015/830/EU

 Code Number
 FM78523

 Version 1 Revised 10/09/2024 12:13:00 PM

TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)

14.3 Transport hazard class(es)

7.0 man.	sport naz
ADR	9
IATA	9
IMDG	9
4 4 Packi	na aroui

14.4 Packing group

ADR	111
ΙΑΤΑ	Ш
IMDG	Ш
Tunnel Code	(-)

14.5 Environmental Hazards

Dangerous for the environment. Marine pollutant.

14.6 Special precautions for user

Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A,S-F Marine Pollutant: Yes

Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

HazChem Code •3Z

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): Not Applicable HS Tariff Code: 3302.90.00

All the constituents of this material are compliant with AICIS regulation.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

Section 16. Other information

Full list of precautionary phrases

P261Avoid breathing fumes.P264Wash hands thoroughly after handling

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 10 Sep 2024

GHS: According to 2015/830/EU

 Code Number
 FM78523

 Version 1 Revised 10/09/2024 12:13:00 PM

P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P501	Dispose of contents/container in accordance to local regulations
Wording of any haz	ard classes listed in section 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
ATO 3	Acute toxicity, oral, category 3
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
ATD 3	Acute toxicity, dermal, category 3
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 1	Eye damage/irritation, category 1
EDI 2A	Eye damage/irritation, category 2A
ATI 5	Acute toxicity, inhalation, category 5
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3

Printed on 10 Sep 2024

GHS: According to 2015/830/EU

Code Number FM78523 Version 1 Revised 10/09/2024 12:13:00 PM

Wording of any haza	rd statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H301	Toxic if swallowed
H302	Harmful if swallowed
H303	May be harmful if swallowed
H311	Toxic in contact with skin
H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

References and further information

N/A = Not applicable

SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemical

AICIS = Australian Industrial Chemicals Introduction Scheme

Version 1: GHS format, RB 10/09/2024

Page 12 of 12